



The State of New Hampshire  
**DEPARTMENT OF ENVIRONMENTAL SERVICES**



**Thomas S. Burack, Commissioner**

August 1, 2011

Debra A. Howland, Executive Director and Secretary  
New Hampshire Public Utilities Commission  
21 South Fruit Street, Suite 10  
Concord, NH 03301-2429

**Re: Quarterly Emissions Verification Summary for Certified Renewable Energy Sources  
(Dockets DE 08-024, DE 08-044, DE 08-051, DE 09-008 and DE 09-104)**

Dear Ms. Howland:

Based on the attached summary, the New Hampshire Department of Environmental Services (DES) recommends certification of the following wood-fired power plants as renewable energy sources, because the facilities meet average emission rates of 0.02 lb/MMBtu and 0.075 lb/MMBtu, for particulate (TSP) and nitrogen oxides (NO<sub>x</sub>), respectively:

**Pinetree Power, Inc.**  
1241 Whitefield Rd  
Bethlehem, NH 03574

**Pinetree Power-Tamworth, Inc.**  
469 Plains Rd  
Tamworth, NH 03886

**Public Service Company of New Hampshire (PSNH) Schiller Station # 5**  
400 Gosling Rd  
Portsmouth, NH 03801

Please note that the following plant also now meets the 0.075 lb/MMBtu NO<sub>x</sub> emission rate for the past quarter as required by statute (RSA 362-F) and is once again eligible for second quarter 2011:

**Indeck**  
151 Smith River Road  
Alexandria, NH 03222

Please note that the following plant did not meet the test requirements for TSP as required by statute (RSA 362-F) and continues to be ineligible:

**Springfield Power, LLC**  
54 Fisher Corner Road  
Springfield, NH 03284



DES Web Site: [www.des.nh.gov](http://www.des.nh.gov)

P.O. Box 105, 210 Hazen Drive, Concord, New Hampshire 03302-00105

Telephone: (603) 271-3503 Fax: (603) 271-2867 TDD Access: Relay NH 1-800-735-21064

If you have any questions regarding DES's recommendations, please contact me at [joseph.fontaine@des.nh.gov](mailto:joseph.fontaine@des.nh.gov) or (603) 271-6794.

Sincerely,  
  
Joseph T. Fontaine  
Trading Programs Manager  
Air Resources Division

cc: Barbara Bernstein, NH PUC