

State	Month	CLEC Id	Metric Id	Metric Title	Product	Performance Standard	Eligible/Diagnostic	FRP Num	FRP Den	CLEC Num	CLEC Den	FRP Perf.	CLEC Perf.	Z Score	Met Miss Ss	Qual'd Miss	Escalation Level	\$ Miss	\$ Credit
NNE	01-JUL-2015	Aggregate	PO-1-01-6040	Average Response Time - CSR	XML	<= 4.5 Seconds	ELIGIBLE	NA	NA	255.00	94.00	NA	2.71	NA	MET	0	1.00	5	0
NNE	01-JUL-2015	Aggregate	PO-1-01-6050	Average Response Time - CSR	WEB GUI	<= 6.5 Seconds	ELIGIBLE	NA	NA	2,045.00	553.00	NA	3.70	NA	MET	0	1.00	5	0
NNE	01-JUL-2015	Aggregate	PO-1-03-6040	Average Response Time - Address Validation	XML	<= 4.5 Seconds	ELIGIBLE	NA	NA	2,483.00	745.00	NA	3.33	NA	MET	0	1.00	5	0
NNE	01-JUL-2015	Aggregate	PO-1-03-6050	Average Response Time - Address Validation	WEB GUI	<= 7.5 Seconds	ELIGIBLE	NA	NA	5,254.00	1,596.00	NA	3.29	NA	MET	0	1.00	5	0
NNE	01-JUL-2015	Aggregate	PO-1-05-6040	Average Response Time - TN Availability and Reservation	XML	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	60.00	2.00	NA	30.00	NA	NA	NA	NA	NA	0
NNE	01-JUL-2015	Aggregate	PO-1-05-6050	Average Response Time - TN Availability and Reservation	WEB GUI	<= 7.5 Seconds	DIAGNOSTIC	NA	NA	1,255.00	79.00	NA	15.89	NA	NA	NA	NA	NA	0
NNE	01-JUL-2015	Aggregate	PO-1-06-6040	Average Response Time - Mech. Loop Qualification	XML	<= 4.5 Seconds	ELIGIBLE	NA	NA	4,777.00	1,141.00	NA	4.19	NA	MET	0	1.00	5	0
NNE	01-JUL-2015	Aggregate	PO-1-06-6050	Average Response Time - Mech. Loop Qualification	WEB GUI	<= 6.5 Seconds	ELIGIBLE	NA	NA	4,625.00	1,091.00	NA	4.24	NA	MET	0	1.00	5	0
NNE	01-JUL-2015	Aggregate	PO-1-07-6040	Average Response Time - Rejected Query	XML	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	339.00	45.00	NA	7.53	NA	NA	NA	NA	NA	0
NNE	01-JUL-2015	Aggregate	PO-1-07-6050	Average Response Time - Rejected Query	WEB GUI	<= 7.5 Seconds	DIAGNOSTIC	NA	NA	719.00	237.00	NA	3.03	NA	NA	NA	NA	NA	0
NNE	01-JUL-2015	Aggregate	PO-1-08-6040	% Timeouts	XML	<= 0.33%	DIAGNOSTIC	NA	NA	119.00	5,854.00	NA	2.03	NA	NA	NA	NA	NA	0
NNE	01-JUL-2015	Aggregate	PO-1-08-6050	% Timeouts	WEB GUI	<= 0.33%	DIAGNOSTIC	NA	NA	59.00	3,615.00	NA	1.63	NA	NA	NA	NA	NA	0
NNE	01-JUL-2015	Aggregate	PO-1-09-6040	Average Response Time - Parsed CSR	XML	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	11,986.00	3,708.00	NA	3.23	NA	NA	NA	NA	NA	0
NNE	01-JUL-2015	Aggregate	PO-2-02-6000	OSS Interface Availability - Prime Time	VFO	>= 99.5%	ELIGIBLE	NA	NA	28,080.00	28,080.00	NA	100.00	NA	MET	0	1.00	Severity Dependent	0
NNE	01-JUL-2015	Aggregate	PO-3-02-1000	% Answered within 30 Seconds - Ordering	Resale and UNE	>= 80%	DIAGNOSTIC	NA	NA	1,460.00	1,467.00	NA	99.52	NA	NA	NA	NA	NA	0
NNE	01-JUL-2015	Aggregate	PO-3-04-1000	% Answered within 30 Seconds - Repair	Resale and UNE	>= 80%	DIAGNOSTIC	NA	NA	21,877.00	26,360.00	NA	82.99	NA	NA	NA	NA	NA	0
NNE	01-JUL-2015	Aggregate	PO-4-01-6660	% Change Management Notices Sent on Time	Change Notices (types 3, 4 and 5)	>= 95%	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-JUL-2015	Aggregate	PO-4-01-6671	% Change Management Notices Sent on Time	Change Notices (types 1 and 2)	>= 95%	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-JUL-2015	Aggregate	PO-4-02-6600	Change Management Notices - Delay 1 to 7 Days	Change Notices all types	No Standard	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0
NNE	01-JUL-2015	Aggregate	PO-4-03-6600	Change Management Notices - Delay >= 8 Days	Change Notices all types	0 (zero) Notices >= 8 Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-JUL-2015	Aggregate	PO-5-01-6500	% On Time Notice of OSS Interface Outage	OSS Interface Outage Notifications	>= 95% within 20 Minutes of Outage	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0
NNE	01-JUL-2015	Aggregate	PO-6-01-6000	Software Validation	VFO	<= 5% Failed Transactions	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-JUL-2015	Aggregate	PO-7-01-6000	% Production Software Referrals Resolved On Time	VFO	>= 95% within 48 Hours/10 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-JUL-2015	Aggregate	PO-7-02-6000	Delay Hours - Production Software Resolution - Change - Transactions Failed - No Workaround	VFO	0 (zero) production resolution changes > 48 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-JUL-2015	Aggregate	PO-7-03-6000	Delay Days Production Software Resolution - Change - Transactions Failed - With Workaround	VFO	0 (zero) production resolution changes > 10 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-JUL-2015	Aggregate	PO-7-04-6000	Delay Hours - Failed/Rejected Test Deck Transactions - Transactions Failed - No Workaround	VFO	0 (zero) failed/rejected test deck transactions > 48 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NH	01-JUL-2015	Aggregate	PO-8-01-6100	% On Time - Manual Loop Qualification	Manual Loop Qual Request	>= 95% within 48 Hours	ELIGIBLE	NA	NA	4.00	4.00	NA	100.00	NA	MET	0	1.00	40	0
NH	01-JUL-2015	Aggregate	OR-1-02-2000	% On Time LSRC - Flow-Through	Resale	>= 95% within 2 Hours	ELIGIBLE	NA	NA	2.00	2.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-JUL-2015	Aggregate	OR-1-02-3332	% On Time LSRC - Flow-Through	UNE 2-Wire Loops/LNP	>= 95% within 2 Hours	ELIGIBLE	NA	NA	236.00	280.00	NA	84.29	NA	MISS	33	1.00	28	924.00
NH	01-JUL-2015	Aggregate	OR-1-04-2000	% On Time LSRC - No Facility Check (Non-Flow-Through)	Resale	>= 95% within 24 Hours	ELIGIBLE	NA	NA	4.00	4.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-JUL-2015	Aggregate	OR-1-04-3331	% On Time LSRC - No Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 24 Hours	ELIGIBLE	NA	NA	262.00	306.00	NA	85.62	NA	MISS	30	1.00	28	840.00
NH	01-JUL-2015	Aggregate	OR-1-04-3343	% On Time LSRC - No Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 24 Hours	ELIGIBLE	NA	NA	9.00	9.00	NA	88.89	NA	MET	0	1.00	28	0
NH	01-JUL-2015	Aggregate	OR-1-06-2000	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	Resale	>= 95% within 72 Hours	ELIGIBLE	NA	NA	0.00	0.00	NA	NA	NA	NA	0	1.00	28	0
NH	01-JUL-2015	Aggregate	OR-1-06-3200	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	UNE Specials	>= 95% within 5 Business Days	ELIGIBLE	NA	NA	2.00	3.00	NA	66.67	NA	MET	0	1.00	56	0
NH	01-JUL-2015	Aggregate	OR-1-06-3331	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 72 Hours	ELIGIBLE	NA	NA	6.00	6.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-JUL-2015	Aggregate	OR-1-06-3343	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 72 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NH	01-JUL-2015	Aggregate	OR-1-12-5020	% On Time ASRC	CLEC Trunks (<= 192 Forecasted)	>= 95% within 10 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	56	0
NH	01-JUL-2015	Aggregate	OR-1-12-5030	% On Time ASRC	CLEC Trunks (> 192, Unforecasted, and Projects)	>= 95% within Negotiated Interval	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	56	0
NH	01-JUL-2015	Aggregate	OR-1-13-5000	% On Time Design Layout Record (DLR)	CLEC Trunks	>= 95% On or Before DLRD	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	56	0
NH	01-JUL-2015	Aggregate	OR-2-02-2000	% On Time LSR Reject (Flow-Through)	Resale	>= 95% within 2 Hours	ELIGIBLE	NA	NA	17.00	18.00	NA	94.44	NA	MET	0	1.00	28	0
NH	01-JUL-2015	Aggregate	OR-2-02-3332	% On Time LSR Reject (Flow-Through)	UNE 2-Wire Loops/LNP	>= 95% within 2 Hours	ELIGIBLE	NA	NA	133.00	135.00	NA	98.52	NA	MET	1	1.00	28	28.00
NH	01-JUL-2015	Aggregate	OR-2-04-2000	% On Time LSR Reject - No Facility Check (Non-Flow-Through)	Resale	>= 95% within 24 Hours	ELIGIBLE	NA	NA	20.00	21.00	NA	95.24	NA	MET	0	1.00	28	0
NH	01-JUL-2015	Aggregate	OR-2-04-3331	% On Time LSR Reject - No Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 24 Hours	ELIGIBLE	NA	NA	81.00	86.00	NA	94.19	NA	MISS	4	1.00	28	112.00
NH	01-JUL-2015	Aggregate	OR-2-04-3343	% On Time LSR Reject - No Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 24 Hours	ELIGIBLE	NA	NA	6.00	6.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-JUL-2015	Aggregate	OR-2-06-2000	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	Resale	>= 95% within 72 Hours	ELIGIBLE	NA	NA	5.00	5.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-JUL-2015	Aggregate	OR-2-06-3200	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	UNE Specials	>= 95% within 5 Business Days	ELIGIBLE	NA	NA	5.00	5.00	NA	100.00	NA	MET	0	1.00	56	0
NH	01-JUL-2015	Aggregate	OR-2-06-3331	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 72 Hours	ELIGIBLE	NA	NA	13.00	13.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-JUL-2015	Aggregate	OR-2-06-3343	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 72 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NH	01-JUL-2015	Aggregate	OR-2-12-5020	% On Time Trunk ASR Reject	CLEC Trunks (<= 192 Forecasted)	>= 95% within 7 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	56	0
NH	01-JUL-2015	Aggregate	OR-2-12-5030	% On Time Trunk ASR Reject	CLEC Trunks (> 192, Unforecasted, and Projects)	>= 95% within Negotiated Interval	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0
NH	01-JUL-2015	Aggregate	OR-4-11-1000	% Completed Orders with Neither a PCN nor BCN Sent	Resale and UNE	<= 0.25% within 2 Business Days of Provisioning Completion	DIAGNOSTIC	NA	NA	65.00	1,872.00	NA	3.47	NA	NA	NA	NA	NA	0
NH	01-JUL-2015	Aggregate	OR-4-16-1000	% Provisioning Completion Notifiers Sent within One Business Day	Resale and UNE	>= 95%	ELIGIBLE	NA	NA	803.00	872.00	NA	92.09	NA	MISS	37	1.00	28	1,036.00
NH	01-JUL-2015	Aggregate	OR-4-17-1000	% Billing Completion Notifiers Sent On Time	Resale and UNE	>= 95.5% within 2 or 4 Business Days of Provisioning Completion	ELIGIBLE	NA	NA	1,792.00	1,864.00	NA	96.14	NA	MET	22	1.00	28	616.00
NH	01-JUL-2015	Aggregate	OR-5-01-2000	% Flow-Through - Total	Resale	No Standard	DIAGNOSTIC	NA	NA	27.00	62.00	NA	43.55	NA	NA	NA	NA	NA	0
NH	01-JUL-2015	Aggregate	OR-5-01-3112	% Flow-Through - Total	UNE 2-Wire Analog Loop	No Standard	DIAGNOSTIC	NA	NA	148.00	217.00	NA	68.20	NA	NA	NA	NA	NA	0
NH	01-JUL-2015	Aggregate	OR-5-01-3121	% Flow-Through - Total	Directory Listings and LNP	No Standard	DIAGNOSTIC	NA	NA	1,487.00	2,005.00	NA	74.16	NA	NA	NA	NA	NA	0
NH	01-JUL-2015	Aggregate	OR-5-03-2000	% Flow-Through - Achieved	Resale	>= 95%	ELIGIBLE	NA	NA	3.00	5.00	NA	60.00	NA	MISS	2	1.00	35	70.00
NH	01-JUL-2015	Aggregate	OR-5-03-3112	% Flow-Through - Achieved	UNE 2-Wire Analog Loop	>= 95%	ELIGIBLE	NA	NA	84.00	126.00	NA	66.67	NA	MISS	36	1.00	35	1,260.00
NH	01-JUL-2015	Aggregate	OR-5-03-3121	% Flow-Through - Achieved	UNE 2-Wire Digital and xDSL Loops	>= 95%	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NNE	01-JUL-2015	Aggregate	OR-6-01-1001	% Service Order Accuracy	CLEC Trunks (<= 192 Forecasted)	>= 95% within 7 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	56	0
NH	01-JUL-2015	Aggregate	OR-6-03-2000	% Resent LSRC	Resale and UNE 2-Wire Loops /LNP	<= 5% due to Errors	ELIGIBLE	NA	NA	72.00	73.00	NA	98.63	NA	MET	0	1.00	56	0
NH	01-JUL-2015	Aggregate	OR-6-03-3332	% Resent LSRC	Resale	<= 5% due to Errors	ELIGIBLE	NA	NA	1.00	49.00	NA	2.04	NA	MET	0	1.00	28	0
NNE	01-JUL-2015	Aggregate	OR-6-04-1040	% Accuracy - Directory Listing	UNE 2-Wire Loops/LNP	<= 5% due to Errors	ELIGIBLE	NA	NA	59.00	611.00	NA	9.86	NA	MISS	37	1.00	28	1,036.00
NH	01-JUL-2015	Aggregate	OR-11-01-2000	% On Time Resale Provider Notifications	Directory Listings	>= 95% without Errors	ELIGIBLE	NA	NA	55.00	72.00	NA	76.39	NA	MISS	310	1.00	40	5,350.00
NH	01-JUL-2015	Aggregate	PR-1-04-3112	Average Interval Offered - Dispatch (6 to 9 Lines)	Resale	>= 95% within 2 Business Days	ELIGIBLE	NA	NA	181.00	183.00	NA	98.91	NA	MET	0	1.00	56	0
NH	01-JUL-2015	Aggregate	PR-1-05-3112	Average Interval Offered - Dispatch (>= 10 Lines)	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	42.00	8.00	NA	NA	5.25	NA	NA	NA	NA	NA	NA	0
NH	01-JUL-2015	Aggregate	PR-1-09-3211	Average Interval Offered	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	8.00	2.00	10.00	1.00	4.00	10.00	NA	NA	NA	NA	NA	0
NH	01-JUL-2015	Aggregate	PR-1-09-3213	Average Interval Offered	UNE DS1	Parity with Retail DS1	DIAGNOSTIC	42.00	9.00	90.00	7.00	4.67	12.86	NA	NA	NA	NA		

Wholesale Performance Plan - NH Aggregate Summary Report

State	Month	CLEC Id	Metric Id	Metric Title	Product	Performance Standard	Eligible/Diagnostic	FRP Num	FRP Den	CLEC Num	CLEC Den	FRP Perf.	CLEC Perf.	Z Score	Met Miss Ss	Qual'd Miss	Escalation Level	\$ Miss	\$ Credit	
NH	01-JUL-2015	Aggregate	PR-5-02-2000	% Orders Held for Facilities > 15 Days	Resale	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	2,00	2,245.00	CLEC Num	19,00	0,09	0,00	NA	NA	NA	NA		0	
NH	01-JUL-2015	Aggregate	PR-5-02-3112	% Orders Held for Facilities > 15 Days	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	2,00	2,245.00	CLEC Num	19,00	0,09	0,00	NA	NA	NA	NA		0	
NH	01-JUL-2015	Aggregate	PR-5-02-3200	% Orders Held for Facilities > 15 Days	UNE Specials	Diagnostic Comparison to Retail Specials	DIAGNOSTIC	0,00	12,00	1,00	6,00	0,00	16,87	NA	NA	NA	NA		0	
NH	01-JUL-2015	Aggregate	PR-5-02-3343	% Orders Held for Facilities > 15 Days	UNE 2-Wire Digital and xDSL Loops	No Standard	DIAGNOSTIC	NA	NA	0,00	15,00	NA	0,00	NA	NA	NA	NA		0	
NH	01-JUL-2015	Aggregate	PR-5-02-5000	% Orders Held for Facilities > 15 Days	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0	
NH	01-JUL-2015	Aggregate	PR-5-03-5000	% Orders Held for Facilities > 60 Days	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0	
NH	01-JUL-2015	Aggregate	PR-6-01-2000	% Installation Troubles Reported within 30 Days	Resale	Parity with Retail POTS	ELIGIBLE	113,00	1,656.00	2,00	17,00	6,78	11,76	-1,25	MET	0	1,00	60	0	
NH	01-JUL-2015	Aggregate	PR-6-01-3113	% Installation Troubles Reported within 30 Days	UNE 2-Wire Analog Loop - New	Parity with Retail POTS - Dispatched	ELIGIBLE	73,00	464.00	6,00	40,00	15,73	15,00	0,15	MET	0	1,00	60	0	
NH	01-JUL-2015	Aggregate	PR-6-01-3200	% Installation Troubles Reported within 30 Days	UNE Specials	Parity with Retail Specials	ELIGIBLE	2,00	3,00	0,00	6,00	66,67	0,00	NA	SS	0	1,00	150	0	
NH	01-JUL-2015	Aggregate	PR-6-01-3343	% Installation Troubles Reported within 30 Days	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS - Dispatched	ELIGIBLE	73,00	464.00	4,00	18,00	15,73	22,22	-1,06	MET	2	1,00	60	120,00	
NH	01-JUL-2015	Aggregate	PR-6-01-5000	% Installation Troubles Reported within 30 Days	CLEC Trunks	Parity with IXC Feature Group D Trunks	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1,00	150	0	
NH	01-JUL-2015	Aggregate	PR-6-02-3520	% Installation Troubles Reported within 7 Days	UNE 2-Wire Analog Loop - Hot Cut	<= 2%	ELIGIBLE	NA	NA	0,00	27,00	NA	0,00	NA	MET	0	1,00	60	0	
NH	01-JUL-2015	Aggregate	PR-8-01-2000	% Open Orders in a Hold Status > 30 Days	Resale	Parity with Retail POTS	ELIGIBLE	108,00	2,557.00	0,00	37,00	4,22	0,00	0,82	MET	0	1,00	60	0	
NH	01-JUL-2015	Aggregate	PR-8-01-3112	% Open Orders in a Hold Status > 30 Days	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	108,00	2,557.00	0,00	28,00	4,22	0,00	0,52	MET	0	1,00	60	0	
NH	01-JUL-2015	Aggregate	PR-8-01-3200	% Open Orders in a Hold Status > 30 Days	UNE Specials	Parity with Retail Specials	ELIGIBLE	5,00	21,00	0,00	7,00	23,81	0,00	0,82	MET	0	1,00	150	0	
NH	01-JUL-2015	Aggregate	PR-8-01-3343	% Open Orders in a Hold Status > 30 Days	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	108,00	2,557.00	0,00	18,00	4,22	0,00	0,10	MET	0	1,00	60	0	
NH	01-JUL-2015	Aggregate	PR-8-01-5000	% Open Orders in a Hold Status > 30 Days	CLEC Trunks	Parity with IXC Feature Group D Trunks	ELIGIBLE	1,00	1,00	0,00	0,00	100,00	NA	NA	NA	0	1,00	150	0	
NH	01-JUL-2015	Aggregate	PR-8-02-2000	% Open Orders in a Hold Status > 90 Days	Resale	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	101,00	2,550.00	5,00	35,00	3,96	14,29	NA	NA	NA	NA		0	
NH	01-JUL-2015	Aggregate	PR-8-02-3112	% Open Orders in a Hold Status > 90 Days	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	101,00	2,550.00	5,00	28,00	3,96	17,86	NA	NA	NA	NA		0	
NH	01-JUL-2015	Aggregate	PR-8-02-3200	% Open Orders in a Hold Status > 90 Days	UNE Specials	Diagnostic Comparison to Retail Specials	DIAGNOSTIC	5,00	21,00	0,00	7,00	23,81	0,00	NA	NA	NA	NA		0	
NH	01-JUL-2015	Aggregate	PR-8-02-3343	% Open Orders in a Hold Status > 90 Days	UNE 2-Wire Digital and xDSL Loops	Diagnostic comparison to Retail POTS	DIAGNOSTIC	101,00	2,550.00	0,00	19,00	3,96	0,00	NA	NA	NA	NA		0	
NH	01-JUL-2015	Aggregate	PR-8-02-5000	% Open Orders in a Hold Status > 90 Days	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D Trunks	DIAGNOSTIC	1,00	1,00	1,00	1,00	100,00	100,00	NA	NA	NA	NA		0	
NH	01-JUL-2015	Aggregate	PR-9-01-3520	% On Time Performance - Hot Cut	UNE 2-Wire Analog Loop - Hot Cut	>= 95% Completed within Window	ELIGIBLE	NA	NA	5,00	5,00	NA	100,00	NA	MET	0	1,00	100	0	
NH	01-JUL-2015	Aggregate	PR-9-08-3520	Average Duration of Hot Cut Installation Troubles	UNE 2-Wire Analog Loop - Hot Cut	Parity with Retail POTS - New	ELIGIBLE	2,957.11	93.00	NA	NA	31,80	NA	NA	NA	0	1,00	100	0	
NNE	01-JUL-2015	Aggregate	MR-1-01-6000	Average Response Time - Create Trouble	VFO	<= 4.5 Seconds	ELIGIBLE	NA	NA	23,136.00	1,658.00	NA	13,95	NA	MISS	167	1,00	5	235.00	
NNE	01-JUL-2015	Aggregate	MR-1-02-6000	Average Response Time - Status Trouble	VFO	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	435.00	15,00	NA	29,00	NA	NA	NA	NA		0	
NNE	01-JUL-2015	Aggregate	MR-1-03-6000	Average Response Time - Modify Trouble	VFO	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	3,692.00	104,00	NA	35,50	NA	NA	NA	NA		0	
NNE	01-JUL-2015	Aggregate	MR-1-04-6000	Average Response Time - Request Cancellation of Trouble	VFO	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	189.00	9,00	NA	21,00	NA	NA	NA	NA		0	
NNE	01-JUL-2015	Aggregate	MR-1-05-6000	Average Response Time - Status and Trouble History	VFO	No Standard	DIAGNOSTIC	NA	NA	774.00	24,00	NA	32,25	NA	NA	NA	NA		0	
NNE	01-JUL-2015	Aggregate	MR-1-06-6000	Average Response Time - Test Trouble (Resale POTS Only)	VFO	<= 90 Seconds	ELIGIBLE	NA	NA	10,555.00	248,00	NA	42,56	NA	MET	0	1,00	5	0	
NH	01-JUL-2015	Aggregate	MR-2-01-3200	Network Trouble Report Rate	UNE Specials	No Standard	DIAGNOSTIC	NA	NA	30,00	3,619.00	NA	0,83	NA	NA	NA	NA		0	
NH	01-JUL-2015	Aggregate	MR-2-01-5000	Network Trouble Report Rate	CLEC Trunks	Parity with IXC Feature Group D Trunks	DIAGNOSTIC	0,00	9,00	0,00	773.00	0,00	0,00	NA	NA	NA	NA		0	
NH	01-JUL-2015	Aggregate	MR-2-02-2000	Network Trouble Report Rate - Loop	Resale	Parity with Retail POTS	DIAGNOSTIC	2,417.00	178,556.00	14,00	5,297.00	1,35	0,26	NA	NA	NA	NA		0	
NH	01-JUL-2015	Aggregate	MR-2-02-3112	Network Trouble Report Rate - Loop	UNE 2-Wire Analog Loop	Parity with Retail POTS	DIAGNOSTIC	2,417.00	178,556.00	64,00	15,636.00	1,35	0,41	NA	NA	NA	NA		0	
NH	01-JUL-2015	Aggregate	MR-2-02-3343	Network Trouble Report Rate - Loop	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	DIAGNOSTIC	2,417.00	178,556.00	1,00	2,931.00	1,35	0,03	NA	NA	NA	NA		0	
NH	01-JUL-2015	Aggregate	MR-2-03-2000	Network Trouble Report Rate - Central Office	Resale	Parity with Retail POTS	DIAGNOSTIC	276.00	178,556.00	9,00	5,297.00	0,15	0,17	NA	NA	NA	NA		0	
NH	01-JUL-2015	Aggregate	MR-2-03-3112	Network Trouble Report Rate - Central Office	UNE 2-Wire Analog Loop	Parity with Retail POTS	DIAGNOSTIC	40,00	178,556.00	7,00	15,636.00	0,02	0,04	NA	NA	NA	NA		0	
NH	01-JUL-2015	Aggregate	MR-2-03-3343	Network Trouble Report Rate - Central Office	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	DIAGNOSTIC	40,00	178,556.00	0,00	2,931.00	0,02	0,00	NA	NA	NA	NA		0	
NH	01-JUL-2015	Aggregate	MR-3-01-2010	% Missed Repair Appointment - Loop	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	127,00	455.00	1,00	14,00	27,91	7,14	1,48	MET	0	1,00	70	0	
NH	01-JUL-2015	Aggregate	MR-3-01-2120	% Missed Repair Appointment - Loop	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	625.00	1,962.00	NA	NA	31,86	NA	NA	NA	0	1,00	35	0	
NH	01-JUL-2015	Aggregate	MR-3-01-3112	% Missed Repair Appointment - Loop	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	752.00	2,417.00	13,00	64,00	31,11	20,31	1,75	MET	0	1,00	70	0	
NH	01-JUL-2015	Aggregate	MR-3-01-3343	% Missed Repair Appointment - Loop	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	752.00	2,417.00	1,00	11,00	31,11	9,09	1,28	MET	0	1,00	70	0	
NH	01-JUL-2015	Aggregate	MR-3-02-2010	% Missed Repair Appointment - Central Office	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	32,00	84.00	2,00	9,00	38,10	22,22	0,55	MET	0	1,00	70	0	
NH	01-JUL-2015	Aggregate	MR-3-02-2120	% Missed Repair Appointment - Central Office	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	53,00	192.00	NA	NA	27,60	NA	NA	NA	0	1,00	35	0	
NH	01-JUL-2015	Aggregate	MR-3-02-3112	% Missed Repair Appointment - Central Office	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	13,00	65.00	1,00	7,00	20,00	14,29	0,22	MET	0	1,00	70	0	
NH	01-JUL-2015	Aggregate	MR-3-02-3343	% Missed Repair Appointment - Central Office	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	13,00	65.00	0,00	1,00	20,00	0,00	NA	SS	0	1,00	70	0	
NH	01-JUL-2015	Aggregate	MR-4-01-3200	Mean Time To Repair - Total	UNE Specials	Parity with Retail Specials	ELIGIBLE	142,89	15,00	534.38	30,00	9,53	17,81	-1,02	MET	0	1,00	125	0	
NH	01-JUL-2015	Aggregate	MR-4-01-5000	Mean Time To Repair - Total	CLEC Trunks	Parity with IXC Feature Group D Trunks	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1,00	125	0	
NH	01-JUL-2015	Aggregate	MR-4-02-2010	Mean Time To Repair - Loop Trouble	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	6,928.19	455.00	234.94	14,00	15,23	16,78	-0,42	MET	0	1,00	60	0	
NH	01-JUL-2015	Aggregate	MR-4-02-2120	Mean Time To Repair - Loop Trouble	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	81,062.58	1,962.00	NA	NA	41,32	NA	NA	NA	0	1,00	35	0	
NH	01-JUL-2015	Aggregate	MR-4-02-3112	Mean Time To Repair - Loop Trouble	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	87,990.66	2,417.00	741.91	64,00	38,40	11,59	5,00	MET	0	1,00	60	0	
NH	01-JUL-2015	Aggregate	MR-4-02-3343	Mean Time To Repair - Loop Trouble	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	87,990.66	2,417.00	165,81	11,00	38,40	15,06	2,95	MET	0	1,00	60	0	
NH	01-JUL-2015	Aggregate	MR-4-03-2010	Mean Time To Repair - Central Office Trouble	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	3,917.56	84.00	253.62	9,00	46,64	28,18	0,43	MET	0	1,00	60	0	
NH	01-JUL-2015	Aggregate	MR-4-03-2120	Mean Time To Repair - Central Office Trouble	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	8,128.22	192.00	NA	NA	42,33	NA	NA	NA	0	1,00	35	0	
NH	01-JUL-2015	Aggregate	MR-4-03-3112	Mean Time To Repair - Central Office Trouble	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	1,647.17	65.00	82.15	7,00	25,34	11,74	1,32	MET	0	1,00	60	0	
NH	01-JUL-2015	Aggregate	MR-4-03-3343	Mean Time To Repair - Central Office Trouble	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	1,647.17	65.00	4,72	1,00	25,34	4,72	NA	SS	0	1,00	60	0	
NH	01-JUL-2015	Aggregate	MR-4-04-2000	% Cleared within 24 Hours	Resale	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	1,177.00	2,693.00	19,00	23,00	43,71	82,61	NA	NA	NA	NA		0	
NH	01-JUL-2015	Aggregate	MR-4-04-3112	% Cleared within 24 Hours	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	1,056.00	2,482.00	65,00	71,00	42,55	91,55	NA	NA	NA	NA		0	
NH	01-JUL-2015	Aggregate	MR-4-04-3200	% Cleared within 24 Hours	UNE Specials	Diagnostic Comparison to Retail Specials	DIAGNOSTIC	13,00	15,00	24,00	30,00	86,67	80,00	NA	NA	NA	NA		0	
NH	01-JUL-2015	Aggregate	MR-4-04-3343	% Cleared within 24 Hours	UNE 2-Wire Digital and xDSL Loops	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	1,056.00	2,482.00	10,00	12,00	42,55	83,33	NA	NA	NA	NA		0	
NH	01-JUL-2015	Aggregate	MR-4-04-5000	% Cleared within 24 Hours	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0	
NH	01-JUL-2015	Aggregate	MR-4-05-5000	% Out of Service > 2 Hours	CLEC Trunks	Parity with IXC Feature Group D Trunks	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	NA	0	1,00	175	0
NH	01-JUL-2015	Aggregate	MR-4-06-2010	% Out of Service > 4 Hours	Resale Business	Diagnostic Comparison to Retail POTS - Business	DIAGNOSTIC	196.00	281.00	16,00	17,00	69,75	94,12	NA	NA	NA	NA		0	
NH	01-JUL-2015	Aggregate	MR-4-06-2120	% Out of Service > 4 Hours	Resale POTS Residence	Diagnostic Comparison to Retail POTS - Residence	DIAGNOSTIC	1,318.00	1,423.00	NA	NA	92,62	NA	NA	NA	NA	NA		0	
NH	01-JUL-2015	Aggregate	MR-4-06-3200	% Out of Service > 4 Hours	UNE Specials	Parity with Retail Specials	ELIGIBLE	NA	NA	0,00	1,00	NA	0,00	NA	SS	0	1,00	175	0	
NH	01-JUL-2015	Aggregate	MR-4-06-5000	% Out of Service > 4 Hours	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D Trunks	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0	
NH	01-JUL-2015	Aggregate	MR-4																	

