

| State | Month       | CLEC Id   | Metric Id     | Metric Title                                                                               | Product                                         | Performance Standard                                            | Eligible/Diagnostic | FRP Num | FRP Den | CLEC Num | CLEC Den | FRP Perf. | CLEC Perf. | Z Score | Met Miss Ss | Qual'd Miss | Escalation Level | \$ Miss | \$ Credit          |
|-------|-------------|-----------|---------------|--------------------------------------------------------------------------------------------|-------------------------------------------------|-----------------------------------------------------------------|---------------------|---------|---------|----------|----------|-----------|------------|---------|-------------|-------------|------------------|---------|--------------------|
| NNE   | 01-SEP-2015 | Aggregate | PO-1-01-6040  | Average Response Time - CSR                                                                | XML                                             | <= 4.5 Seconds                                                  | ELIGIBLE            | NA      | NA      | 242.00   | 83.00    | NA        | 2.92       | NA      | MET         | 0           | 1.00             | 5       | 0                  |
| NNE   | 01-SEP-2015 | Aggregate | PO-1-01-6050  | Average Response Time - CSR                                                                | WEB GUI                                         | <= 6.5 Seconds                                                  | ELIGIBLE            | NA      | NA      | 4233.00  | 1149.00  | NA        | 3.68       | NA      | MET         | 0           | 1.00             | 5       | 0                  |
| NNE   | 01-SEP-2015 | Aggregate | PO-1-03-6040  | Average Response Time - Address Validation                                                 | XML                                             | <= 4.5 Seconds                                                  | ELIGIBLE            | NA      | NA      | 2309.00  | 824.00   | NA        | 2.80       | NA      | MET         | 0           | 1.00             | 5       | 0                  |
| NNE   | 01-SEP-2015 | Aggregate | PO-1-03-6050  | Average Response Time - Address Validation                                                 | WEB GUI                                         | <= 7.5 Seconds                                                  | ELIGIBLE            | NA      | NA      | 3709.00  | 1474.00  | NA        | 2.52       | NA      | MET         | 0           | 1.00             | 5       | 0                  |
| NNE   | 01-SEP-2015 | Aggregate | PO-1-05-6040  | Average Response Time - TN Availability and Reservation                                    | XML                                             | <= 4.5 Seconds                                                  | DIAGNOSTIC          | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | NA               |         | 0                  |
| NNE   | 01-SEP-2015 | Aggregate | PO-1-05-6050  | Average Response Time - TN Availability and Reservation                                    | WEB GUI                                         | <= 7.5 Seconds                                                  | DIAGNOSTIC          | NA      | NA      | 1388.00  | 136.00   | NA        | 10.21      | NA      | NA          | NA          | NA               |         | 0                  |
| NNE   | 01-SEP-2015 | Aggregate | PO-1-06-6040  | Average Response Time - Mech. Loop Qualification                                           | XML                                             | <= 4.5 Seconds                                                  | ELIGIBLE            | NA      | NA      | 3940.00  | 1128.00  | NA        | 3.49       | NA      | MET         | 0           | 1.00             | 5       | 0                  |
| NNE   | 01-SEP-2015 | Aggregate | PO-1-06-6050  | Average Response Time - Mech. Loop Qualification                                           | WEB GUI                                         | <= 6.5 Seconds                                                  | ELIGIBLE            | NA      | NA      | 3298.00  | 965.00   | NA        | 3.42       | NA      | MET         | 0           | 1.00             | 5       | 0                  |
| NNE   | 01-SEP-2015 | Aggregate | PO-1-07-6040  | Average Response Time - Rejected Query                                                     | XML                                             | <= 4.5 Seconds                                                  | DIAGNOSTIC          | NA      | NA      | 1242.00  | 75.00    | NA        | 16.56      | NA      | NA          | NA          | NA               |         | 0                  |
| NNE   | 01-SEP-2015 | Aggregate | PO-1-07-6050  | Average Response Time - Rejected Query                                                     | WEB GUI                                         | <= 7.5 Seconds                                                  | DIAGNOSTIC          | NA      | NA      | 750.00   | 229.00   | NA        | 3.28       | NA      | NA          | NA          | NA               |         | 0                  |
| NNE   | 01-SEP-2015 | Aggregate | PO-1-08-6040  | % Timeouts                                                                                 | XML                                             | <= 0.33%                                                        | DIAGNOSTIC          | NA      | NA      | 80.00    | 4909.00  | NA        | 1.60       | NA      | NA          | NA          | NA               |         | 0                  |
| NNE   | 01-SEP-2015 | Aggregate | PO-1-08-6050  | % Timeouts                                                                                 | WEB GUI                                         | <= 0.33%                                                        | DIAGNOSTIC          | NA      | NA      | 141.00   | 4094.00  | NA        | 3.44       | NA      | NA          | NA          | NA               |         | 0                  |
| NNE   | 01-SEP-2015 | Aggregate | PO-1-09-6040  | Average Response Time - Parsed CSR                                                         | XML                                             | <= 4.5 Seconds                                                  | DIAGNOSTIC          | NA      | NA      | 9174.00  | 2799.00  | NA        | 3.28       | NA      | NA          | NA          | NA               |         | 0                  |
| NNE   | 01-SEP-2015 | Aggregate | PO-2-02-6000  | OSS Interface Availability - Prime Time                                                    | VFO                                             | >= 99.5%                                                        | ELIGIBLE            | NA      | NA      | 27000.00 | 27000.00 | NA        | 100.00     | NA      | MET         | 0           | 1.00             |         | Severity Dependent |
| NNE   | 01-SEP-2015 | Aggregate | PO-3-02-1000  | % Answered within 30 Seconds - Ordering                                                    | Resale and UNE                                  | >= 80%                                                          | DIAGNOSTIC          | NA      | NA      | 1192.00  | 1199.00  | NA        | 99.42      | NA      | NA          | NA          | NA               |         | 0                  |
| NNE   | 01-SEP-2015 | Aggregate | PO-3-04-1000  | % Answered within 30 Seconds - Repair                                                      | Resale and UNE                                  | >= 80%                                                          | DIAGNOSTIC          | NA      | NA      | 18191.00 | 19229.00 | NA        | 94.60      | NA      | NA          | NA          | NA               |         | 0                  |
| NNE   | 01-SEP-2015 | Aggregate | PO-4-01-6660  | % Change Management Notices Sent on Time                                                   | Change Notices (types 3, 4 and 5)               | >= 95%                                                          | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | 0           | 1.00             |         | Severity Dependent |
| NNE   | 01-SEP-2015 | Aggregate | PO-4-01-6671  | % Change Management Notices Sent on Time                                                   | Change Notices (types 1 and 2)                  | >= 95%                                                          | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | 0           | 1.00             |         | Severity Dependent |
| NNE   | 01-SEP-2015 | Aggregate | PO-4-02-6600  | Change Management Notices - Delay 1 to 7 Days                                              | Change Notices all types                        | No Standard                                                     | DIAGNOSTIC          | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | NA               |         | 0                  |
| NNE   | 01-SEP-2015 | Aggregate | PO-4-03-6600  | Change Management Notices - Delay >= 8 Days                                                | Change Notices all types                        | 0 (zero) Notices >= 8 Days                                      | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | 0           | 1.00             |         | Severity Dependent |
| NNE   | 01-SEP-2015 | Aggregate | PO-5-01-6500  | % On Time Notice of OSS Interface Outage                                                   | OSS Interface Outage Notifications              | >= 95% within 20 Minutes of Outage                              | DIAGNOSTIC          | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | NA               |         | 0                  |
| NNE   | 01-SEP-2015 | Aggregate | PO-6-01-6000  | Software Validation                                                                        | VFO                                             | <= 5% Failed Transactions                                       | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | 0           | 1.00             |         | Severity Dependent |
| NNE   | 01-SEP-2015 | Aggregate | PO-7-01-6000  | % Production Software Referrals Resolved On Time                                           | VFO                                             | >= 95% within 48 Hours/10 Business Days                         | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | 0           | 1.00             |         | Severity Dependent |
| NNE   | 01-SEP-2015 | Aggregate | PO-7-02-6000  | Delay Hours Production Software Resolution - Change - Transactions Failed - No Workaround  | VFO                                             | 0 (zero) production resolution changes > 48 Hours               | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | 0           | 1.00             |         | Severity Dependent |
| NNE   | 01-SEP-2015 | Aggregate | PO-7-03-6000  | Delay Days Production Software Resolution - Change - Transactions Failed - With Workaround | VFO                                             | 0 (zero) production resolution changes > 10 Business Days       | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | 0           | 1.00             |         | Severity Dependent |
| NNE   | 01-SEP-2015 | Aggregate | PO-7-04-6000  | Delay Hours - Failed/Rejected Test Deck Transactions - Transactions Failed - No Workaround | VFO                                             | 0 (zero) failed/rejected test deck transactions > 48 Hours      | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | 0           | 1.00             |         | Severity Dependent |
| NH    | 01-SEP-2015 | Aggregate | PO-8-01-6100  | % On Time - Manual Loop Qualification                                                      | Manual Loop Qual Request                        | >= 95% within 48 Hours                                          | ELIGIBLE            | NA      | NA      | 1.00     | 1.00     | NA        | 100.00     | NA      | MET         | 0           | 1.00             | 40      | 0                  |
| NH    | 01-SEP-2015 | Aggregate | OR-1-02-2000  | % On Time LSRC - Flow-Through                                                              | Resale                                          | >= 95% within 2 Hours                                           | ELIGIBLE            | NA      | NA      | 48.00    | 74.00    | NA        | 64.86      | NA      | MISS        | 23          | 1.00             | 28      | 644.00             |
| NH    | 01-SEP-2015 | Aggregate | OR-1-02-3332  | % On Time LSRC - Flow-Through                                                              | UNE 2-Wire Loops/LNP                            | >= 95% within 2 Hours                                           | ELIGIBLE            | NA      | NA      | 967.00   | 1066.00  | NA        | 90.71      | NA      | MISS        | 57          | 2.00             | 28      | 3,192.00           |
| NH    | 01-SEP-2015 | Aggregate | OR-1-04-2000  | % On Time LSRC - No Facility Check (Non-Flow-Through)                                      | Resale                                          | >= 95% within 24 Hours                                          | ELIGIBLE            | NA      | NA      | 1.00     | 2.00     | NA        | 50.00      | NA      | MET         | 0           | 1.00             | 28      | 0                  |
| NH    | 01-SEP-2015 | Aggregate | OR-1-04-3331  | % On Time LSRC - No Facility Check (Non-Flow-Through)                                      | UNE 2-Wire Analog Loop/LNP                      | >= 95% within 24 Hours                                          | ELIGIBLE            | NA      | NA      | 84.00    | 93.00    | NA        | 90.32      | NA      | MISS        | 6           | 2.50             | 28      | 420.00             |
| NH    | 01-SEP-2015 | Aggregate | OR-1-04-3343  | % On Time LSRC - No Facility Check (Non-Flow-Through)                                      | UNE 2-Wire Digital and xDSL Loops               | >= 95% within 24 Hours                                          | ELIGIBLE            | NA      | NA      | 0.00     | 1.00     | NA        | 0.00       | NA      | MET         | 0           | 1.00             | 28      | 0                  |
| NH    | 01-SEP-2015 | Aggregate | OR-1-06-2000  | % On Time LSRC/ASRC - Facility Check (Non-Flow-Through)                                    | Resale                                          | >= 95% within 72 Hours                                          | ELIGIBLE            | NA      | NA      | 0.00     | 0.00     | NA        | NA         | NA      | NA          | 0           | 1.00             | 28      | 0                  |
| NH    | 01-SEP-2015 | Aggregate | OR-1-06-3200  | % On Time LSRC/ASRC - Facility Check (Non-Flow-Through)                                    | UNE Specials                                    | >= 95% within 5 Business Days                                   | ELIGIBLE            | NA      | NA      | 6.00     | 6.00     | NA        | 100.00     | NA      | MET         | 0           | 1.00             | 56      | 0                  |
| NH    | 01-SEP-2015 | Aggregate | OR-1-06-3331  | % On Time LSRC/ASRC - Facility Check (Non-Flow-Through)                                    | UNE 2-Wire Analog Loop/LNP                      | >= 95% within 72 Hours                                          | ELIGIBLE            | NA      | NA      | 1.00     | 1.00     | NA        | 100.00     | NA      | MET         | 0           | 1.00             | 28      | 0                  |
| NH    | 01-SEP-2015 | Aggregate | OR-1-06-3343  | % On Time LSRC/ASRC - Facility Check (Non-Flow-Through)                                    | UNE 2-Wire Digital and xDSL Loops               | >= 95% within 72 Hours                                          | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | 0           | 1.00             | 28      | 0                  |
| NH    | 01-SEP-2015 | Aggregate | OR-1-12-5020  | % On Time ASRC                                                                             | CLEC Trunks (<= 192 Forecasted)                 | >= 95% within 10 Business Days                                  | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | 0           | 1.00             | 56      | 0                  |
| NH    | 01-SEP-2015 | Aggregate | OR-1-12-5030  | % On Time ASRC                                                                             | CLEC Trunks (> 192, Unforecasted, and Projects) | >= 95% within Negotiated Interval                               | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | 0           | 1.00             | 56      | 0                  |
| NH    | 01-SEP-2015 | Aggregate | OR-1-13-5000  | % On Time Design Layout Record (DLR)                                                       | CLEC Trunks                                     | >= 95% On or Before DLRD                                        | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | 0           | 1.00             | 56      | 0                  |
| NH    | 01-SEP-2015 | Aggregate | OR-2-02-2000  | % On Time LSR Reject (Flow-Through)                                                        | Resale                                          | >= 95% within 2 Hours                                           | ELIGIBLE            | NA      | NA      | 59.00    | 59.00    | NA        | 100.00     | NA      | MET         | 0           | 1.00             | 28      | 0                  |
| NH    | 01-SEP-2015 | Aggregate | OR-2-02-3332  | % On Time LSR Reject (Flow-Through)                                                        | UNE 2-Wire Loops/LNP                            | >= 95% within 2 Hours                                           | ELIGIBLE            | NA      | NA      | 316.00   | 317.00   | NA        | 99.68      | NA      | MET         | 0           | 1.00             | 28      | 0                  |
| NH    | 01-SEP-2015 | Aggregate | OR-2-04-2000  | % On Time LSR Reject - No Facility Check (Non-Flow-Through)                                | Resale                                          | >= 95% within 24 Hours                                          | ELIGIBLE            | NA      | NA      | 8.00     | 9.00     | NA        | 88.89      | NA      | MET         | 0           | 1.00             | 28      | 0                  |
| NH    | 01-SEP-2015 | Aggregate | OR-2-04-3331  | % On Time LSR Reject - No Facility Check (Non-Flow-Through)                                | UNE 2-Wire Analog Loop/LNP                      | >= 95% within 24 Hours                                          | ELIGIBLE            | NA      | NA      | 15.00    | 17.00    | NA        | 88.24      | NA      | MISS        | 2           | 1.00             | 28      | 56.00              |
| NH    | 01-SEP-2015 | Aggregate | OR-2-04-3343  | % On Time LSR Reject - No Facility Check (Non-Flow-Through)                                | UNE 2-Wire Digital and xDSL Loops               | >= 95% within 24 Hours                                          | ELIGIBLE            | NA      | NA      | 0.00     | 0.00     | NA        | NA         | NA      | NA          | 0           | 1.00             | 28      | 0                  |
| NH    | 01-SEP-2015 | Aggregate | OR-2-06-2000  | % On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)                               | Resale                                          | >= 95% within 72 Hours                                          | ELIGIBLE            | NA      | NA      | 0.00     | 0.00     | NA        | NA         | NA      | NA          | 0           | 1.00             | 28      | 0                  |
| NH    | 01-SEP-2015 | Aggregate | OR-2-06-3200  | % On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)                               | UNE Specials                                    | >= 95% within 5 Business Days                                   | ELIGIBLE            | NA      | NA      | 3.00     | 3.00     | NA        | 100.00     | NA      | MET         | 0           | 1.00             | 56      | 0                  |
| NH    | 01-SEP-2015 | Aggregate | OR-2-06-3331  | % On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)                               | UNE 2-Wire Analog Loop/LNP                      | >= 95% within 72 Hours                                          | ELIGIBLE            | NA      | NA      | 1.00     | 1.00     | NA        | 100.00     | NA      | MET         | 0           | 1.00             | 28      | 0                  |
| NH    | 01-SEP-2015 | Aggregate | OR-2-06-3343  | % On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)                               | UNE 2-Wire Digital and xDSL Loops               | >= 95% within 72 Hours                                          | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | 0           | 1.00             | 28      | 0                  |
| NH    | 01-SEP-2015 | Aggregate | OR-2-12-5020  | % On Time Trunk ASR Reject                                                                 | CLEC Trunks (<= 192 Forecasted)                 | >= 95% within 7 Business Days                                   | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | 0           | 1.00             | 56      | 0                  |
| NH    | 01-SEP-2015 | Aggregate | OR-2-12-5030  | % On Time Trunk ASR Reject                                                                 | CLEC Trunks (> 192, Unforecasted, and Projects) | >= 95% within Negotiated Interval                               | DIAGNOSTIC          | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | NA               |         | 0                  |
| NH    | 01-SEP-2015 | Aggregate | OR-4-11-1000  | % Completed Orders with Neither a PCN nor BCN Sent                                         | Resale and UNE                                  | <= 0.25% within 2 Business Days of Provisioning Completion      | DIAGNOSTIC          | NA      | NA      | 8.00     | 1765.00  | NA        | 0.45       | NA      | NA          | NA          | NA               |         | 0                  |
| NH    | 01-SEP-2015 | Aggregate | OR-4-16-1000  | % Provisioning Completion Notifiers Sent within One Business Day                           | Resale and UNE                                  | >= 95%                                                          | ELIGIBLE            | NA      | NA      | 865.00   | 878.00   | NA        | 98.52      | NA      | MET         | 0           | 1.00             | 28      | 0                  |
| NH    | 01-SEP-2015 | Aggregate | OR-4-17-1000  | % Billing Completion Notifiers Sent On Time                                                | Resale and UNE                                  | >= 95.5% within 2 or 4 Business Days of Provisioning Completion | ELIGIBLE            | NA      | NA      | 1736.00  | 1764.00  | NA        | 98.41      | NA      | MET         | 3           | 1.00             | 28      | 84.00              |
| NH    | 01-SEP-2015 | Aggregate | OR-5-01-2000  | % Flow-Through - Total                                                                     | Resale                                          | No Standard                                                     | DIAGNOSTIC          | NA      | NA      | 39.00    | 76.00    | NA        | 51.32      | NA      | NA          | NA          | NA               |         | 0                  |
| NH    | 01-SEP-2015 | Aggregate | OR-5-01-3112  | % Flow-Through - Total                                                                     | UNE 2-Wire Analog Loop                          | No Standard                                                     | DIAGNOSTIC          | NA      | NA      | 174.00   | 212.00   | NA        | 82.08      | NA      | NA          | NA          | NA               |         | 0                  |
| NH    | 01-SEP-2015 | Aggregate | OR-5-01-3121  | % Flow-Through - Total                                                                     | Directory Listings and LNP                      | No Standard                                                     | DIAGNOSTIC          | NA      | NA      | 1456.00  | 1776.00  | NA        | 81.98      | NA      | NA          | NA          | NA               |         | 0                  |
| NH    | 01-SEP-2015 | Aggregate | OR-5-03-2000  | % Flow-Through - Achieved                                                                  | Resale                                          | >= 95%                                                          | ELIGIBLE            | NA      | NA      | 9.00     | 10.00    | NA        | 90.00      | NA      | MET         | 0           | 1.00             | 35      | 0                  |
| NH    | 01-SEP-2015 | Aggregate | OR-5-03-3112  | % Flow-Through - Achieved                                                                  | UNE 2-Wire Analog Loop                          | >= 95%                                                          | ELIGIBLE            | NA      | NA      | 87.00    | 103.00   | NA        | 84.47      | NA      | MISS        | 13          | 2.00             | 35      | 910.00             |
| NH    | 01-SEP-2015 | Aggregate | OR-5-03-3121  | % Flow-Through - Achieved                                                                  | Directory Listings and LNP                      | >= 95%                                                          | ELIGIBLE            | NA      | NA      | 826.00   | 1004.00  | NA        | 82.27      | NA      | MISS        | 129         | 2.50             | 35      | 11,287.50          |
| NNE   | 01-SEP-2015 | Aggregate | OR-6-01-1001  | % Service Order Accuracy                                                                   | Resale and UNE 2-Wire Loops /LNP                | >= 95% without Errors                                           | ELIGIBLE            | NA      | NA      | 73.00    | 73.00    | NA        | 100.00     | NA      | MET         | 0           | 1.00             | 56      | 0                  |
| NH    | 01-SEP-2015 | Aggregate | OR-6-03-2000  | % Resent LSRC                                                                              | Resale                                          | <= 5% due to Errors                                             | ELIGIBLE            | NA      | NA      | 1.00     | 39.00    | NA        | 2.56       | NA      | MET         | 0           | 1.00             | 28      | 0                  |
| NH    | 01-SEP-2015 | Aggregate | OR-6-03-3332  | % Resent LSRC                                                                              | UNE 2-Wire Loops/LNP                            | <= 5% due to Errors                                             | ELIGIBLE            | NA      | NA      | 4.00     | 240.00   | NA        | 1.67       | NA      | MET         | 0           | 1.00             | 28      | 0                  |
| NNE   | 01-SEP-2015 | Aggregate | OR-6-04-1040  | % Accuracy - Directory Listing                                                             | Directory Listings                              | >= 95% without Errors                                           | ELIGIBLE            | NA      | NA      | 69.00    | 72.00    | NA        | 95.83      | NA      | MET         | 0           | 1.00             | 40      | 0                  |
| NH    | 01-SEP-2015 | Aggregate | OR-11-01-2000 | % On Time Resale Provider Notifications                                                    | Resale                                          | >= 95% within 2 Business Days                                   | ELIGIBLE            | NA      | NA      | 109.00   | 110.00   | NA        | 99.09      | NA      | MET         | 0           | 1.00             | 56      | 0                  |
| NH    | 01-SEP-2015 | Aggregate | PR-1-04-3112  | Average Interval Offered - Dispatch (6 to 9 Lines)                                         | UNE 2-Wire Analog Loop                          | Diagnostic Comparison to Retail POTS                            | DIAGNOSTIC          | 65.00   | 13.00   | 2.00     | 1.00     | 5.00      | 2.00       | NA      | NA          | NA          | NA               |         | 0                  |
| NH    | 01-SEP-2015 | Aggregate | PR-1-05-3112  | Average Interval Offered - Dispatch (>= 10 Lines)                                          | UNE 2-Wire Analog Loop                          | Diagnostic Comparison to Retail POTS                            | DIAGNOSTIC          | 9.00    | 2.00    | NA       | NA       | 4.50      | NA         | NA      | NA          | NA          | NA               |         | 0                  |
| NH    | 01-SEP-2015 | Aggregate | PR-1-09-3211  | Average Interval Offered                                                                   | UNE DS1                                         | Parity with Retail DS1                                          | DIAGNOSTIC          | 45.00   | 8.00    | 80.00    | 8.00     | 5.63      | 10.00      | NA      | NA          | NA          | NA               |         | 0                  |
| NH    | 01-SEP-2015 | Aggregate | PR-1-09-3213  | Average Interval Offered                                                                   | UNE DS3                                         | Parity with Retail DS3                                          | DIAGNOSTIC          | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | NA               |         | 0                  |
| NH    | 01-SEP-2015 | Aggregate | PR-1-09-5020  | Average Interval Offered                                                                   | CLEC Trunks (<= 192 Forecasted)                 | Parity with IXC Feature Group D Trunks                          | DIAGNOSTIC          | 28.00   | 3.00    | NA       |          |           |            |         |             |             |                  |         |                    |

| State | Month       | CLEC Id   | Metric Id    | Metric Title                                            | Product                           | Performance Standard                                | Eligible/Diagnostic | FRP Num  | FRP Den   | CLEC Num | CLEC Den | FRP Perf. | CLEC Perf. | Z Score | Met Miss Ss | Qual'd Miss | Escalation Level | \$ Miss | \$ Credit |
|-------|-------------|-----------|--------------|---------------------------------------------------------|-----------------------------------|-----------------------------------------------------|---------------------|----------|-----------|----------|----------|-----------|------------|---------|-------------|-------------|------------------|---------|-----------|
| NH    | 01-SEP-2015 | Aggregate | PR-4-14-3343 | % Met Due Date                                          | UNE 2-Wire Digital and xDSL Loops | >= 95%                                              | ELIGIBLE            | NA       | NA        | 18.00    | 19.00    | NA        | 94.74      | NA      | MET         | 0           | 1.00             | 60      | 0         |
| NNE   | 01-SEP-2015 | Aggregate | PR-4-15-5000 | % Met Due Date - Trunks                                 | CLEC Trunks                       | >= 95%                                              | ELIGIBLE            | NA       | NA        | 10.00    | 11.00    | NA        | 90.91      | NA      | 3R-MISS     | 1           | 1.00             | 150     | 0         |
| NH    | 01-SEP-2015 | Aggregate | PR-4-16-1040 | % Directory Data Base Updates Completed On Time         | Directory Listings                | >= 95% within 1 Business Day                        | ELIGIBLE            | NA       | NA        | 1266.00  | 1308.00  | NA        | 96.79      | NA      | MET         | 6           | 1.00             | 23      | 138.00    |
| NH    | 01-SEP-2015 | Aggregate | PR-5-01-2000 | % Missed Due Date - Facilities                          | Resale                            | Diagnostic Comparison to Retail POTS                | DIAGNOSTIC          | 4.00     | 2824.00   | 1.00     | 36.00    | 0.14      | 2.78       | NA      | NA          | NA          | NA               | NA      | 0         |
| NH    | 01-SEP-2015 | Aggregate | PR-5-01-5000 | % Missed Due Date - Facilities                          | CLEC Trunks                       | Diagnostic Comparison to IXC Feature Group D Trunks | DIAGNOSTIC          | 0.00     | 3.00      | NA       | NA       | 0.00      | NA         | NA      | NA          | NA          | NA               | NA      | 0         |
| NH    | 01-SEP-2015 | Aggregate | PR-5-02-2000 | % Orders Held for Facilities > 15 Days                  | Resale                            | Diagnostic Comparison to Retail POTS                | DIAGNOSTIC          | 1.00     | 2824.00   | 0.00     | 36.00    | 0.04      | 0.00       | NA      | NA          | NA          | NA               | NA      | 0         |
| NH    | 01-SEP-2015 | Aggregate | PR-5-02-3112 | % Orders Held for Facilities > 15 Days                  | UNE 2-Wire Analog Loop            | Diagnostic Comparison to Retail POTS                | DIAGNOSTIC          | 1.00     | 2824.00   | 0.00     | 22.00    | 0.04      | 0.00       | NA      | NA          | NA          | NA               | NA      | 0         |
| NH    | 01-SEP-2015 | Aggregate | PR-5-02-3200 | % Orders Held for Facilities > 15 Days                  | UNE Specials                      | Diagnostic Comparison to Retail Specials            | DIAGNOSTIC          | 0.00     | 2.00      | 0.00     | 7.00     | 0.00      | 0.00       | NA      | NA          | NA          | NA               | NA      | 0         |
| NH    | 01-SEP-2015 | Aggregate | PR-5-02-3343 | % Orders Held for Facilities > 15 Days                  | UNE 2-Wire Digital and xDSL Loops | No Standard                                         | DIAGNOSTIC          | NA       | NA        | 0.00     | 19.00    | NA        | 0.00       | NA      | NA          | NA          | NA               | NA      | 0         |
| NH    | 01-SEP-2015 | Aggregate | PR-5-02-5000 | % Orders Held for Facilities > 15 Days                  | CLEC Trunks                       | Diagnostic Comparison to IXC Feature Group D        | DIAGNOSTIC          | 0.00     | 3.00      | NA       | NA       | 0.00      | NA         | NA      | NA          | NA          | NA               | NA      | 0         |
| NH    | 01-SEP-2015 | Aggregate | PR-5-03-5000 | % Orders Held for Facilities > 60 Days                  | CLEC Trunks                       | Diagnostic Comparison to IXC Feature Group D        | DIAGNOSTIC          | 0.00     | 3.00      | NA       | NA       | 0.00      | NA         | NA      | NA          | NA          | NA               | NA      | 0         |
| NH    | 01-SEP-2015 | Aggregate | PR-6-01-2000 | % Installation Troubles Reported within 30 Days         | Resale                            | Parity with Retail POTS                             | ELIGIBLE            | 100.00   | 1543.00   | 0.00     | 48.00    | 6.48      | 0.00       | 1.725   | MET         | 0           | 1.00             | 60      | 0         |
| NH    | 01-SEP-2015 | Aggregate | PR-6-01-3113 | % Installation Troubles Reported within 30 Days         | UNE 2-Wire Analog Loop - New      | Parity with Retail POTS - Dispatched                | ELIGIBLE            | 69.00    | 529.00    | 6.00     | 38.00    | 13.04     | 15.79      | -0.756  | MET         | 0           | 1.00             | 60      | 0         |
| NH    | 01-SEP-2015 | Aggregate | PR-6-01-3200 | % Installation Troubles Reported within 30 Days         | UNE Specials                      | Parity with Retail Specials                         | ELIGIBLE            | 1.00     | 0.00      | 0.00     | 7.00     | 0.00      | 0.00       | NA      | SS          | 0           | 1.00             | 150     | 0         |
| NH    | 01-SEP-2015 | Aggregate | PR-6-01-3343 | % Installation Troubles Reported within 30 Days         | UNE 2-Wire Digital and xDSL Loops | Parity with Retail POTS - Dispatched                | ELIGIBLE            | 69.00    | 529.00    | 5.00     | 30.00    | 13.04     | 16.67      | -0.866  | MET         | 0           | 1.00             | 60      | 0         |
| NNE   | 01-SEP-2015 | Aggregate | PR-6-01-5000 | % Installation Troubles Reported within 30 Days         | CLEC Trunks                       | Parity with IXC Feature Group D Trunks              | ELIGIBLE            | 0.00     | 5.00      | 0.00     | 2.00     | 0.00      | 0.00       | NA      | MET         | 0           | 1.00             | 150     | 0         |
| NH    | 01-SEP-2015 | Aggregate | PR-6-02-3520 | % Installation Troubles Reported within 7 Days          | UNE 2-Wire Analog Loop - Hot Cut  | <= 2%                                               | ELIGIBLE            | NA       | NA        | 0.00     | 21.00    | NA        | 0.00       | NA      | MET         | 0           | 1.00             | 60      | 0         |
| NH    | 01-SEP-2015 | Aggregate | PR-8-01-2000 | % Open Orders in a Hold Status > 30 Days                | Resale                            | Parity with Retail POTS                             | ELIGIBLE            | 107.00   | 3084.00   | 0.00     | 48.00    | 3.47      | 0.00       | 0.892   | MET         | 0           | 1.00             | 60      | 0         |
| NH    | 01-SEP-2015 | Aggregate | PR-8-01-3112 | % Open Orders in a Hold Status > 30 Days                | UNE 2-Wire Analog Loop            | Parity with Retail POTS                             | ELIGIBLE            | 107.00   | 3084.00   | 0.00     | 33.00    | 3.47      | 0.00       | 0.485   | MET         | 0           | 1.00             | 60      | 0         |
| NH    | 01-SEP-2015 | Aggregate | PR-8-01-3200 | % Open Orders in a Hold Status > 30 Days                | UNE Specials                      | Parity with Retail Specials                         | ELIGIBLE            | 8.00     | 17.00     | 0.00     | 8.00     | 47.06     | 0.00       | 2.005   | MET         | 0           | 1.00             | 150     | 0         |
| NH    | 01-SEP-2015 | Aggregate | PR-8-01-3343 | % Open Orders in a Hold Status > 30 Days                | UNE 2-Wire Digital and xDSL Loops | Parity with Retail POTS                             | ELIGIBLE            | 107.00   | 3084.00   | 0.00     | 29.00    | 3.47      | 0.00       | 0.356   | MET         | 0           | 1.00             | 60      | 0         |
| NNE   | 01-SEP-2015 | Aggregate | PR-8-01-5000 | % Open Orders in a Hold Status > 30 Days                | CLEC Trunks                       | Parity with IXC Feature Group D Trunks              | ELIGIBLE            | 1.00     | 7.00      | 0.00     | 2.00     | 14.29     | 100.00     | NA      | 3R-MET      | 0           | 1.00             | 150     | 0         |
| NH    | 01-SEP-2015 | Aggregate | PR-8-02-2000 | % Open Orders in a Hold Status > 90 Days                | Resale                            | Diagnostic Comparison to Retail POTS                | DIAGNOSTIC          | 106.00   | 3083.00   | 4.00     | 47.00    | 3.44      | 8.51       | NA      | NA          | NA          | NA               | NA      | 0         |
| NH    | 01-SEP-2015 | Aggregate | PR-8-02-3112 | % Open Orders in a Hold Status > 90 Days                | UNE 2-Wire Analog Loop            | Diagnostic Comparison to Retail POTS                | DIAGNOSTIC          | 106.00   | 3083.00   | 5.00     | 33.00    | 3.44      | 15.15      | NA      | NA          | NA          | NA               | NA      | 0         |
| NH    | 01-SEP-2015 | Aggregate | PR-8-02-3200 | % Open Orders in a Hold Status > 90 Days                | UNE Specials                      | Diagnostic Comparison to Retail Specials            | DIAGNOSTIC          | 6.00     | 15.00     | 0.00     | 8.00     | 40.00     | 0.00       | NA      | NA          | NA          | NA               | NA      | 0         |
| NH    | 01-SEP-2015 | Aggregate | PR-8-02-3343 | % Open Orders in a Hold Status > 90 Days                | UNE 2-Wire Digital and xDSL Loops | Diagnostic comparison to Retail POTS                | DIAGNOSTIC          | 106.00   | 3083.00   | 0.00     | 29.00    | 3.44      | 0.00       | NA      | NA          | NA          | NA               | NA      | 0         |
| NH    | 01-SEP-2015 | Aggregate | PR-8-02-5000 | % Open Orders in a Hold Status > 90 Days                | CLEC Trunks                       | Diagnostic Comparison to IXC Feature Group D Trunks | DIAGNOSTIC          | 0.00     | 4.00      | 1.00     | 1.00     | 0.00      | 100.00     | NA      | NA          | NA          | NA               | NA      | 0         |
| NH    | 01-SEP-2015 | Aggregate | PR-9-01-3520 | % On Time Performance - Hot Cut                         | UNE 2-Wire Analog Loop - Hot Cut  | >= 95% Completed within Window                      | ELIGIBLE            | NA       | NA        | 8.00     | 8.00     | NA        | 100.00     | NA      | MET         | 0           | 1.00             | 100     | 0         |
| NH    | 01-SEP-2015 | Aggregate | PR-9-08-3520 | Average Duration of Hot Cut Installation Troubles       | UNE 2-Wire Analog Loop - Hot Cut  | Parity with Retail POTS - New                       | ELIGIBLE            | 2554.47  | 88.00     | NA       | NA       | 29.03     | NA         | NA      | NA          | 0           | 1.00             | 100     | 0         |
| NNE   | 01-SEP-2015 | Aggregate | MR-1-01-6000 | Average Response Time - Create Trouble                  | VFO                               | <= 4.5 Seconds                                      | ELIGIBLE            | NA       | NA        | 13357.00 | 1435.00  | NA        | 9.31       | NA      | MISS        | 85          | 1.00             | 5       | 170.00    |
| NNE   | 01-SEP-2015 | Aggregate | MR-1-02-6000 | Average Response Time - Status Trouble                  | VFO                               | <= 4.5 Seconds                                      | DIAGNOSTIC          | NA       | NA        | 226.00   | 6.00     | NA        | 37.67      | NA      | NA          | NA          | NA               | NA      | 0         |
| NNE   | 01-SEP-2015 | Aggregate | MR-1-03-6000 | Average Response Time - Modify Trouble                  | VFO                               | <= 4.5 Seconds                                      | DIAGNOSTIC          | NA       | NA        | 4622.00  | 112.00   | NA        | 41.27      | NA      | NA          | NA          | NA               | NA      | 0         |
| NNE   | 01-SEP-2015 | Aggregate | MR-1-04-6000 | Average Response Time - Request Cancellation of Trouble | VFO                               | <= 4.5 Seconds                                      | DIAGNOSTIC          | NA       | NA        | 585.00   | 16.00    | NA        | 36.56      | NA      | NA          | NA          | NA               | NA      | 0         |
| NNE   | 01-SEP-2015 | Aggregate | MR-1-05-6000 | Average Response Time - Status and Trouble History      | VFO                               | No Standard                                         | DIAGNOSTIC          | NA       | NA        | 284.00   | 8.00     | NA        | 35.50      | NA      | NA          | NA          | NA               | NA      | 0         |
| NNE   | 01-SEP-2015 | Aggregate | MR-1-06-6000 | Average Response Time - Test Trouble (Resale POTS Only) | VFO                               | <= 90 Seconds                                       | ELIGIBLE            | NA       | NA        | 11080.00 | 238.00   | NA        | 46.55      | NA      | MET         | 0           | 1.00             | 5       | 0         |
| NH    | 01-SEP-2015 | Aggregate | MR-2-01-3200 | Network Trouble Report Rate                             | UNE Specials                      | No Standard                                         | DIAGNOSTIC          | NA       | NA        | 27.00    | 3696.00  | NA        | 0.73       | NA      | NA          | NA          | NA               | NA      | 0         |
| NH    | 01-SEP-2015 | Aggregate | MR-2-01-5000 | Network Trouble Report Rate                             | CLEC Trunks                       | Parity with IXC Feature Group D Trunks              | DIAGNOSTIC          | 1.00     | 3.00      | 0.00     | 597.00   | 33.33     | 0.00       | NA      | NA          | NA          | NA               | NA      | 0         |
| NH    | 01-SEP-2015 | Aggregate | MR-2-02-2000 | Network Trouble Report Rate - Loop                      | Resale                            | Parity with Retail POTS                             | DIAGNOSTIC          | 2115.00  | 175596.00 | 18.00    | 5279.00  | 1.20      | 0.34       | NA      | NA          | NA          | NA               | NA      | 0         |
| NH    | 01-SEP-2015 | Aggregate | MR-2-02-3112 | Network Trouble Report Rate - Loop                      | UNE 2-Wire Analog Loop            | Parity with Retail POTS                             | DIAGNOSTIC          | 2115.00  | 175596.00 | 64.00    | 15456.00 | 1.20      | 0.41       | NA      | NA          | NA          | NA               | NA      | 0         |
| NH    | 01-SEP-2015 | Aggregate | MR-2-02-3343 | Network Trouble Report Rate - Loop                      | UNE 2-Wire Digital and xDSL Loops | Parity with Retail POTS                             | DIAGNOSTIC          | 2115.00  | 175596.00 | 0.00     | 2928.00  | 1.20      | 0.00       | NA      | NA          | NA          | NA               | NA      | 0         |
| NH    | 01-SEP-2015 | Aggregate | MR-2-03-2000 | Network Trouble Report Rate - Central Office            | Resale                            | Parity with Retail POTS                             | DIAGNOSTIC          | 239.00   | 175596.00 | 6.00     | 5279.00  | 0.14      | 0.11       | NA      | NA          | NA          | NA               | NA      | 0         |
| NH    | 01-SEP-2015 | Aggregate | MR-2-03-3112 | Network Trouble Report Rate - Central Office            | UNE 2-Wire Analog Loop            | Parity with Retail POTS                             | DIAGNOSTIC          | 18.00    | 175596.00 | 4.00     | 15456.00 | 0.01      | 0.03       | NA      | NA          | NA          | NA               | NA      | 0         |
| NH    | 01-SEP-2015 | Aggregate | MR-2-03-3343 | Network Trouble Report Rate - Central Office            | UNE 2-Wire Digital and xDSL Loops | Parity with Retail POTS                             | DIAGNOSTIC          | 18.00    | 175596.00 | 0.00     | 2928.00  | 0.01      | 0.00       | NA      | NA          | NA          | NA               | NA      | 0         |
| NH    | 01-SEP-2015 | Aggregate | MR-3-01-2010 | % Missed Repair Appointment - Loop                      | Resale Business                   | Parity with Retail POTS - Business                  | ELIGIBLE            | 111.00   | 405.00    | 2.00     | 16.00    | 27.41     | 12.50      | 1.037   | MET         | 0           | 1.00             | 70      | 0         |
| NH    | 01-SEP-2015 | Aggregate | MR-3-01-2120 | % Missed Repair Appointment - Loop                      | Resale POTS Residence             | Parity with Retail POTS - Residence                 | ELIGIBLE            | 460.00   | 1710.00   | 0.00     | 2.00     | 26.90     | 0.00       | NA      | SS          | 0           | 1.00             | 35      | 0         |
| NH    | 01-SEP-2015 | Aggregate | MR-3-01-3112 | % Missed Repair Appointment - Loop                      | UNE 2-Wire Analog Loop            | Parity with Retail POTS                             | ELIGIBLE            | 571.00   | 2115.00   | 14.00    | 64.00    | 27.00     | 21.88      | 0.759   | MET         | 0           | 1.00             | 70      | 0         |
| NH    | 01-SEP-2015 | Aggregate | MR-3-01-3343 | % Missed Repair Appointment - Loop                      | UNE 2-Wire Digital and xDSL Loops | Parity with Retail POTS                             | ELIGIBLE            | 571.00   | 2115.00   | 3.00     | 13.00    | 27.00     | 23.08      | 0.045   | MET         | 0           | 1.00             | 70      | 0         |
| NH    | 01-SEP-2015 | Aggregate | MR-3-02-2010 | % Missed Repair Appointment - Central Office            | Resale Business                   | Parity with Retail POTS - Business                  | ELIGIBLE            | 18.00    | 90.00     | 0.00     | 6.00     | 20.00     | 0.00       | 0.592   | MET         | 0           | 1.00             | 70      | 0         |
| NH    | 01-SEP-2015 | Aggregate | MR-3-02-2120 | % Missed Repair Appointment - Central Office            | Resale POTS Residence             | Parity with Retail POTS - Residence                 | ELIGIBLE            | 32.00    | 149.00    | NA       | NA       | 21.48     | NA         | NA      | NA          | 0           | 1.00             | 35      | 0         |
| NH    | 01-SEP-2015 | Aggregate | MR-3-02-3112 | % Missed Repair Appointment - Central Office            | UNE 2-Wire Analog Loop            | Parity with Retail POTS                             | ELIGIBLE            | 12.00    | 50.00     | 0.00     | 4.00     | 24.00     | 0.00       | NA      | SS          | 0           | 1.00             | 70      | 0         |
| NH    | 01-SEP-2015 | Aggregate | MR-3-02-3343 | % Missed Repair Appointment - Central Office            | UNE 2-Wire Digital and xDSL Loops | Parity with Retail POTS                             | ELIGIBLE            | 12.00    | 50.00     | 0.00     | 2.00     | 24.00     | 0.00       | NA      | SS          | 0           | 1.00             | 70      | 0         |
| NH    | 01-SEP-2015 | Aggregate | MR-4-01-3200 | Mean Time To Repair - Total                             | UNE Specials                      | Parity with Retail Specials                         | ELIGIBLE            | 87.97    | 10.00     | 238.95   | 27.00    | 8.80      | 8.85       | 0.106   | MET         | 0           | 1.00             | 125     | 0         |
| NH    | 01-SEP-2015 | Aggregate | MR-4-01-5000 | Mean Time To Repair - Total                             | CLEC Trunks                       | Parity with IXC Feature Group D Trunks              | ELIGIBLE            | 11.13    | 1.00      | NA       | NA       | 11.13     | NA         | NA      | NA          | 0           | 1.00             | 125     | 0         |
| NH    | 01-SEP-2015 | Aggregate | MR-4-02-2010 | Mean Time To Repair - Loop Trouble                      | Resale Business                   | Parity with Retail POTS - Business                  | ELIGIBLE            | 4759.80  | 405.00    | 210.24   | 16.00    | 11.75     | 13.14      | -0.362  | MET         | 0           | 1.00             | 60      | 0         |
| NH    | 01-SEP-2015 | Aggregate | MR-4-02-2120 | Mean Time To Repair - Loop Trouble                      | Resale POTS Residence             | Parity with Retail POTS - Residence                 | ELIGIBLE            | 78563.09 | 1710.00   | 31.70    | 2.00     | 45.94     | 15.85      | NA      | SS          | 0           | 1.00             | 35      | 0         |
| NH    | 01-SEP-2015 | Aggregate | MR-4-02-3112 | Mean Time To Repair - Loop Trouble                      | UNE 2-Wire Analog Loop            | Parity with Retail POTS                             | ELIGIBLE            | 83322.80 | 2115.00   | 941.00   | 64.00    | 39.40     | 14.70      | 5.000   | MET         | 0           | 1.00             | 60      | 0         |
| NH    | 01-SEP-2015 | Aggregate | MR-4-02-3343 | Mean Time To Repair - Loop Trouble                      | UNE 2-Wire Digital and xDSL Loops | Parity with Retail POTS                             | ELIGIBLE            | 83322.80 | 2115.00   | 167.93   | 13.00    | 39.40     | 12.92      | 3.090   | MET         | 0           | 1.00             | 60      | 0         |
| NH    | 01-SEP-2015 | Aggregate | MR-4-03-2010 | Mean Time To Repair - Central Office Trouble            | Resale Business                   | Parity with Retail POTS - Business                  | ELIGIBLE            | 1079.78  | 90.00     | 132.88   | 6.00     | 12.00     | 22.15      | -0.925  | MET         | 0           | 1.00             | 60      | 0         |
| NH    | 01-SEP-2015 | Aggregate | MR-4-03-2120 | Mean Time To Repair - Central Office Trouble            | Resale POTS Residence             | Parity with Retail POTS - Residence                 | ELIGIBLE            | 3724.30  | 149.00    | NA       | NA       | 25.00     | NA         | NA      | NA          | 0           | 1.00             | 35      | 0         |
| NH    | 01-SEP-2015 | Aggregate | MR-4-03-3112 | Mean Time To Repair - Central Office Trouble            | UNE 2-Wire Analog Loop            | Parity with Retail POTS                             | ELIGIBLE            | 1164.56  | 50.00     | 25.18    | 4.00     | 23.29     | 6.30       | NA      | SS          | 0           | 1.00             | 60      | 0         |
| NH    | 01-SEP-2015 | Aggregate | MR-4-03-3343 | Mean Time To Repair - Central Office Trouble            | UNE 2-Wire Digital and xDSL Loops | Parity with Retail POTS                             | ELIGIBLE            | 1164.56  | 50.00     | 4.11     | 2.00     | 23.29     | 2.06       | NA      | SS          | 0           | 1.00             | 60      | 0         |
| NH    | 01-SEP-2015 | Aggregate | MR-4-04-2000 | % Cleared within 24 Hours                               | Resale                            | Diagnostic Comparison to Retail POTS                | DIAGNOSTIC          | 1170.00  | 2354.00   | 21.00    | 24.00    | 49.70     | 87.50      | NA      | NA          | NA          | NA               | NA      | 0         |
| NH    | 01-SEP-2015 | Aggregate | MR-4-04-3112 | % Cleared within 24 Hours                               | UNE 2-Wire Analog Loop            | Diagnostic Comparison to Retail POTS                | DIAGNOSTIC          | 1033.00  | 2165.00   | 60.00    | 68.00    | 47.71     | 88.24      | NA      | NA          | NA          | NA               | NA      | 0         |
| NH    | 01-SEP-2015 | Aggregate | MR-4-04-3200 | % Cleared within 24 Hours                               | UNE Specials                      | Diagnostic Comparison to Retail Specials            | DIAGNOSTIC          | 9.00     | 10.00     | 24.00    | 27.00    | 90.00     | 88.89      | NA      | NA          | NA          | NA               | NA      | 0         |
| NH    | 01-SEP-2015 | Aggregate | MR-4-04-3343 | % Cleared within 24 Hours                               | UNE 2-Wire Digital and xDSL Loops | Diagnostic Comparison to Retail POTS                | DIAGNOSTIC          | 1033.00  | 2165.00   | 14.00    | 15.00    | 47.71     | 93.33      | NA      | NA          | NA          | NA               | NA      | 0         |
| NH    | 01-SEP-2015 | Aggregate | MR-4-04-500  |                                                         |                                   |                                                     |                     |          |           |          |          |           |            |         |             |             |                  |         |           |

