#### THE STATE OF NEW HAMPSHIRE before the NEW HAMPSHIRE PUBLIC UTILITIES COMMISSION

.

+

#### 2013-2014 CORE ENERGY EFFICIENCY PROGRAMS Docket No. DE 12-262

Rebuttal Testimony of Thomas R. Belair

December 14, 2012

$\begin{array}{c} 1\\ 2\\ 3\end{array}$		THE STATE OF NEW HAMPSHIRE before the NEW HAMPSHIRE PUBLIC UTILITIES COMMISSION	
4 5		2013-2014 CORE ENERGY EFFICIENCY PROGRAMS Docket No. DE 12-262	
6		Rebuttal Testimony of Thomas R. Belair	
7	I. Introduction and Purpose		
8	Q.	Mr. Belair, please state your name, your employment and business address.	
9	Α.	My name is Thomas R. Belair. I am Customer Solutions Program Manager at	
10		Public Service Company of New Hampshire ("PSNH" or "the company"). My	
11		business address is Energy Park, 780 North Commercial Street, Manchester, New	
12		Hampshire.	
13	Q.	Did you provide direct testimony in this docket?	
14	Α.	No. At the time of the filing deadline for direct testimony, no party to the docket	
15		had raised concerns relative to the issues addressed in my rebuttal testimony.	
16	Q.	What is the purpose of your rebuttal testimony in this proceeding?	
17	А.	The C&I RFP Pilot Program, also known as the Energy Rewards Program, was	
18		launched on June 1, 2002, and in the 2013-2014 CORE Programs Filing, PSNH	
19		proposes to drop the "pilot" designation and make this a permanent program. The	
20		purpose of my rebuttal testimony is to respond to issues raised in the direct	
21		testimony filed by the Commission Staff on December 7, 2012 relating to this	
22		program. I will also address why I believe the Commission ought to approve a	
23		permanent C&I RFP Program beginning January 1, 2013.	
24		While Staff states that it takes no position on the C&I RFP Program, Staff's	
25		testimony goes on to raise a number of issues. Specifically, Staff's testimony	
26		suggests:	

1		1. The program has not garnered enough interest in the target customer group to
2		be competitive.
3		2. It is not clear if any useful information was gained from this program and used
4		for improving C&I CORE Programs.
5		3. More program details should be made available including a draft RFP, a
6		schedule of the RFP process, and selection criteria.
7		4. There should be a yearly report.
8	Q.	Do you agree with Staff's suggestion that there is insufficient customer
9		interest?
10	Α.	No, I do not. It is certainly true that over the past 10 years the C&I RFP Pilot
11		Program has had far fewer participants than the C&I Retrofit Program; however,
12		by design the RFP Pilot is not aimed at the "mass market". The RFP Pilot's goals
13		are: (1) to encourage large, c omprehensive, multi-measure, innovative projects;
14		(2) to develop New Hampshire expertise that can design and implement these
15		more comprehensive energy efficiency solutions; and (3) to promote competition
16		among potential participants by awarding the program's limited incentive funds
17		through a competitive request for proposals.
18		As for the specific issue of customer interest, there are several ways to gauge
19		interest in this program. The first has to do with the annual bidders' conference
20		conducted by PSNH staff each January to provide attendees with program
21		requirements, timelines, evaluation criteria, and an opportunity to get answers to
22		any questions. Invitees include eligible customers, engineering firms, and
23		contractors. Typical attendance at the bidders' conference has been between 15
24		and 35. A second measure of interest is the number of proposals and the number
25		of completed projects. Over the last 10 years, customers have submitted 34
26		proposals and completed 28 projects. Of note too is the fact that the average
27		number of projects is increasing. In the past three years, there has been an

,

.

 $\mathbf{2}$ 

average of just over five projects completed annually.

1 Based on the demonstrated customer participation and given the program's  $\mathbf{2}$ limited budget – approximately \$500,000 – as well as the fact that each project 3 requires a minimum investment of \$150,000 and must achieve annual savings of at least 100,000 kWhs, PSNH believes there is a great deal of customer interest 4 5among customers undertaking major efficiency projects. Add to this the fact that 6 the RFP Pilot has consistently met or exceeded its savings goal, frequently at the 7 lowest cost per kWh saved of any program offered by the Company, PSNH 8 believes the RFP Pilot to be an unqualified success.

## 9 Q. Has any useful information been gained from this program? Has there been 10 any applicability to the C&I CORE Programs?

PSNH believes that the RFP Pilot has helped to inform the CORE Programs in 11 Α. 12several ways. The first relates to rebate levels appropriate for retrofit projects. Like the retrofit option under the Large Business Energy Solutions Program 13 14 (formerly called the Large C&I Retrofit Program), the RFP Pilot provides incentives for retrofit projects. Unlike the Large Business Energy Solutions 15Program which offers customers a 35% prescriptive retrofit rebate, RFP 16 customers are required to "bid" the incentive level their companies require to 17 move forward with their proposed project. Incentive bids have ranged between 18 10% and 61% and have averaged 44%. Based on these results from the RFP 1920Pilot, PSNH believes the 35% prescriptive rebate for large business retrofits is 21reasonable.

In addition to the "rebate level validation" described above, PSNH believes that 22the RFP Pilot has helped efficiency efforts in other ways. Specifically, the RFP 23Pilot has fostered the development of comprehensive, multi-measure projects that 24would likely not be attempted under the large business retrofit program. By 2526encouraging customers and third party engineers/contractors to collaborate on larger multi-measure projects and by eliminating the incentive caps and 27prescriptive rebates that apply under the large business retrofit program, there is 28an increasing number of customers taking more comprehensive steps to improve 29

1 the efficiency of their facilities. The lesson learned from PSNH's experience with the RFP Pilot is that by bringing together interested customers along with 2 experienced experts and financial incentives, the Company can promote larger, 3 4 more comprehensive, and innovative projects than will typically result from a prescriptive rebate program. In short, PSNH believes there is a place in our 5 efficiency program portfolio for both a prescriptive program serving the needs of 6 the "mass market" as well as the C&I RFP Pilot which appeals to customers with 7 larger more comprehensive projects. 8

9 10

# Q. Has PSNH ever provided a copy of the RFP, a schedule of the RFP process, or any information regarding the selection criteria?

Yes, this information is readily available to any interested party. PSNH has 11 Α. provided an overview of the program in every CORE Program Filing. 12Complementing the filing, there is a complete description of the program along 13with a copy of the RFP including a schedule and the selection criteria on the 14 Company's website<sup>1</sup> (the RFP is included here as Attachment A). In addition, at 15the annual bidders' conference, PSNH staff reviews the program in detail 16including: proposal requirements, program timeline, project cost-effectiveness, 17bid evaluation, and the Terms and Conditions that would apply to any incentive 18 award. The next bidders' conference is scheduled for January 11, 2013. 19

### 20 Q. What reports have been provided on the C&I RFP Pilot Program?

- 21 A. The level of reporting for the C&I RFP Pilot Program has been comparable to that
- 22 provided for any other CORE or Utility Specific Program. The C&I Pilot
- 23 Program has been a part of the quarterly CORE Program reports filed with the
- 24 Commission since 2002. These reports provide program budget, expenditure,
- 25 participation, and savings details. In addition, PSNH has responded to any
- 26 questions arising at the quarterly meetings regarding this or any other program.

<sup>&</sup>lt;sup>1</sup> See http://www.psnh.com/SaveEnergyMoney/Large-Power/Energy-Rewards-Program.aspx

- **Q**. In addition to the reviews conducted at quarterly meetings, has Commission 1 2 Staff reviewed the C&I RFP Pilot at other times? Yes, the C&I RFP Pilot has been reviewed as part of the annual CORE Program 3 Α. audits since 2008. In the course of its audits, the Commission Audit Staff has 4  $\mathbf{5}$ asked questions specific to the C&I RFP Pilot; however, to date, no issues or 6 concerns have been identified regarding this program. Q. In addition to the CORE Filings, quarterly reports, the Commission audits, 7 bidders' conferences, and PSNH's website, has the Company provided 8 additional details regarding the C&I RFP Pilot Program? 9 Yes, since the RFP Pilot was launched in June of 2002, as part of CORE docket 10 Α. discovery, no fewer than 13 RFP Pilot related interrogatories have been 11 propounded on the Company. The data responses addressed many of the same 12issues discussed above including: program participation, program timeline, 13 copies of customer proposals, proposal evaluation and scoring matrices, the 14 15competitive nature of the program and the level of incentives awarded.
- Q. To the best of your knowledge, have there ever been any outstanding issues
  related to the C&I RFP Pilot Program at the conclusion of the discovery
  phase of any CORE docket?
- A. No, Staff's testimony in DE 12-262 provides the first indication that there may be
   any concerns with the RFP Pilot.
- 21Q.To the best of your knowledge, have other parties expressed any concerns22with the C&I RFP Pilot Program?
- A. No, I am not aware of any concerns related to the RFP Pilot held by other parties.

# 1Q.Can you cite any examples of projects which demonstrate the value added by2the C&I RFP Pilot Program?

A. Yes, of the 28 completed customer projects, I would like to share the specifics of
three projects that are larger, more comprehensive or innovative than what might
be found in the Large Business Energy Solutions Program.

6 First, an extremely innovative project was undertaken by Southeastern Container 7 at their two liter bottling facility in Hudson, NH. In 2005, Southeastern Container 8 submitted a proposal and implemented a project whereby they installed 9 specialized equipment manufactured in Switzerland that allowed them to capture 10 and reuse compressed air from their two liter bottling process line. This was the 11 first time this Technoplan Air Recycling System was installed at a manufacturing 12 facility of this scale in North America. As part of this RFP project, Southeastern 13 Container also installed an elaborate air compressor control system and retrofit 14their 400 and 1,000 watt metal halide lighting fixtures with efficient high bay high 15output T5 lighting fixtures equipped with occupancy sensors. They told us they would not have done these projects all at once had it not been for the RFP 16 17Program. Southeastern Container used their New Hampshire plant to pilot this 18 technology before considering it for other plants around the United States.

19 A second example highlights a comprehensive project implemented by Smiths 20 Medical, a world leader in the design, manufacture, and distribution of medical 21devices with manufacturing facilities in Keene, NH. Smith's Medical 22implemented a \$600,000 energy efficiency project replacing 4 air compressors 23with a new high efficiency compressor system, repairing all air leaks in their air distribution system, installing variable frequency drives to control their 50 HP 2425supply air fans, and installing occupancy sensors on over 130 light fixtures in 26their two buildings. Smith's Medical has completed several smaller projects over 27the years, and they told us the RFP Program enabled them to undertake this large 28scale project all in one year.

 $\mathbf{6}$ 

1 The third project I want to highlight was implemented by Durgin & Crowell  $\mathbf{2}$ Lumber Company, one of New England's largest manufacturers of kiln-dried 3 Eastern White Pine lumber located in Springfield, New Hampshrie. Durgin & 4 Crowell replaced their 150 HP air compressor with a new 135 HP variable speed 5 air compressor with specialized control features and a new cycling air dryer. 6 They also replaced 180 400-watt metal halide lighting fixtures with 6-lamp high 7performance T8 fixtures. Durgin & Crowell took advantage of the RFP Program 8 to develop a comprehensive energy solution that lowers their costs and positions 9 them for the future.

These three examples illustrate the possibilities of what can be done when
 motivated companies, technical expertise, and appropriate incentives are brought
 together. Attachment B to my testimony provides additional details on each of
 these projects.

14 Q. Would you please summarize your testimony.

A. Yes. After implementing this program for the past 10 years, the C&I RFP
 Program has gained sufficient customer interest as shown by the number of
 projects submitted, the number and size of projects completed, and the interest in
 this program by customers, manufacturers, engineering firms and contractors.

- 19In addition the C&I RFP Program provides useful information about the incentive20levels needed to motivate customers to implement energy efficiency projects.21Information about this program is readily available as part of the CORE Program22filing, the Quarterly and Year-End Reports, at the annual bidders' conference and23on the PSNH website. PSNH has also responded to numerous discovery requests24since 2002 and successfully completed four Commission Staff audits with no25issues or findings related to the C&I RFP Pilot Program.
- Finally, PSNH believes this C&I RFP Program helps the market progress by
   encouraging customers and contractors to work together in a multi-discipline way

- 1 to develop larger, more comprehensive, multi-measure projects to maximize
- 2 energy savings.
- 3 I urge the Commission to approve PSNH's Company Specific C&I RFP Program

,

4 as filed.

### 5 Q. Does that conclude your testimony?

6 A. Yes, it does.