

CHAIRMAN
Martin P. Honigberg

COMMISSIONERS
Kathryn M. Bailey

EXECUTIVE DIRECTOR
Debra A. Howland

STATE OF NEW HAMPSHIRE



PUBLIC UTILITIES COMMISSION
21 S. Fruit St., Suite 10
Concord, N.H. 03301-2429

TDD Access: Relay NH
1-800-735-2964

Tel. (603) 271-2431

FAX No. 271-3878

Website:
www.puc.nh.gov

July 7, 2017

John B. Sanborn
Energy Solutions Engineer
Johnson Controls, Inc.
116 Railroad Avenue
Albany, NY 12205

Re: DE 14-303 Johnson Controls Request on Behalf of Mascoma Valley Regional School District, Enfield Village School for One-Time Use of Alternative Methodology to Allow for REC Generation Due to Meter Malfunction

Dear Mr. Sanborn:

On June 13, 2017, the Commission received your letter on behalf of Mascoma Valley Regional School District, Enfield Village School, requesting that the Commission approve a "onetime compliance method" to allow the Enfield Village School's thermal biomass facility to receive eligibility for thermal RECs generated at the facility during a period of time when the metering system was not working properly.

The Enfield Village School's thermal facility became eligible for Class I Thermal REC effective as of February 27, 2015. In February 2017, Mr. Adam Kohler informed the school that Quarter 4 2016 data could not be reported due to meter malfunction. At that time, a corrective action plan was initiated between the School, the IM, Wilson Engineering Services (the project's aggregator), and Johnson Controls. The school purchased a new Onicon System 40 BTU meter and installed it on May 4, 2017. The data reported from the new meter has been accurate and reliable.

Your proposal involves calculating the energy production per an alternative compliance methodology, specifically to calculate REC production based on a method proposed by a thermal source and certified by an engineer to be "sound." See Puc. 2505.02(e)(2). On June 6, 2017, the Commission received a letter from Adam Kohler, a licensed engineer, opining that the metering methodology that you proposed is sound. Using the formula you proposed, the Enfield Village School produced 166 Class I Thermal RECs for the periods of Quarter 4 2016 and Quarter 1 2017.

Commission Staff evaluated the Enfield Village School's request and filed a memorandum on June 28, 2017. The memorandum summarized Staff's review and recommended that the


July 7, 2017
Page 2 of 2

Commission allow the Enfield Village School facility to use the alternative methodology you proposed to calculate generation for REC production as provided by Puc 2505.02(e)(2).

The Commission has reviewed the Enfield Village School's request and Staff's recommendation, and determined that a waiver of Puc 2506.04 and permitting you to use the alternative methodology you propose would serve the public interest and would not disrupt the orderly and efficient resolution of matters before the Commission.

Accordingly, the Commission has granted the Enfield Village School's request.

Sincerely,



Debra A. Howland
Executive Director

cc: Service List
Docket File

SERVICE LIST - EMAIL ADDRESSES - DOCKET RELATED

Pursuant to N.H. Admin Rule Puc 203.11 (a) (1): Serve an electronic copy on each person identified on the service list.

Executive.Director@puc.nh.gov
adam.kohlerandlewis@gmail.com
amanda.noonan@puc.nh.gov
barbara.bernstein@puc.nh.gov
dan@wesenergyandenvironment.com
david.shulock@puc.nh.gov
john.b.sanborn@jci.com
jwebb@apx.com
leszek.stachow@puc.nh.gov
tom.frantz@puc.nh.gov

Docket #: 14-303-1 Printed: July 07, 2017

FILING INSTRUCTIONS:

- a) Pursuant to N.H. Admin Rule Puc 203.02 (a), with the exception of Discovery, file 7 copies, as well as an electronic copy, of all documents including cover letter with:**
- DEBRA A HOWLAND
EXEC DIRECTOR
NHPUC
21 S. FRUIT ST, SUITE 10
CONCORD NH 03301-2429
- b) Serve an electronic copy with each person identified on the Commission's service list and with the Office of Consumer Advocate.**
- c) Serve a written copy on each person on the service list not able to receive electronic mail.**