Attachment 1



ACCESSIBILITY TIPS FERC.GOV HELF

Document Info for Accession Number: 20221128-5010

Details

Document: 11/27/2022

Security Level: Public

Category: Submittal

Description***: Form 556 of Squam River

Filed: 11/28/2022

Official: Yes

Library: Electric

Hydro LLC under QF23-213.

Posted: 11/28/2022 08:39:23

E-filing: Yes

Aperture: 0

File List

AM

Non-decisional: No

File Type:

First Received Date:

11/27/2022 02:36:36 PM

QF23-213	000	On Document	Applic	ation/Petition/Request	Qualifying Facility Application or PURPA Energy Utility Filing
AUTHOR	Lan	A	P	Squam River Hydro	LLC
AGENT	Lan	Α	Р	No Organization Fo	und
RECIPIENT	Bos	К	D	Office of the Secreta	ary, FERC

FEDERAL ENERGY REGULATORY COMMISSION WASHINGTON, DC

OMB Control # 1902-0075 Expiration 11/30/2022

Form 556 Certification of Qualifying Facility (QF) Status for a Small Power Production or Cogeneration Facility

1b Applicant street a 84 W Broadway	ddress		
1c City		1d State/provi	ince
Derry		NH	
1e Postal code 03038	1f Country (if not United States)	٠	1g Telephone number 603-401-2677
1h Has the instant fa	cility ever previously been certified as a Q	F? Yes \[\]	No 🛛
1i If yes, provide the	docket number of the last known QF filing	g pertaining to th	nis facility: QF
1j Under which certif	ication process is the applicant making th	nis filing?	***************************************
Notice of self-ce (see note below			ommission certification (requires filing e" section on page 2)
QF status. A noti notice of self-cert	If-certification is a notice by the applicant ce of self-certification does not establish a ification to verify compliance. See the "W I for more information.	a proceeding, an	d the Commission does not review a
1k What type(s) of Q	status is the applicant seeking for its fac	ility? (check all th	nat apply)
Qualifying sma	I power production facility status Q	ualifying cogene	eration facility status
	e and expected effective date(s) of this fil	_	
	ation; facility expected to be installed by		nd to begin operation on $4/1/07$
hamand	oreviously certified facility to be effective of change(s) below, and describe change	***************************************	Janeous section starting on page 24)
	e and/or other administrative change(s)		iancous section starting on page 2 i,
☐ Change in o	vnership		
Change(s) af	fecting plant equipment, fuel use, power	production capa	acity and/or cogeneration thermal outpu
Supplement or	correction to a previous filing submitted	on	
hamand	pplement or correction in the Miscellaneo	***************************************	ing on page 24)
to the extent poss The instant face previously gra	wing three statements is true, check the b ible, explaining any special circumstance ility complies with the Commission's QF i nted by the Commission in an order date	s in the Miscellar requirements by d	neous section starting on page 24.
The instant fac	liscellaneous section starting on page 24 ility would comply with the Commission' vith this application is granted		nts if a petition for waiver submitted
The instant fac	ility complies with the Commission's regulative technologies not a tion of compliance via this form difficult of	contemplated by	the structure of this form, that make

	2a Name of contact person	2a Name of contact person Andrew Lane					
				603-401-2677	-		
	2c Which of the following describes						
ے				zed to represent the applicant			
ti.				ent the applicant on this matter			
na	Lawyer, consultant, or other re	presentative authorized to	represent the ap	plicant on this matter			
forr	2d Company or organization name Squam River Hydro LLC	(if applicant is an individual	, check here and	skip to line 2e)	G		
<u>_</u>					-		
Contact Information	2e Street address (if same as Applicant, check here and skip to line 3a) ✓						
, O							
	2f City		2g State/provir	nce			
	2h Postal code	3: County /if a at United C	totoo\		-		
	2n Postal code	2i Country (if not United S	tates)				
_	3a Facility name			-	1		
ion	Squam River Hydro LLC						
at	3b Street address (if a street address	does not exist for the facili	ty, check here ar	nd skip to line 3c)	A/A		
DO	6 Mill St				0		
3c Geographic coordinates: Specify the latitude and longitude coordinates of the facility in degrees (to thre places). Use the following formula to convert to decimal degrees from degrees, minutes and seconds: decin degrees + (minutes/60) + (seconds/3600). See the "Geographic Coordinates" section on page 5 for help.				minutes and seconds: decimal degrees =	:		
Identification and Location	Latitude43.693_degr	rees North (+)	ongitude	71.630 degrees West (-)			
	3d City (if unincorporated, check he	re and enter nearest city)	3e State/pro	ovince]		
iii	Ashland		New Ham	pshire			
Facility	3f County (or check here for indepen	ndent city) 3g	Country (if not	United States)			
	Grafton						
	Identify the electric utilities that are c	ontemplated to transact wi	th the facility.				
llities	4a Identify utility interconnecting w Ashland Utilities	ith the facility					
Transacting Utilities	4b Identify utilities providing wheeling service or check here if none Ashland Utilities						
ctir	4c Identify utilities purchasing the u	seful electric power output	or check here if	none	0		
ารลเ	Ashland Utilities			***************************************			
Trar	4d Identify utilities providing supple service or check here if none Ashland Utilities	4d Identify utilities providing supplementary power, backup power, maintenance power, and/or interruptible power service or check here if none					

FERC Form 556 Page 8 - All Facilities

	percent equity interest in the facility, then provide the required info gest equity interest in the facility. Electric u holdi egal names of direct owners comp	ng	If Ye % eq inter
1) The Lane Group LLC	Yes ⊠	No 🗌	
2) John E Algeo Tr	Yes ⊠	No 🗌	
3)	Yes 🗌	No 🗌	
4)	Yes	No 🔲	
5)	Yes	No 🔲	
6)	Yes 🗌	No 🔲	
7)	Yes 🗌	No 🔲	
8)	Yes 🗌	No 🗌 _	
9)	Yes	No 🔲 _	
10)	Yes	No 🗌	
Check here and continue	n the Miscellaneous section starting on page 24 if additional space	e is neede	ed
5b Upstream (i.e., indirect) owner of the facility that both (1) hold defined in section 3(22) of the 1262(8) of the Public Utility Ho equity interest in the facility he	ship as of effective date or operation date: Identify all upstream (i.e. I at least 10 percent equity interest in the facility, and (2) are electrically and the second se	e., indirect ic utilities, fined in se percentag	t) owr , as ection ge of
5b Upstream (i.e., indirect) owner of the facility that both (1) hold defined in section 3(22) of the 1262(8) of the Public Utility Ho equity interest in the facility he	ship as of effective date or operation date: Identify all upstream (i.e. I at least 10 percent equity interest in the facility, and (2) are electric Federal Power Act (16 U.S.C. 796(22)), or holding companies, as de Iding Company Act of 2005 (42 U.S.C. 16451(8)). Also provide the peld by such owners. (Note that, because upstream owners may be atterest reported may exceed 100 percent.)	e., indirect ic utilities, fined in se percentag subsidiari	t) owr , as ection ge of ies of
5b Upstream (i.e., indirect) owner of the facility that both (1) hold defined in section 3(22) of the 1262(8) of the Public Utility Hold equity interest in the facility he another, total percent equity in Check here if no such upstream	ship as of effective date or operation date: Identify all upstream (i.e. I at least 10 percent equity interest in the facility, and (2) are electric Federal Power Act (16 U.S.C. 796(22)), or holding companies, as de Iding Company Act of 2005 (42 U.S.C. 16451(8)). Also provide the peld by such owners. (Note that, because upstream owners may be atterest reported may exceed 100 percent.)	e., indirect ic utilities, fined in se percentag subsidiario	t) owr , as ection ge of ies of % equ
5b Upstream (i.e., indirect) owner of the facility that both (1) hold defined in section 3(22) of the 1262(8) of the Public Utility Hold equity interest in the facility he another, total percent equity in Check here if no such upstream	ship as of effective date or operation date: Identify all upstream (i.e. I at least 10 percent equity interest in the facility, and (2) are electric federal Power Act (16 U.S.C. 796(22)), or holding companies, as de Iding Company Act of 2005 (42 U.S.C. 16451(8)). Also provide the public by such owners. (Note that, because upstream owners may be interest reported may exceed 100 percent.)	e., indirect ic utilities, fined in se percentag subsidiario	t) owr , as ection ge of ies of % equ
5b Upstream (i.e., indirect) owner of the facility that both (1) hold defined in section 3(22) of the 1262(8) of the Public Utility Ho equity interest in the facility he another, total percent equity in Check here if no such upstream	ship as of effective date or operation date: Identify all upstream (i.e. I at least 10 percent equity interest in the facility, and (2) are electric federal Power Act (16 U.S.C. 796(22)), or holding companies, as de Iding Company Act of 2005 (42 U.S.C. 16451(8)). Also provide the public by such owners. (Note that, because upstream owners may be interest reported may exceed 100 percent.)	e., indirect ic utilities, fined in se percentag subsidiario	t) owr , as ection ge of ies of % equ
5b Upstream (i.e., indirect) owner of the facility that both (1) hold defined in section 3(22) of the 1262(8) of the Public Utility Ho equity interest in the facility he another, total percent equity in Check here if no such upstream Full legal name 1) Andrew Lane	ship as of effective date or operation date: Identify all upstream (i.e. I at least 10 percent equity interest in the facility, and (2) are electric federal Power Act (16 U.S.C. 796(22)), or holding companies, as de Iding Company Act of 2005 (42 U.S.C. 16451(8)). Also provide the public by such owners. (Note that, because upstream owners may be interest reported may exceed 100 percent.)	e., indirect ic utilities, fined in se percentag subsidiario	t) owi , as ectior ge of ies of % eqi
5b Upstream (i.e., indirect) owner of the facility that both (1) hold defined in section 3(22) of the 1262(8) of the Public Utility Hole equity interest in the facility he another, total percent equity in Check here if no such upstream Full legal name 1) Andrew Lane 2) 3) 4)	ship as of effective date or operation date: Identify all upstream (i.e. I at least 10 percent equity interest in the facility, and (2) are electric federal Power Act (16 U.S.C. 796(22)), or holding companies, as de Iding Company Act of 2005 (42 U.S.C. 16451(8)). Also provide the public by such owners. (Note that, because upstream owners may be interest reported may exceed 100 percent.)	e., indirect ic utilities, fined in se percentag subsidiario	t) owi , as ectior ge of ies of % eqi
5b Upstream (i.e., indirect) owner of the facility that both (1) hold defined in section 3(22) of the 1262(8) of the Public Utility Ho equity interest in the facility he another, total percent equity in Check here if no such upstream Full legal name 1) Andrew Lane 2) 3) 4) 5)	ship as of effective date or operation date: Identify all upstream (i.e. I at least 10 percent equity interest in the facility, and (2) are electric federal Power Act (16 U.S.C. 796(22)), or holding companies, as de Iding Company Act of 2005 (42 U.S.C. 16451(8)). Also provide the public by such owners. (Note that, because upstream owners may be interest reported may exceed 100 percent.)	e., indirect ic utilities, fined in se percentag subsidiario	t) owi , as ectior ge of ies of % eqi
5b Upstream (i.e., indirect) owner of the facility that both (1) hold defined in section 3(22) of the 1262(8) of the Public Utility Hole equity interest in the facility he another, total percent equity in Check here if no such upstream Full legal name 1) Andrew Lane 2) 3) 4) 5) 6)	ship as of effective date or operation date: Identify all upstream (i.e. I at least 10 percent equity interest in the facility, and (2) are electric federal Power Act (16 U.S.C. 796(22)), or holding companies, as de Iding Company Act of 2005 (42 U.S.C. 16451(8)). Also provide the public by such owners. (Note that, because upstream owners may be interest reported may exceed 100 percent.)	e., indirect ic utilities, fined in se percentag subsidiario	t) owr , as ection ge of ies of % equ
5b Upstream (i.e., indirect) owner of the facility that both (1) hold defined in section 3(22) of the 1262(8) of the Public Utility Hole equity interest in the facility he another, total percent equity in Check here if no such upstream Full legal name 1) Andrew Lane 2) 3) 4) 5) 6) 7)	ship as of effective date or operation date: Identify all upstream (i.e. I at least 10 percent equity interest in the facility, and (2) are electric federal Power Act (16 U.S.C. 796(22)), or holding companies, as de Iding Company Act of 2005 (42 U.S.C. 16451(8)). Also provide the public by such owners. (Note that, because upstream owners may be interest reported may exceed 100 percent.)	e., indirect ic utilities, fined in se percentag subsidiario	t) owr , as ection ge of
5b Upstream (i.e., indirect) owner of the facility that both (1) hold defined in section 3(22) of the 1262(8) of the Public Utility Ho equity interest in the facility he another, total percent equity in Check here if no such upstream Full legal name 1) Andrew Lane 2) 3) 4) 5) 6) 7) 8)	ship as of effective date or operation date: Identify all upstream (i.e. I at least 10 percent equity interest in the facility, and (2) are electric federal Power Act (16 U.S.C. 796(22)), or holding companies, as de Iding Company Act of 2005 (42 U.S.C. 16451(8)). Also provide the public by such owners. (Note that, because upstream owners may be interest reported may exceed 100 percent.)	e., indirect ic utilities, fined in se percentag subsidiario	t) owr , as ection ge of ies of % equ
5b Upstream (i.e., indirect) owner of the facility that both (1) hold defined in section 3(22) of the 1262(8) of the Public Utility Hole equity interest in the facility he another, total percent equity in Check here if no such upstream Full legal name 1) Andrew Lane 2) 3) 4) 5) 6) 7)	ship as of effective date or operation date: Identify all upstream (i.e. I at least 10 percent equity interest in the facility, and (2) are electric federal Power Act (16 U.S.C. 796(22)), or holding companies, as de Iding Company Act of 2005 (42 U.S.C. 16451(8)). Also provide the public by such owners. (Note that, because upstream owners may be interest reported may exceed 100 percent.)	e., indirect ic utilities, fined in se percentag subsidiario	t) ow , as ection ge of ies of % eq

	6a	Describe t	the primary energy input: (c	heck one m	ain c	ategory and, if applicable	, one subcate	gory)	THE SHAPE CO. C. STATE CO. STATE CO.
		Bioma	ass (specify)	⊠ R	ene	wable resources (specify)	☐ Geotl	nermal	
			Landfill gas		\boxtimes	Hydro power - river	Fossi	l fuel (spec	ify)
			Manure digester gas			Hydro power - tidal		Coal (not	waste)
			Municipal solid waste			Hydro power - wave		Fuel oil/d	iesel
			Sewage digester gas			Solar - photovoltaic		Natural g	as (not waste)
			Wood			Solar - thermal		Other fos	sil fuel on page 24)
			Other biomass (describe on	page 24)		Wind			
			(specify type below in line			Other renewable resource (describe on page 24)			on page 24)
	6b	If you spe	cified "waste" as the primar	y energy inp	ut ir	line 6a, indicate the type	of waste fuel	used: (che	ck one)
		☐ Wast	te fuel listed in 18 C.F.R. § 29	92.202(b) (sp	ecif	y one of the following)			
			Anthracite culm produced	prior to Jul	y 23,	1985			
			Anthracite refuse that has an average heat content of 6,000 Btu or less per pound and has an average ash content of 45 percent or more						
	Bituminous coal refuse that has an average heat content of 9,500 Btu per pound of average ash content of 25 percent or more							or less and	has an
nput			Top or bottom subbituming determined to be waste by (BLM) or that is located on the applicant shows that t	y the United non-Federa	Sta I or	tes Department of the Intendent of the Inte	erior's Bureau of BLM's juris	of Land M diction, pro	anagement ovided that
Energy Input			Coal refuse produced on F BLM or that is located on r applicant shows that the I	non- Federal	or r	on-Indian lands outside o	of BLM's jurisd	iction, pro	
ш			Lignite produced in associas a result of such a mining		ne p	roduction of montan wax	and lignite th	nat becom	es exposed
			Gaseous fuels (except nati	ural gas and	synt	hetic gas from coal) (desc	ribe on page	24)	
			Waste natural gas from ga C.F.R. § 2.400 for waste na compliance with 18 C.F.R.	tural gas; ind					
			Materials that a governme	nt agency h	as c	ertified for disposal by cor	mbustion (de	scribe on p	age 24)
			Heat from exothermic read	ctions (descr	ibe	on page 24)	Residual hea	t (describe	on page 24)
			Used rubber tires] Plastic ma	teri	als Refinery of	off-gas	☐ Petro	oleum coke
		facilit	r waste energy input that h ty industry (describe in the of commercial value and ex	Miscellaneo	us se	ection starting on page 24	; include a dis	scussion of	
	6с	energy inp	e average energy input, calo outs, and provide the relate). For any oil or natural gas	d percentag	e of	the total average annual	energy input		
						average energy	Percentage		
			Fuel Natural gas	inp	ut f	or specified fuel	annual ener		
			Oil-based fuels			0 Btu/h		0 %	
			Coal			0 Btu/h		0 %	
						0 Btu/h		0 %	

Indicate the maximum gross and maximum net electric power production capacity of the facility at the point(s) of delivery by completing the worksheet below. Respond to all items. If any of the parasitic loads and/or losses identified in lines 7b through 7e are negligible, enter zero for those lines.

7a The maximum gross power production capacity at the terminals of the individual generator(s) under the most favorable anticipated design conditions	249 kW
7b Parasitic station power used at the facility to run equipment which is necessary and integral to the power production process (boiler feed pumps, fans/blowers, office or maintenance buildings directly related to the operation of the power generating facility, etc.). If this facility includes non-power production processes (for instance, power consumed by a cogeneration facility's thermal host), do not include any power consumed by the non-power production activities in your	
reported parasitic station power.	o kW
7c Electrical losses in interconnection transformers	o kW
7d Electrical losses in AC/DC conversion equipment, if any	o kW
7e Other interconnection losses in power lines or facilities (other than transformers and AC/DC conversion equipment) between the terminals of the generator(s) and the point of interconnection	l .
with the utility	0 kW
7f Total deductions from gross power production capacity = 7b + 7c + 7d + 7e	0.0 kW
7g Maximum net power production capacity = 7a - 7f	
	249.0 kW

7h Description of facility and primary components: Describe the facility and its operation. Identify all boilers, heat recovery steam generators, prime movers (any mechanical equipment driving an electric generator), electrical generators, photovoltaic solar equipment, fuel cell equipment and/or other primary power generation equipment used in the facility. Descriptions of components should include (as applicable) specifications of the nominal capacities for mechanical output, electrical output, or steam generation of the identified equipment. For each piece of equipment identified, clearly indicate how many pieces of that type of equipment are included in the plant, and which components are normally operating or normally in standby mode. Provide a description of how the components operate as a system. Applicants for cogeneration facilities do not need to describe operations of systems that are clearly depicted on and easily understandable from a cogeneration facility's attached mass and heat balance diagram; however, such applicants should provide any necessary description needed to understand the sequential operation of the facility depicted in their mass and heat balance diagram. If additional space is needed, continue in the Miscellaneous section starting on page 24.

The facilities began operating in 1880 as a source of power for the L W Packard Wollen Mill

6 Mill St Facility: This is a Rodney Hunt 33" Vertical Francis Turbine with a Westinghouse 240 volt 3 phase generator controlled by a Woodward Mechanical Governor and Basler protection/switch gear. The unit is capable of producing 0.21 MW, from 32' of head through a 6' diameter penstock.

22 Main St Facility: This facility has a Rodney Hunt 29" Horizontal turbine connected to an induction motor used as a generator. The system includes hydraulic operation of the wicket gate and Beckwith electric protection/switch gear. The unit is capable of producing 0.039 MW, from 14' of head through a 6' diameter penstock.



Information Required for Small Power Production Facility

If you indicated in line 1k that you are seeking qualifying small power production facility status for your facility, then you must respond to the items on this page. Otherwise, skip pages 11 through 15.

Pursuant to 18 C.F.R. § 292.204(a), the power production capacity of any small power production facility, together with the power production capacity of any other small power production facilities that use the same energy resource, are owned by the same person(s) or its affiliates, and are located at the same site, may not exceed 80 megawatts. To demonstrate compliance with this size limitation, or to demonstrate that your facility is exempt from this size limitation under the Solar, Wind, Waste, and Geothermal Power Production Incentives Act of 1990 (Pub. L. 101-575, 104 Stat. 2834 (1990) *as amended by* Pub. L. 102-46, 105 Stat. 249 (1991)), respond to lines 8a through 8f below (as applicable).

Electric Generating Equipment

Electrical generating equipment will refer to all boilers, heat recovery steam generators, prime movers (any mechanical equipment driving an electric generator), electrical generators, photovoltaic solar panels, inverters, fuel cell equipment and/or other primary power generation equipment used in the facility, excluding equipment for gathering energy to be used in the facility. Each wind turbine on a wind farm and each solar panel in a solar facility is considered electrical generating equipment because each wind turbine and each solar panel is independently capable of producing electric energy.

Distance

The distance between two facilities is to be measured from the edge of the closest electrical generating equipment for which qualification or recertification is sought to the edge of the nearest electrical generating equipment of the other affiliated small power production qualifying facility using the same energy resource. An affiliated small power production QF located one mile or less from the instant facility is irrebuttably presumed to be at the same site. An affiliated small power production QF located more than one mile and less than 10 miles from the instant facility is rebuttably presumed to be at a separate site. An affiliated small power production QF located 10 miles or more from the instant facility is irrebuttably presumed to be located at a separate site.

8a Identify affiliated small power production QFs located less than 10 miles from the electrical generating equipment of the instant facility that use the same energy resource and are held (with at least a 5 percent equity interest) by any of the entities identified in lines 5a or 5b or their affiliates. Specify the latitude and longitude coordinates for both the applicant and the affiliate small power production QF based on the nearest electrical generating equipment for each facility. Report coordinates in degrees (to three decimal places) as a positive number for east and north or a negative number for west and south. Use the following formula to convert to decimal degrees from degrees, minutes and seconds: decimal degrees = degrees + (minutes/60) + (seconds/3600). See the "Geographic Coordinates" section on page 5 for help obtaining coordinates. The distances for each facility listed below will be automatically calculated from the reported coordinates. See www.ferc.gov/QF for more information on how this form calculates distance.

Check here if no such facilities exist.

	Facility location (city or county, state)	Root docket # (if any)	Maximum net power production capacity	Common owner(s)
	22 Main, Ashland, NH	QF	39 kW	Squam River Power
	Coordinates (in degrees) and Distan	nce (miles):		The Lane Group LLC
۵,				John E Algro TR
1)	Closest electrical generating equipr	ment for applicant's	facility:	Squam River Hydro
	Latitude 43.693 North (+)	Longitude 71.6	630 West (-)	
	Closest electrical generating equipr	ment for affiliate's fa	cility:	Distance
	Latitude 43.695 North (+)	Longitude 71.6	630 West (-)	0.14 miles

	8a	8a Continued								
		Facility location Root docket # Maximum net power (city or county, state) (if any) production capacity QF - kW	Common owner(s)							
		Coordinates (in degrees) and Distance (miles):								
	2)	Closest electrical generating equipment for applicant's facility:								
		Latitude Choose +/- Longitude Choose +/-								
		Closest electrical generating equipment for affiliate's facility:								
(pa			Distance miles							
nu		Latitude Choose +/- Longitude Choose +/-	<u>O</u> miles							
of Compliance with Size Limitations (continued		Facility location Root docket # Maximum net power								
00)		(city or county, state) (if any) production capacity QF - kW	Common owner(s)							
suc										
atic		Coordinates (in degrees) and Distance (miles):								
nita	3)	Closest electrical generating equipment for applicant's facility:								
Lin		Latitude Choose +/- Longitude Choose +/-								
ize		Closest electrical generating equipment for affiliate's facility:	Distance							
h S		Latitude Choose +/- Longitude Choose +/-	0 miles							
wit										
Ce		Facility location Root docket # Maximum net power								
ian		(city or county, state) (if any) production capacity QF - kW	Common owner(s)							
ldu		Coordinates (in degrees) and Distance (miles):								
Cor	4)									
of ('/	Closest electrical generating equipment for applicant's facility: Latitude Choose +/- Longitude Choose +/-								
		Latitude Choose +/-								
atio		Closest electrical generating equipment for affiliate's facility:	Distance							
Certification		Latitude Choose +/- Longitude Choose +/-	<u>0</u> miles							
ert										
0		Facility location Root docket # Maximum net power (city or county, state) (if any) production capacity	Common owner(s)							
		QF kW								
		Coordinates (in degrees) and Distance (miles):								
	5)	Closest electrical generating equipment for applicant's facility:								
		Latitude Choose +/- Longitude Choose +/-								
		*								
		Closest electrical generating equipment for affiliate's facility: Latitude Choose +/- Longitude Choose +/-	Distance							
		Latitude Choose +/- Longitude Choose +/-	0 miles							

	8a Continued								
		Facility location Root docket # Maximum net power (city or county, state) QF - kW	Common owner(s)						
		Coordinates (in degrees) and Distance (miles):							
	6)	Closest electrical generating equipment for applicant's facility:							
		Latitude Choose +/- Longitude Choose +/-							
(p)		Closest electrical generating equipment for affiliate's facility: Latitude Choose +/- Longitude Choose +/-	Distance						
nue		Latitude Choose +/- Longitude Choose +/-	0 miles						
onti		Facility location Root docket # Maximum net power							
5)		(city or county, state) (if any) production capacity QF - kW	Common owner(s)						
suc									
atic	7)	Coordinates (in degrees) and Distance (miles):							
l it	7)	Closest electrical generating equipment for applicant's facility: Latitude Choose +/- Longitude Choose +/-							
 		Latitude Choose +/- Longitude Choose +/-							
Size		Closest electrical generating equipment for affiliate's facility:	Distance						
it)		Latitude Choose +/- Longitude Choose +/-	<u>0</u> miles						
of Compliance with Size Limitations (continued		Facility location Root docket # Maximum net power (city or county, state) (if any) production capacity QF - kW	Common owner(s)						
dω		Coordinates (in degrees) and Distance (miles):							
Ō	8)	Closest electrical generating equipment for applicant's facility:							
		Latitude Choose +/- Longitude Choose +/-							
ion		Closest electrical generating equipment for affiliate's facility:							
cat		Latitude Choose +/- Longitude Choose +/-	Distance miles						
Certification		Latitude Enouse 17-	0 miles						
Ce		Facility location Root docket # Maximum net power (city or county, state) (if any) production capacity	Common owner(s)						
		QFkW							
		Coordinates (in degrees) and Distance (miles):							
	9)	Closest electrical generating equipment for applicant's facility:							
		Latitude Choose +/- Longitude Choose +/-							
		Closest electrical generating equipment for affiliate's facility:	Distance						
		Latitude Choose +/- Longitude Choose +/-	Distance miles						
			0 miles						

	8a (ontinued		
		Facility location Root doc (city or county, state) (if any QF -		Common owner(s)
		Coordinates (in degrees) and Distance (miles):		
	10)	Closest electrical generating equipment for appl	icant's facility:	
		Latitude Choose +/- Longitud	deChoose +/-	
(pa		Closest electrical generating equipment for affili	ate's facility:	Distance
tinue		Latitude Choose +/- Longitud	deChoose +/-	0 miles
ıs (cont		Check here and continue in the Miscellaneous se the calculator below below to calculate distance		litional space is needed. Use
of Compliance with Size Limitations (continued	pow degr Use degr coor	ence Calculator Specify the latitude and longiturer production QF based on the nearest electrical ences (to three decimal places) as a positive number the following formula to convert to decimal degrees + (minutes/60) + (seconds/3600). See the "Godinates. The distances for each facility listed below dinates. See www.ferc.gov/QF for more informations.	generating equipment for each or for east and north or a negative ees from degrees, minutes and s eographic Coordinates" section w will be automatically calculat	facility. Report coordinates in we number for west and south. seconds: decimal degrees = on page 5 for help obtaining red from the reported
e	(losest electrical generating equipment for applic	ant's facility (degrees):	
ianc		Latitude Choose +/- Longitud	leChoose +/-	
mpl	(losest electrical generating equipment for affiliat	e's facility (degrees):	Distance
fCo		Latitude Choose +/- Longitud	Choose +/-	0 miles
_				
Certification	pow	ou have the option below to assert preemptively or production QFs using the same energy resourc ditional space is needed, continue in the Miscella	e more than one mile but less tl	han 10 miles from your facility.
Certi	mile belo	uant to 18 C.F.R. § 292.204(a)(2)(i)(C), if affiliated s but less than 10 miles apart there is a rebuttable w are examples of the factors that the Commissio ties that are owned by the same person(s) or its a	oresumption that they are at se n may consider in deciding whe	parate sites. The factors listed ether small power production

Pursuant to 18 C.F.R. § 292.204(a)(2)(i)(C), if affiliated small power producer qualifying facilities are more than one mile but less than 10 miles apart there is a rebuttable presumption that they are at separate sites. The factors listed below are examples of the factors that the Commission may consider in deciding whether small power production facilities that are owned by the same person(s) or its affiliates are located "at the same site": (1) physical characteristics, including such common characteristics as: infrastructure, property ownership, property leases, control facilities, access and easements, interconnection agreements, interconnection facilities up to the point of interconnection to the distribution or transmission system, collector systems or facilities, points of interconnection, motive force or fuel source, off-take arrangements, connections to the electrical grid, evidence of shared control systems, common permitting and land leasing, and shared step-up transformers; and (2) ownership/other characteristics, including such characteristics as whether the facilities in question are: owned or controlled by the same person(s) or affiliated persons(s), operated and maintained by the same or affiliated entity(ies), selling to the same electric utility, using common debt or equity financing, constructed by the same entity within 12 months, managing a power sales agreement executed within 12 months of a similar and affiliated small power production qualifying facility (continued next page)...

	8b Continued
Certification of Compliance with Size Limitations (continued)	(continued from previous page) in the same location, placed into service within 12 months of an affiliated small power production QF project's commercial operation date as specified in the power sales agreement, or sharing engineering or procurement contracts.
· Compl	8c The Solar, Wind, Waste, and Geothermal Power Production Incentives Act of 1990 (Incentives Act) provides exemption from the size limitations in 18 C.F.R. § 292.204(a) for certain facilities that were certified prior to 1995. Are you seeking exemption from the size limitations in 18 C.F.R. § 292.204(a) by virtue of the Incentives Act?
o l	☐ Yes (continue at line 8d below) ☐ No (skip lines 8d through 8f)
catior	8d Was the original notice of self-certification or application for Commission certification of the facility filed on or before December 31, 1994? Yes No
rtific	8e Did construction of the facility commence on or before December 31, 1999? Yes No
	8f If you answered No in line 8e, indicate whether reasonable diligence was exercised toward the completion of the facility, taking into account all factors relevant to construction? Yes No
	If you answered Yes, provide a brief narrative explanation in the Miscellaneous section starting on page 24 of the construction timeline (in particular, describe why construction started so long after the facility was certified) and the diligence exercised toward completion of the facility.
Certification of Compliance with Fuel Use Requirements	Pursuant to 18 C.F.R. § 292.204(b), qualifying small power production facilities may use fossil fuels, in minimal amounts, for only the following purposes: ignition; start-up; testing; flame stabilization; control use; alleviation or prevention of unanticipated equipment outages; and alleviation or prevention of emergencies, directly affecting the public health, safety, or welfare, which would result from electric power outages. The amount of fossil fuels used for these purposes may not exceed 25 percent of the total energy input of the facility during the 12-month period beginning with the date the facility first produces electric energy or any calendar year thereafter.
Rec	9a Certification of compliance with 18 C.F.R. § 292.204(b) with respect to uses of fossil fuel:
ion o Use	Applicant certifies that the facility will use fossil fuels <i>exclusively</i> for the purposes listed above.
cati	9b Certification of compliance with 18 C.F.R. § 292.204(b) with respect to amount of fossil fuel used annually:
Certific with Fu	Applicant certifies that the amount of fossil fuel used at the facility will not, in aggregate, exceed 25 percent of the total energy input of the facility during the 12-month period beginning with the date the facility first produces electric energy or any calendar year thereafter.

Information Required for Cogeneration Facility

If you indicated in line 1k that you are seeking qualifying cogeneration facility status for your facility, then you must respond to the items on pages 16 through 18. Otherwise, skip pages 16 through 18.

	Pursuant to 18 C.F.R. § 292.202(c), a cogeneration facility produces electric energy and forms of useful thermal energy (such as heat or steam) used for industrial, commercial, heating, or cooling purposes, through the sequential use of energy. Pursuant to 18 C.F.R. § 292.202(s), "sequential use" of energy means the following: (1) for a topping-cycle cogeneration facility, the use of reject heat from a power production process in sufficient amounts in a thermal application or process to conform to the requirements of the operating standard contained in 18 C.F.R. § 292.205(a); or (2) for a bottoming-cycle cogeneration facility, the use of at least some reject heat from a thermal application or process for power production. 10a What type(s) of cogeneration technology does the facility represent? (check all that apply) Topping-cycle cogeneration Bottoming-cycle cogeneration 10b To help demonstrate the sequential operation of the cogeneration process, and to support compliance with							
	10b To help demonstrate the sequential operation of the cogeneration process, and to support compotent other requirements such as the operating and efficiency standards, include with your filing a match balance diagram depicting average annual operating conditions. This diagram must include cerm meet certain requirements, as described below. You must check next to the description of each below to certify that you have complied with these requirements.							
	Check to certify compliance with							
	indicated requirement	Requirement						
ration n		Diagram must show orientation within system piping and/or ducts of all prime movers, heat recovery steam generators, boilers, electric generators, and condensers (as applicable), as well as any other primary equipment relevant to the cogeneration process.						
gene		Any average annual values required to be reported in lines 10b, 12a, 13a, 13b, 13d, 13f, 14a, 15b, 15d and/or 15f must be computed over the anticipated hours of operation.						
General Cogeneration Information		Diagram must specify all fuel inputs by fuel type and average annual rate in Btu/h. Fuel for supplementary firing should be specified separately and clearly labeled. All specifications of fuel inputs should use lower heating values.						
ene		Diagram must specify average gross electric output in kW or MW for each generator.						
O		Diagram must specify average mechanical output (that is, any mechanical energy taken off of the shaft of the prime movers for purposes not directly related to electric power generation) in horsepower, if any. Typically, a cogeneration facility has no mechanical output.						
		At each point for which working fluid flow conditions are required to be specified (see below), such flow condition data must include mass flow rate (in lb/h or kg/s), temperature (in °F, R, °C or K), absolute pressure (in psia or kPa) and enthalpy (in Btu/lb or kJ/kg). Exception: For systems where the working fluid is <i>liquid only</i> (no vapor at any point in the cycle) and where the type of liquid and specific heat of that liquid are clearly indicated on the diagram or in the Miscellaneous section starting on page 24, only mass flow rate and temperature (not pressure and enthalpy) need be specified. For reference, specific heat at standard conditions for pure liquid water is approximately 1.002 Btu/(lb*R) or 4.195 kJ/(kg*K).						
		Diagram must specify working fluid flow conditions at input to and output from each steam turbine or other expansion turbine or back-pressure turbine.						
		Diagram must specify working fluid flow conditions at delivery to and return from each thermal application.						
	gineral manual and a second and	Diagram must specify working fluid flow conditions at make-up water inputs.						

	EPAct 2005 cogeneration facilities: The Energy Policy Act of 2005 (EPAct 2005) established a new section 210(n) of the Public Utility Regulatory Policies Act of 1978 (PURPA), 16 USC 824a-3(n), with additional requirements for any qualifying cogeneration facility that (1) is seeking to sell electric energy pursuant to section 210 of PURPA and (2) was either not a cogeneration facility on August 8, 2005, or had not filed a self-certification or application for Commission certification of QF status on or before February 1, 2006. These requirements were implemented by the Commission in 18 C.F.R. § 292.205(d). Complete the lines below, carefully following the instructions, to demonstrate whether these additional requirements apply to your cogeneration facility and, if so, whether your facility complies with such requirements.	
	11a Was your facility operating as a qualifying cogeneration facility on or before August 8, 2005? Yes No	
	11b Was the initial filing seeking certification of your facility (whether a notice of self-certification or an application for Commission certification) filed on or before February 1, 2006? Yes No	0
s e	If the answer to either line 11a or 11b is Yes, then continue at line 11c below. Otherwise, if the answers to both lines 11a and 11b are No, skip to line 11e below.	
ntal Us acilitie	11c With respect to the design and operation of the facility, have any changes been implemented on or after February 2, 2006 that affect general plant operation, affect use of thermal output, and/or increase net power production capacity from the plant's capacity on February 1, 2006?	
ner n Fa	Yes (continue at line 11d below)	
Fundar eratio	No. Your facility is not subject to the requirements of 18 C.F.R. § 292.205(d) at this time. However, it may be subject to to these requirements in the future if changes are made to the facility. At such time, the applicant would need to recertify the facility to determine eligibility. Skip lines 11d through 11j.	
for l ogen	11d Does the applicant contend that the changes identified in line 11c are not so significant as to make the facility a "new" cogeneration facility that would be subject to the 18 C.F.R. § 292.205(d) cogeneration requirements?	
ements from C	Yes. Provide in the Miscellaneous section starting on page 24 a description of any relevant changes made to the facility (including the purpose of the changes) and a discussion of why the facility should not be considered a "new" cogeneration facility in light of these changes. Skip lines 11e through 11j.	
Act 2005 Requirements for Fundamental Use Energy Output from Cogeneration Facilities	No. Applicant stipulates to the fact that it is a "new" cogeneration facility (for purposes of determining the applicability of the requirements of 18 C.F.R. § 292.205(d)) by virtue of modifications to the facility that were initiated on or after February 2, 2006. Continue below at line 11e.	
05 F y O	11e Will electric energy from the facility be sold pursuant to section 210 of PURPA?	
t 200 nerg	Yes. The facility is an EPAct 2005 cogeneration facility. You must demonstrate compliance with 18 C.F.R. § 292.205(d)(2) by continuing at line 11f below.	
EPAc of El	No. Applicant certifies that energy will <i>not</i> be sold pursuant to section 210 of PURPA. Applicant also certifies its understanding that it must recertify its facility in order to determine compliance with the requirements of 18 C.F.R. § 292.205(d) <i>before</i> selling energy pursuant to section 210 of PURPA in the future. Skip lines 11f through 11j.	
	11f Is the net power production capacity of your cogeneration facility, as indicated in line 7g above, less than or equal to 5,000 kW?	
	Yes, the net power production capacity is less than or equal to 5,000 kW. 18 C.F.R. § 292.205(d)(4) provides a rebuttable presumption that cogeneration facilities of 5,000 kW and smaller capacity comply with the requirements for fundamental use of the facility's energy output in 18 C.F.R. § 292.205(d)(2). Applicant certifies its understanding that, should the power production capacity of the facility increase above 5,000 kW, then the facility must be recertified to (among other things) demonstrate compliance with 18 C.F.R. § 292.205(d)(2). Skip lines 11g through 11j.	
	No, the net power production capacity is greater than 5,000 kW. Demonstrate compliance with the requirements for fundamental use of the facility's energy output in 18 C.F.R. § 292.205(d)(2) by continuing on the next page at line 11g.	

Lines 11g through 11k below guide the applicant through the process of demonstrating compliance with the requirements for "fundamental use" of the facility's energy output. 18 C.F.R. § 292.205(d)(2). Only respond to the lines on this page if the instructions on the previous page direct you to do so. Otherwise, skip this page.

18 C.F.R. § 292.205(d)(2) requires that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a qualifying facility to its host facility. If you were directed on the previous page to respond to the items on this page, then your facility is an EPAct 2005 cogeneration facility that is subject to this "fundamental use" requirement.

The Commission's regulations provide a two-pronged approach to demonstrating compliance with the requirements for fundamental use of the facility's energy output. First, the Commission has established in 18 C.F.R. § 292.205(d)(3) a "fundamental use test" that can be used to demonstrate compliance with 18 C.F.R. § 292.205(d)(2). Under the fundamental use test, a facility is considered to comply with 18 C.F.R. § 292.205(d)(2) if at least 50 percent of the facility's total annual energy output (including electrical, thermal, chemical and mechanical energy output) is used for industrial, commercial, residential or institutional purposes.

Second, an applicant for a facility that does not pass the fundamental use test may provide a narrative explanation of and support for its contention that the facility nonetheless meets the requirement that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a qualifying facility to its host facility.

Complete lines 11g through 11j below to determine compliance with the fundamental use test in 18 C.F.R. § 292.205(d)(3). Complete lines 11g through 11j even if you do not intend to rely upon the fundamental use test to demonstrate compliance with 18 C.F.R. § 292.205(d)(2).

11g Amount of electrical, thermal, chemical and mechanical energy output (net of internal	
generation plant losses and parasitic loads) expected to be used annually for industrial,	
commercial, residential or institutional purposes and not sold to an electric utility	MWh
11h Total amount of electrical, thermal, chemical and mechanical energy expected to be	
sold to an electric utility	MWh
11i Percentage of total annual energy output expected to be used for industrial,	
commercial, residential or institutional purposes and not sold to a utility	
= 100 * 11g /(11g + 11h)	0 %

11j Is the response in line 11i greater than or equal to 50 percent?

Yes. Your facility complies with 18 C.F.R. § 292.205(d)(2) by virtue of passing the fundamental use test provided in 18 C.F.R. § 292.205(d)(3). Applicant certifies its understanding that, if it is to rely upon passing the fundamental use test as a basis for complying with 18 C.F.R. § 292.205(d)(2), then the facility must comply with the fundamental use test both in the 12-month period beginning with the date the facility first produces electric energy, and in all subsequent calendar years.

No. Your facility does not pass the fundamental use test. Instead, you must provide in the Miscellaneous section starting on page 24 a narrative explanation of and support for why your facility meets the requirement that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a QF to its host facility. Applicants providing a narrative explanation of why their facility should be found to comply with 18 C.F.R. § 292.205(d)(2) in spite of non-compliance with the fundamental use test may want to review paragraphs 47 through 61 of Order No. 671 (accessible from the Commission's QF website at www.ferc.gov/QF), which provide discussion of the facts and circumstances that may support their explanation. Applicant should also note that the percentage reported above will establish the standard that that facility must comply with, both for the 12-month period beginning with the date the facility first produces electric energy, and in all subsequent calendar years. *See* Order No. 671 at paragraph 51. As such, the applicant should make sure that it reports appropriate values on lines 11g and 11h above to serve as the relevant annual standard, taking into account expected variations in production conditions.

Usefulness of Topping-Cycle Thermal Output

Information Required for Topping-Cycle Cogeneration Facility

If you indicated in line 10a that your facility represents topping-cycle cogeneration technology, then you must respond to the items on pages 19 and 20. Otherwise, skip pages 19 and 20.

The thermal energy output of a topping-cycle cogeneration facility is the net energy made available to an industrial or commercial process or used in a heating or cooling application. Pursuant to sections 292.202(c), (d) and (h) of the Commission's regulations (18 C.F.R. §§ 292.202(c), (d) and (h)), the thermal energy output of a gualifying toppingcycle cogeneration facility must be useful. In connection with this requirement, describe the thermal output of the topping-cycle cogeneration facility by responding to lines 12a and 12b below. 12a Identify and describe each thermal host, and specify the annual average rate of thermal output made available to each host for each use. For hosts with multiple uses of thermal output, provide the data for each use in separate rows. Average annual rate of thermal output attributable to use (net of Name of entity (thermal host) Thermal host's relationship to facility; heat contained in process taking thermal output Thermal host's use of thermal output return or make-up water) Select thermal host's relationship to facility 1) Select thermal host's use of thermal output Btu/h Select thermal host's relationship to facility 2) Select thermal host's use of thermal output Btu/h Select thermal host's relationship to facility 3) Select thermal host's use of thermal output Btu/h Select thermal host's relationship to facility 4) Select thermal host's use of thermal output Btu/h Select thermal host's relationship to facility 5) Select thermal host's use of thermal output Btu/h Select thermal host's relationship to facility 6)

Select thermal host's use of thermal output

Check here and continue in the Miscellaneous section starting on page 24 if additional space is needed

12b Demonstration of usefulness of thermal output: At a minimum, provide a brief description of each use of the thermal output identified above. In some cases, this brief description is sufficient to demonstrate usefulness. However, if your facility's use of thermal output is not common, and/or if the usefulness of such thermal output is not reasonably clear, then you must provide additional details as necessary to demonstrate usefulness. Your application may be rejected and/or additional information may be required if an insufficient showing of usefulness is made. (Exception: If you have previously received a Commission certification approving a specific use of thermal output related to the instant facility, then you need only provide a brief description of that use and a reference by date and docket number to the order certifying your facility with the indicated use. Such exemption may not be used if any change creates a material deviation from the previously authorized use.) If additional space is needed, continue in the Miscellaneous section starting on page 24.

0

Btu/h

Topping-Cycle Operating and Efficiency Value Calculation

equal to 42.5%:

Yes (complies with efficiency standard)

rm 556 Page 20 - Topping-Cycle Cogeneration Facilities		
Applicants for facilities representing topping-cycle technology must demonstrate compliance with the topping-cycle operating standard and, if applicable, efficiency standard. Section 292.205(a)(1) of the Commission's regulations (18 C.F.R. § 292.205(a)(1)) establishes the operating standard for topping-cycle cogeneration facilities: the useful thermal energy output must be no less than 5 percent of the total energy output. Section 292.205(a)(2) (18 C.F.R. § 292.205(a)(2)) establishes the efficiency standard for topping-cycle cogeneration facilities for which installation commenced on or after March 13, 1980: the useful power output of the facility plus one-half the useful thermal energy output must (A) be no less than 42.5 percent of the total energy input of natural gas and oil to the facility; and (B) if the useful thermal energy output is less than 15 percent of the total energy output of the facility, be no less than 45 percent of the total energy input of natural gas and oil to the facility. To demonstrate compliance with the topping-cycle operating and/or efficiency standards, or to demonstrate that your facility is exempt from the efficiency standard based on the date that installation commenced, respond to lines 13a through 13l below.		
If you indicated in line 10a that your facility represents <i>both</i> topping-cycle and bottom technology, then respond to lines 13a through 13l below considering only the energy attributable to the topping-cycle portion of your facility. Your mass and heat balance which mass and energy flow values and system components are for which portion (to cogeneration system.	inputs and outputs diagram must make clear oping or bottoming) of the	
13a Indicate the annual average rate of useful thermal energy output made available to the host(s), net of any heat contained in condensate return or make-up water	Btu/h	
13b Indicate the annual average rate of net electrical energy output	kW	
13c Multiply line 13b by 3,412 to convert from kW to Btu/h	O Btu/h	
13d Indicate the annual average rate of mechanical energy output taken directly off of the shaft of a prime mover for purposes not directly related to power production (this value is usually zero)	hp	
13e Multiply line 13d by 2,544 to convert from hp to Btu/h	o Btu/h	
13f Indicate the annual average rate of energy input from natural gas and oil	Btu/h	
13g Topping-cycle operating value = 100 * 13a / (13a + 13c + 13e)	0 %	
13h Topping-cycle efficiency value = 100 * (0.5*13a + 13c + 13e) / 13f	0 %	
13i Compliance with operating standard: Is the operating value shown in line 13g gre		
Yes (complies with operating standard) No (does not comply with operating standard)		
13j Did installation of the facility in its current form commence on or after March 13, 1980?		
Yes. Your facility is subject to the efficiency requirements of 18 C.F.R. § 292.205(a)(2). Demonstrate compliance with the efficiency requirement by responding to line 13k or 13l, as applicable, below.		
No. Your facility is exempt from the efficiency standard. Skip lines 13k and 13l.		
13k Compliance with efficiency standard (for low operating value): If the operating value shown in line 13g is less than 15%, then indicate below whether the efficiency value shown in line 13h greater than or equal to 45%:		
Yes (complies with efficiency standard) No (does not comply wi	th efficiency standard)	
131 Compliance with efficiency standard (for high operating value): If the operating value shown in line 13g is		

greater than or equal to 15%, then indicate below whether the efficiency value shown in line 13h is greater than or

No (does not comply with efficiency standard)

Information Required for Bottoming-Cycle Cogeneration Facility

If you indicated in line 10a that your facility represents bottoming-cycle cogeneration technology, then you must respond to the items on pages 21 and 22. Otherwise, skip pages 21 and 22.

to the items on pages 21 and 22. Otherwise, skip pages 21 and 22. The thermal energy output of a bottoming-cycle cogeneration facility is the energy related to the process(es) from which at least some of the reject heat is then used for power production. Pursuant to sections 292,202(c) and (e) of the Commission's regulations (18 C.F.R. § 292.202(c) and (e)), the thermal energy output of a qualifying bottomingcycle cogeneration facility must be useful. In connection with this requirement, describe the process(es) from which at least some of the reject heat is used for power production by responding to lines 14a and 14b below. 14a Identify and describe each thermal host and each bottoming-cycle cogeneration process engaged in by each host. For hosts with multiple bottoming-cycle cogeneration processes, provide the data for each process in separate rows. Has the energy input to Name of entity (thermal host) the thermal host been performing the process from augmented for purposes which at least some of the of increasing power reject heat is used for power Thermal host's relationship to facility; production capacity? production (if Yes, describe on p. 24) Thermal host's process type Select thermal host's relationship to facility Yes No 1) Select thermal host's process type Select thermal host's relationship to facility Usefulness of Bottoming-Cycle Yes No 🗌 2) Select thermal host's process type Select thermal host's relationship to facility Yes No 3) **Thermal Output** Select thermal host's process type Check here and continue in the Miscellaneous section starting on page 24 if additional space is needed 14b Demonstration of usefulness of thermal output: At a minimum, provide a brief description of each process identified above. In some cases, this brief description is sufficient to demonstrate usefulness. However, if your facility's process is not common, and/or if the usefulness of such thermal output is not reasonably clear, then you must provide additional details as necessary to demonstrate usefulness. Your application may be rejected and/or additional information may be required if an insufficient showing of usefulness is made. (Exception: If you have previously received a Commission certification approving a specific bottoming-cycle process related to the instant facility, then you need only provide a brief description of that process and a reference by date and docket number to the order certifying your facility with the indicated process. Such exemption may not be used if any material changes to the process have been made.) If additional space is needed, continue in the Miscellaneous section starting on page 24.

Bottoming-Cycle Operating and Efficiency Value Calculation

	Applicants for facilities representing bottoming-cycle technology and for which installation commenced on or after March 13, 1990 must demonstrate compliance with the bottoming-cycle efficiency standards. Section 292.205(b) of the Commission's regulations (18 C.F.R. § 292.205(b)) establishes the efficiency standard for bottoming-cycle cogeneration facilities: the useful power output of the facility must be no less than 45 percent of the energy input of natural gas and oil for supplementary firing. To demonstrate compliance with the bottoming-cycle efficiency standard (if applicable), or to demonstrate that your facility is exempt from this standard based on the date that
ı	standard (if applicable), or to demonstrate that your facility is exempt from this standard based on the date that installation of the facility began, respond to lines 15a through 15h below.
	If you indicated in line 10a that your facility represents both topping-cycle and bottoming-cycle cogeneration

you indicated in line 10a that your facility represents <i>both</i> topping-cycle and bottoming-cycle cogeneration echnology, then respond to lines 15a through 15h below considering only the energy inputs and outputs ttributable to the bottoming-cycle portion of your facility. Your mass and heat balance diagram must make clear which mass and energy flow values and system components are for which portion of the cogeneration system copping or bottoming).		
15a Did installation of the facility in its current form commence on or after March 13, 1980?		
Yes. Your facility is subject to the efficiency requirement of 18 C.F.R. § 292.205(b). Demonstrate compliance with the efficiency requirement by responding to lines 15b through 15h below.		
No. Your facility is exempt from the efficiency standard. Skip the rest of page 22.		
15b Indicate the annual average rate of net electrical energy output	Lanz	
15c Multiply line 15b by 3,412 to convert from kW to Btu/h	kW 0 Btu/h	
15d Indicate the annual average rate of mechanical energy output taken directly off of the shaft of a prime mover for purposes not directly related to power production (this value is usually zero)	qd	
15e Multiply line 15d by 2,544 to convert from hp to Btu/h	0 Btu/h	
15f Indicate the annual average rate of supplementary energy input from natural gas or oil	Btu/h	
15g Bottoming-cycle efficiency value = 100 * (15c + 15e) / 15f	0 %	
15h Compliance with efficiency standard: Indicate below whether the efficiency value shown in line 15g is greater than or equal to 45%:		
Yes (complies with efficiency standard) No (does not comply wi	th efficiency standard)	

Commission Staff Use Only:

Certificate of Completeness, Accuracy and Authority

Applicant must certify compliance with and understanding of filing requirements by checking next to each item below and

	signing at the bottom of this section. Forms with incomplete Certificates of Completeness, Accuracy and Authority will be rejected by the Secretary of the Commission.						
S	igner identified below certifies the follov						
		g any information contained in any attached docun d any information contained in the Miscellaneous se					
	oxtimes He or she has provided all of the reques to the best of his or her knowledge and	uired information for certification, and the provided nd belief.	information is true as stated,				
	He or she possess full power and autl Practice and Procedure (18 C.F.R. § 38	3) of the Commission's Rules of ck one)					
	☐ The person on whose behalf	the filing is made					
		trust, association, or other organized group on beh	alf of which the filing is made				
An officer, agent, or employe of the governmental authority, agency, or instrumentality on behalf of which filing is made							
		practice before the Commission under Rule 2101 of .F.R. § 385.2101) and who possesses authority to sig					
He or she has reviewed all automatic calculations and agrees with their results, unless otherwise noted in the Miscellaneous section starting on page 24.							
[He or she has provided a copy of this Form 556 and all attachments to the utilities with which the facility will interconnect and transact (see lines 4a through 4d), as well as to the regulatory authorities of the states in which the facility and those utilities reside. See the Required Notice to Public Utilities and State Regulatory Authorities section on page 4 for more information.						
P re	rocedure (18 C.F.R. § 385.2005(c)) provide	ture date below. Rule 2005(c) of the Commission's es that persons filing their documents electronically iled documents. A person filing this document elec- ded below.	may use typed characters				
	Your Signature	Your address	Date				
	Andrew Lane	84 W Broadway Derry NH 03038	11/27/2022				
	Audit Notes		×				

FERC Form 556 Page 24 - All Facilities

Miscellaneous

Use this space to provide any information for which there was not sufficient space in the previous sections of the form to provide. For each such item of information *clearly identify the line number that the information belongs to*. You may also use this space to provide any additional information you believe is relevant to the certification of your facility.

Your response below is not limited to one page. Additional page(s) will automatically be inserted into this form if the length of your response exceeds the space on this page. Use as many pages as you require.