STATE OF NEW HAMPSHIRE PUBLIC UTILITIES COMMISSION

DW 21-137

PENNICHUCK WATER WORKS, INC.

Petition for Approved Modification of Accounting Treatment of Leases

Procedural Order Re: Request for Hybrid Hearing

The Commission scheduled an in person hearing on January 21, 2022. On December 22, 2021, Pennichuck Water Works, Inc. (PWW) filed a request for a hybrid hearing format due to safety concerns, given rising COVID-19 infections, and to save travel costs for witnesses and counsel. PWW represented that the New Hampshire Department of Energy had no objection to its request.

It has been found that good reason for a hybrid hearing format has been provided. Therefore, a hybrid hearing format will be used for the January 21, 2022 hearing. Those who wish to participate in or observe the hearing remotely via the web may obtain access through the Commission's hearing calendar at https://www.puc.nh.gov/Regulatory/Calendar-Remote.html.

When a hybrid hearing is held, remote participation is not limited to the requestors; all participants are welcome to participate remotely. However, consistent with the hearing guidelines previously issued in this docket, it is requested that other participants advise the Commission in advance as to whether they intend to participate remotely or in person.

 $^{^{1} \}textit{See} \underline{ \text{https://www.puc.nh.gov/Regulatory/Docketbk/2021/21-137/LETTERS-MEMOS-TARIFFS/21-137} \underline{ 2021-12-21 \ \text{NHPUC HRG-GUIDELINES.PDF}}.$

So ordered, this thirtieth day of December, 2021.

Daniel C. Goldner
Presiding Officer

Chairman

Docket #: 21-137

ClerksOffice@puc.nh.gov

SERVICE LIST - DOCKET RELATED - Email Addresses

carolann.howe@pennichuck.com christopher.r.tuomala@energy.nh.gov donald.ware@pennichuck.com Energy-Litigation@energy.nh.gov George.Torres@Pennichuck.com

jay.kerrigan@pennichuck.com

jayson.p. laflamme@energy.nh.gov

jjs@rathlaw.com

john.boisvert@pennichuck.com

larry.goodhue@pennichuck.com

ocalitigation@oca.nh.gov

smw@rathlaw.com

Page #: 1

Printed:

12/30/2021