

State	Month	CLEC Id	Metric Id	Metric Title	Product	Performance Standard	Eligible/Diagnostic	FRP Num	FRP Den	CLEC Num	CLEC Den	FRP Perf.	CLEC Perf.	Z Score	Met Miss Ss	Qual'd Miss	Escalation Level	\$ Miss	\$ Credit
NNE	01-OCT-2015	Aggregate	PO-1-01-6040	Average Response Time - CSR	XML	<= 4.5 Seconds	ELIGIBLE	NA	NA	457.00	148.00	NA	3.09	NA	MET	0	1.00	5	0
NNE	01-OCT-2015	Aggregate	PO-1-01-6050	Average Response Time - CSR	WEB GUI	<= 6.5 Seconds	ELIGIBLE	NA	NA	1471.00	620.00	NA	2.37	NA	MET	0	1.00	5	0
NNE	01-OCT-2015	Aggregate	PO-1-03-6040	Average Response Time - Address Validation	XML	<= 4.5 Seconds	ELIGIBLE	NA	NA	2758.00	1073.00	NA	2.57	NA	MET	0	1.00	5	0
NNE	01-OCT-2015	Aggregate	PO-1-03-6050	Average Response Time - Address Validation	WEB GUI	<= 7.5 Seconds	ELIGIBLE	NA	NA	4208.00	1699.00	NA	2.48	NA	MET	0	1.00	5	0
NNE	01-OCT-2015	Aggregate	PO-1-05-6040	Average Response Time - TN Availability and Reservation	XML	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0
NNE	01-OCT-2015	Aggregate	PO-1-05-6050	Average Response Time - TN Availability and Reservation	WEB GUI	<= 7.5 Seconds	DIAGNOSTIC	NA	NA	1003.00	112.00	NA	8.96	NA	NA	NA	NA	NA	0
NNE	01-OCT-2015	Aggregate	PO-1-06-6040	Average Response Time - Mech. Loop Qualification	XML	<= 4.5 Seconds	ELIGIBLE	NA	NA	3467.00	1066.00	NA	3.25	NA	MET	0	1.00	5	0
NNE	01-OCT-2015	Aggregate	PO-1-06-6050	Average Response Time - Mech. Loop Qualification	WEB GUI	<= 6.5 Seconds	ELIGIBLE	NA	NA	2261.00	679.00	NA	3.33	NA	MET	0	1.00	5	0
NNE	01-OCT-2015	Aggregate	PO-1-07-6040	Average Response Time - Rejected Query	XML	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	9535.00	874.00	NA	10.91	NA	NA	NA	NA	NA	0
NNE	01-OCT-2015	Aggregate	PO-1-07-6050	Average Response Time - Rejected Query	WEB GUI	<= 7.5 Seconds	DIAGNOSTIC	NA	NA	330.00	202.00	NA	1.63	NA	NA	NA	NA	NA	0
NNE	01-OCT-2015	Aggregate	PO-1-08-6040	% Timeouts	XML	<= 0.33%	DIAGNOSTIC	NA	NA	666.00	28437.00	NA	2.34	NA	NA	NA	NA	NA	0
NNE	01-OCT-2015	Aggregate	PO-1-08-6050	% Timeouts	WEB GUI	<= 0.33%	DIAGNOSTIC	NA	NA	52.00	3364.00	NA	1.55	NA	NA	NA	NA	NA	0
NNE	01-OCT-2015	Aggregate	PO-1-09-6040	Average Response Time - Parsed CSR	XML	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	72598.00	24610.00	NA	2.95	NA	NA	NA	NA	NA	0
NNE	01-OCT-2015	Aggregate	PO-2-02-6000	OSS Interface Availability - Prime Time	VFO	>= 99.5%	ELIGIBLE	NA	NA	29160.00	29160.00	NA	100.00	NA	MET	0	1.00	Severity Dependent	0
NNE	01-OCT-2015	Aggregate	PO-3-02-1000	% Answered within 30 Seconds - Ordering	Resale and UNE	>= 80%	DIAGNOSTIC	NA	NA	1060.00	1069.00	NA	99.16	NA	NA	NA	NA	NA	0
NNE	01-OCT-2015	Aggregate	PO-3-04-1000	% Answered within 30 Seconds - Repair	Resale and UNE	>= 80%	DIAGNOSTIC	NA	NA	16721.00	17664.00	NA	94.66	NA	NA	NA	NA	NA	0
NNE	01-OCT-2015	Aggregate	PO-4-01-6660	% Change Management Notices Sent on Time	Change Notices (types 3, 4 and 5)	>= 95%	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-OCT-2015	Aggregate	PO-4-01-6671	% Change Management Notices Sent on Time	Change Notices (types 1 and 2)	>= 95%	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-OCT-2015	Aggregate	PO-4-02-6600	Change Management Notices - Delay 1 to 7 Days	Change Notices all types	No Standard	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0
NNE	01-OCT-2015	Aggregate	PO-4-03-6600	Change Management Notices - Delay >= 8 Days	Change Notices all types	0 (zero) Notices >= 8 Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-OCT-2015	Aggregate	PO-5-01-6500	% On Time Notice of OSS Interface Outage	OSS Interface Outage Notifications	>= 95% within 20 Minutes of Outage	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0
NNE	01-OCT-2015	Aggregate	PO-6-01-6000	Software Validation	VFO	<= 5% Failed Transactions	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-OCT-2015	Aggregate	PO-7-01-6000	% Production Software Referrals Resolved On Time	VFO	>= 95% within 48 Hours/10 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-OCT-2015	Aggregate	PO-7-02-6000	Delay Hours Production Software Resolution - Change - Transactions Failed - No Workaround	VFO	0 (zero) production resolution changes > 48 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-OCT-2015	Aggregate	PO-7-03-6000	Delay Days Production Software Resolution - Change - Transactions Failed - With Workaround	VFO	0 (zero) production resolution changes > 10 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-OCT-2015	Aggregate	PO-7-04-6000	Delay Hours - Failed/Rejected Test Deck Transactions - Transactions Failed - No Workaround	VFO	0 (zero) failed/rejected test deck transactions > 48 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NH	01-OCT-2015	Aggregate	PO-8-01-6100	% On Time - Manual Loop Qualification	Manual Loop Qual Request	>= 95% within 48 Hours	ELIGIBLE	NA	NA	3.00	3.00	NA	100.00	NA	MET	0	1.00	40	0
NH	01-OCT-2015	Aggregate	OR-1-02-2000	% On Time LSRC - Flow-Through	Resale	>= 95% within 2 Hours	ELIGIBLE	NA	NA	19.00	19.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-OCT-2015	Aggregate	OR-1-02-3332	% On Time LSRC - Flow-Through	UNE 2-Wire Loops/LNP	>= 95% within 2 Hours	ELIGIBLE	NA	NA	904.00	908.00	NA	99.56	NA	MET	3	1.00	28	84.00
NH	01-OCT-2015	Aggregate	OR-1-04-2000	% On Time LSRC - No Facility Check (Non-Flow-Through)	Resale	>= 95% within 24 Hours	ELIGIBLE	NA	NA	22.00	23.00	NA	95.65	NA	MET	0	1.00	28	0
NH	01-OCT-2015	Aggregate	OR-1-04-3331	% On Time LSRC - No Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 24 Hours	ELIGIBLE	NA	NA	113.00	115.00	NA	98.26	NA	MET	0	1.00	28	0
NH	01-OCT-2015	Aggregate	OR-1-04-3343	% On Time LSRC - No Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 24 Hours	ELIGIBLE	NA	NA	2.00	2.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-OCT-2015	Aggregate	OR-1-06-2000	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	Resale	>= 95% within 72 Hours	ELIGIBLE	NA	NA	2.00	2.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-OCT-2015	Aggregate	OR-1-06-3200	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	UNE Specials	>= 95% within 5 Business Days	ELIGIBLE	NA	NA	11.00	11.00	NA	100.00	NA	MET	0	1.00	56	0
NH	01-OCT-2015	Aggregate	OR-1-06-3331	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 72 Hours	ELIGIBLE	NA	NA	13.00	13.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-OCT-2015	Aggregate	OR-1-06-3343	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 72 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NH	01-OCT-2015	Aggregate	OR-1-12-5020	% On Time ASRC	CLEC Trunks (<= 192 Forecasted)	>= 95% within 10 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	56	0
NH	01-OCT-2015	Aggregate	OR-1-12-5030	% On Time ASRC	CLEC Trunks (> 192, Unforecasted, and Projects)	>= 95% within Negotiated Interval	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	56	0
NH	01-OCT-2015	Aggregate	OR-1-13-5000	% On Time Design Layout Record (DLR)	CLEC Trunks	>= 95% On or Before DLRD	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	56	0
NH	01-OCT-2015	Aggregate	OR-2-02-2000	% On Time LSR Reject (Flow-Through)	Resale	>= 95% within 2 Hours	ELIGIBLE	NA	NA	21.00	21.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-OCT-2015	Aggregate	OR-2-02-3332	% On Time LSR Reject (Flow-Through)	UNE 2-Wire Loops/LNP	>= 95% within 2 Hours	ELIGIBLE	NA	NA	283.00	283.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-OCT-2015	Aggregate	OR-2-04-2000	% On Time LSR Reject - No Facility Check (Non-Flow-Through)	Resale	>= 95% within 24 Hours	ELIGIBLE	NA	NA	8.00	8.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-OCT-2015	Aggregate	OR-2-04-3331	% On Time LSR Reject - No Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 24 Hours	ELIGIBLE	NA	NA	11.00	11.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-OCT-2015	Aggregate	OR-2-04-3343	% On Time LSR Reject - No Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 24 Hours	ELIGIBLE	NA	NA	0.00	0.00	NA	NA	NA	NA	0	1.00	28	0
NH	01-OCT-2015	Aggregate	OR-2-06-2000	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	Resale	>= 95% within 72 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NH	01-OCT-2015	Aggregate	OR-2-06-3200	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	UNE Specials	>= 95% within 5 Business Days	ELIGIBLE	NA	NA	12.00	12.00	NA	100.00	NA	MET	0	1.00	56	0
NH	01-OCT-2015	Aggregate	OR-2-06-3331	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 72 Hours	ELIGIBLE	NA	NA	0.00	0.00	NA	NA	NA	NA	0	1.00	28	0
NH	01-OCT-2015	Aggregate	OR-2-06-3343	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 72 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NH	01-OCT-2015	Aggregate	OR-2-12-5020	% On Time Trunk ASR Reject	CLEC Trunks (<= 192 Forecasted)	>= 95% within 7 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	56	0
NH	01-OCT-2015	Aggregate	OR-2-12-5030	% On Time Trunk ASR Reject	CLEC Trunks (> 192, Unforecasted, and Projects)	>= 95% within Negotiated Interval	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0
NH	01-OCT-2015	Aggregate	OR-4-11-1000	% Completed Orders with Neither a PCN nor BCN Sent	Resale and UNE	<= 0.25% within 2 Business Days of Provisioning Completion	DIAGNOSTIC	NA	NA	13.00	1920.00	NA	0.68	NA	NA	NA	NA	NA	0
NH	01-OCT-2015	Aggregate	OR-4-16-1000	% Provisioning Completion Notifiers Sent within One Business Day	Resale and UNE	>= 95%	ELIGIBLE	NA	NA	800.00	809.00	NA	98.89	NA	MET	1	1.00	28	28.00
NH	01-OCT-2015	Aggregate	OR-4-17-1000	% Billing Completion Notifiers Sent On Time	Resale and UNE	>= 95.5% within 2 or 4 Business Days of Provisioning Completion	ELIGIBLE	NA	NA	1899.00	1918.00	NA	99.01	NA	MET	0	1.00	28	0
NH	01-OCT-2015	Aggregate	OR-5-01-2000	% Flow-Through - Total	Resale	No Standard	DIAGNOSTIC	NA	NA	19.00	44.00	NA	43.18	NA	NA	NA	NA	NA	0
NH	01-OCT-2015	Aggregate	OR-5-01-3112	% Flow-Through - Total	UNE 2-Wire Analog Loop	No Standard	DIAGNOSTIC	NA	NA	184.00	215.00	NA	85.58	NA	NA	NA	NA	NA	0
NH	01-OCT-2015	Aggregate	OR-5-01-3121	% Flow-Through - Total	Directory Listings and LNP	No Standard	DIAGNOSTIC	NA	NA	1798.00	1946.00	NA	92.39	NA	NA	NA	NA	NA	0
NH	01-OCT-2015	Aggregate	OR-5-03-2000	% Flow-Through - Achieved	Resale	>= 95%	ELIGIBLE	NA	NA	4.00	4.00	NA	100.00	NA	MET	0	1.00	35	0
NH	01-OCT-2015	Aggregate	OR-5-03-3112	% Flow-Through - Achieved	UNE 2-Wire Analog Loop	>= 95%	ELIGIBLE	NA	NA	96.00	99.00	NA	96.97	NA	MET	0	1.00	35	0
NH	01-OCT-2015	Aggregate	OR-5-03-3121	% Flow-Through - Achieved	Directory Listings and LNP	>= 95%	ELIGIBLE	NA	NA	1215.00	1269.00	NA	95.74	NA	MET	15	1.00	35	525.00
NNE	01-OCT-2015	Aggregate	OR-6-01-1001	% Service Order Accuracy	Resale and UNE 2-Wire Loops /LNP	>= 95% without Errors	ELIGIBLE	NA	NA	72.00	73.00	NA	98.63	NA	MET	0	1.00	56	0
NH	01-OCT-2015	Aggregate	OR-6-03-2000	% Resent LSRC	Resale	<= 5% due to Errors	ELIGIBLE	NA	NA	0.00	25.00	NA	0.00	NA	MET	0	1.00	28	0
NH	01-OCT-2015	Aggregate	OR-6-03-3332	% Resent LSRC	UNE 2-Wire Loops/LNP	<= 5% due to Errors	ELIGIBLE	NA	NA	3.00	250.00	NA	1.20	NA	MET	1	1.00	28	28.00
NNE	01-OCT-2015	Aggregate	OR-6-04-1040	% Accuracy - Directory Listing	Directory Listings	>= 95% without Errors	ELIGIBLE	NA	NA	68.00	72.00	NA	94.44	NA	MISS	8	2.50	40	307.50
NH	01-OCT-2015	Aggregate	OR-11-01-2000	% On Time Resale Provider Notifications	Resale	>= 95% within 2 Business Days	ELIGIBLE	NA	NA	171.00	175.00	NA	97.71	NA	MET	4	1.00	56	224.00
NH	01-OCT-2015	Aggregate	PR-1-04-3112	Average Interval Offered - Dispatch (6 to 9 Lines)	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	100.00	11.00	NA	NA	9.09	NA	NA	NA	NA	NA	NA	0
NH	01-OCT-2015	Aggregate	PR-1-05-3112	Average Interval Offered - Dispatch (>= 10 Lines)	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	28.00	4.00	4.00	1.00	7.00	4.00	NA	NA	NA	NA	NA	0
NH	01-OCT-2015	Aggregate	PR-1-09-3211	Average Interval Offered	UNE DS1	Parity with Retail DS1	DIAGNOSTIC	23.00	5.00	38.00	4.00	4.60	9.50	NA	NA	NA	NA	NA	0
NH	01-OCT-2015	Aggregate	PR-1-09-3213	Average Interval Offered	UNE DS3	Parity with Retail DS3	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0
NH	01-OCT-2015	Aggregate	PR-1-09-5020	Average Interval Offered	CLEC Trunks (<=														

State	Month	CLEC Id	Metric Id	Metric Title	Product	Performance Standard	Eligible/Diagnostic	FRP Num	FRP Den	CLEC Num	CLEC Den	FRP Perf.	CLEC Perf.	Z Score	Met Miss Ss	Qual'd Miss	Escalation Level	\$ Miss	\$ Credit
NH	01-OCT-2015	Aggregate	PR-4-14-3343	% Met Due Date	UNE 2-Wire Digital and xDSL Loops	>= 95%	ELIGIBLE	NA	NA	9.00	9.00	NA	100.00	NA	MET	0	1.00	60	0
NNE	01-OCT-2015	Aggregate	PR-4-15-5000	% Met Due Date - Trunks	CLEC Trunks	>= 95%	ELIGIBLE	NA	NA	11.00	12.00	NA	91.67	NA	3R-MISS	1	2.00	150	0
NH	01-OCT-2015	Aggregate	PR-4-16-1040	% Directory Data Base Updates Completed On Time	Directory Listings	>= 95% within 1 Business Day	ELIGIBLE	NA	NA	1337.00	1400.00	NA	95.50	NA	MET	12	1.00	23	276.00
NH	01-OCT-2015	Aggregate	PR-5-01-2000	% Missed Due Date - Facilities	Resale	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	6.00	3308.00	0.00	25.00	0.18	0.00	NA	NA	NA	NA	NA	0
NH	01-OCT-2015	Aggregate	PR-5-01-5000	% Missed Due Date - Facilities	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D Trunks	DIAGNOSTIC	0.00	3.00	0.00	1.00	0.00	0.00	NA	NA	NA	NA	NA	0
NH	01-OCT-2015	Aggregate	PR-5-02-2000	% Orders Held for Facilities > 15 Days	Resale	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	1.00	3308.00	0.00	25.00	0.03	0.00	NA	NA	NA	NA	NA	0
NH	01-OCT-2015	Aggregate	PR-5-02-3112	% Orders Held for Facilities > 15 Days	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	1.00	3308.00	0.00	18.00	0.03	0.00	NA	NA	NA	NA	NA	0
NH	01-OCT-2015	Aggregate	PR-5-02-3200	% Orders Held for Facilities > 15 Days	UNE Specials	Diagnostic Comparison to Retail Specials	DIAGNOSTIC	0.00	4.00	0.00	5.00	0.00	0.00	NA	NA	NA	NA	NA	0
NH	01-OCT-2015	Aggregate	PR-5-02-3343	% Orders Held for Facilities > 15 Days	UNE 2-Wire Digital and xDSL Loops	No Standard	DIAGNOSTIC	NA	NA	0.00	10.00	NA	0.00	NA	NA	NA	NA	NA	0
NH	01-OCT-2015	Aggregate	PR-5-02-5000	% Orders Held for Facilities > 15 Days	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D	DIAGNOSTIC	0.00	3.00	0.00	1.00	0.00	0.00	NA	NA	NA	NA	NA	0
NH	01-OCT-2015	Aggregate	PR-5-03-5000	% Orders Held for Facilities > 60 Days	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D	DIAGNOSTIC	0.00	3.00	0.00	1.00	0.00	0.00	NA	NA	NA	NA	NA	0
NH	01-OCT-2015	Aggregate	PR-6-01-2000	% Installation Troubles Reported within 30 Days	Resale	Parity with Retail POTS	ELIGIBLE	110.00	1671.00	3.00	26.00	6.58	11.54	-1.344	MET	0	1.00	60	0
NH	01-OCT-2015	Aggregate	PR-6-01-3113	% Installation Troubles Reported within 30 Days	UNE 2-Wire Analog Loop - New	Parity with Retail POTS - Dispatched	ELIGIBLE	71.00	520.00	2.00	37.00	13.65	5.41	1.217	MET	0	1.00	60	0
NH	01-OCT-2015	Aggregate	PR-6-01-3200	% Installation Troubles Reported within 30 Days	UNE Specials	Parity with Retail Specials	ELIGIBLE	NA	NA	0.00	4.00	NA	0.00	NA	SS	0	1.00	150	0
NH	01-OCT-2015	Aggregate	PR-6-01-3343	% Installation Troubles Reported within 30 Days	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS - Dispatched	ELIGIBLE	71.00	520.00	2.00	12.00	13.65	16.67	-0.774	MET	0	1.00	60	0
NNE	01-OCT-2015	Aggregate	PR-6-01-5000	% Installation Troubles Reported within 30 Days	CLEC Trunks	Parity with IXC Feature Group D Trunks	ELIGIBLE	0.00	7.00	0.00	1.00	0.00	0.00	NA	MET	0	1.00	150	0
NH	01-OCT-2015	Aggregate	PR-6-02-3520	% Installation Troubles Reported within 7 Days	UNE 2-Wire Analog Loop - Hot Cut	<= 2%	ELIGIBLE	NA	NA	0.00	35.00	NA	0.00	NA	MET	0	1.00	60	0
NH	01-OCT-2015	Aggregate	PR-8-01-2000	% Open Orders in a Hold Status > 30 Days	Resale	Parity with Retail POTS	ELIGIBLE	106.00	3589.00	0.00	39.00	2.95	0.00	0.488	MET	0	1.00	60	0
NH	01-OCT-2015	Aggregate	PR-8-01-3112	% Open Orders in a Hold Status > 30 Days	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	106.00	3589.00	0.00	28.00	2.95	0.00	0.168	MET	0	1.00	60	0
NH	01-OCT-2015	Aggregate	PR-8-01-3200	% Open Orders in a Hold Status > 30 Days	UNE Specials	Parity with Retail Specials	ELIGIBLE	7.00	14.00	0.00	7.00	50.00	0.00	NA	SS	0	1.00	150	0
NH	01-OCT-2015	Aggregate	PR-8-01-3343	% Open Orders in a Hold Status > 30 Days	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	106.00	3589.00	0.00	13.00	2.95	0.00	0.461	MET	0	1.00	60	0
NNE	01-OCT-2015	Aggregate	PR-8-01-5000	% Open Orders in a Hold Status > 30 Days	CLEC Trunks	Parity with IXC Feature Group D Trunks	ELIGIBLE	1.00	9.00	0.00	3.00	11.11	0.00	NA	MET	0	1.00	150	0
NH	01-OCT-2015	Aggregate	PR-8-02-2000	% Open Orders in a Hold Status > 90 Days	Resale	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	104.00	3587.00	4.00	38.00	2.90	10.53	NA	NA	NA	NA	NA	0
NH	01-OCT-2015	Aggregate	PR-8-02-3112	% Open Orders in a Hold Status > 90 Days	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	104.00	3587.00	5.00	28.00	2.90	17.86	NA	NA	NA	NA	NA	0
NH	01-OCT-2015	Aggregate	PR-8-02-3200	% Open Orders in a Hold Status > 90 Days	UNE Specials	Diagnostic Comparison to Retail Specials	DIAGNOSTIC	5.00	12.00	0.00	7.00	41.67	0.00	NA	NA	NA	NA	NA	0
NH	01-OCT-2015	Aggregate	PR-8-02-3343	% Open Orders in a Hold Status > 90 Days	UNE 2-Wire Digital and xDSL Loops	Diagnostic comparison to Retail POTS	DIAGNOSTIC	104.00	3587.00	0.00	13.00	2.90	0.00	NA	NA	NA	NA	NA	0
NH	01-OCT-2015	Aggregate	PR-8-02-5000	% Open Orders in a Hold Status > 90 Days	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D Trunks	DIAGNOSTIC	0.00	3.00	1.00	2.00	0.00	50.00	NA	NA	NA	NA	NA	0
NH	01-OCT-2015	Aggregate	PR-9-01-3520	% On Time Performance - Hot Cut	UNE 2-Wire Analog Loop - Hot Cut	>= 95% Completed within Window	ELIGIBLE	NA	NA	19.00	19.00	NA	100.00	NA	MET	0	1.00	100	0
NH	01-OCT-2015	Aggregate	PR-9-08-3520	Average Duration of Hot Cut Installation Troubles	UNE 2-Wire Analog Loop - Hot Cut	Parity with Retail POTS - New	ELIGIBLE	1534.96	91.00	NA	NA	16.87	NA	NA	NA	0	1.00	100	0
NNE	01-OCT-2015	Aggregate	MR-1-01-6000	Average Response Time - Create Trouble	VFO	<= 4.5 Seconds	ELIGIBLE	NA	NA	3388.00	1401.00	NA	2.42	NA	MET	0	1.00	5	0
NNE	01-OCT-2015	Aggregate	MR-1-02-6000	Average Response Time - Status Trouble	VFO	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	69.00	2.00	NA	34.50	NA	NA	NA	NA	NA	0
NNE	01-OCT-2015	Aggregate	MR-1-03-6000	Average Response Time - Modify Trouble	VFO	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	3483.00	98.00	NA	35.54	NA	NA	NA	NA	NA	0
NNE	01-OCT-2015	Aggregate	MR-1-04-6000	Average Response Time - Request Cancellation of Trouble	VFO	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	284.00	7.00	NA	40.57	NA	NA	NA	NA	NA	0
NNE	01-OCT-2015	Aggregate	MR-1-05-6000	Average Response Time - Status and Trouble History	VFO	No Standard	DIAGNOSTIC	NA	NA	219.00	7.00	NA	31.29	NA	NA	NA	NA	NA	0
NNE	01-OCT-2015	Aggregate	MR-1-06-6000	Average Response Time - Test Trouble (Resale POTS Only)	VFO	<= 90 Seconds	ELIGIBLE	NA	NA	12246.00	289.00	NA	42.37	NA	MET	0	1.00	5	0
NH	01-OCT-2015	Aggregate	MR-2-01-3200	Network Trouble Report Rate	UNE Specials	No Standard	DIAGNOSTIC	NA	NA	32.00	3608.00	NA	0.89	NA	NA	NA	NA	NA	0
NH	01-OCT-2015	Aggregate	MR-2-01-5000	Network Trouble Report Rate	CLEC Trunks	Parity with IXC Feature Group D Trunks	DIAGNOSTIC	0.00	1.00	0.00	588.00	0.00	0.00	NA	NA	NA	NA	NA	0
NH	01-OCT-2015	Aggregate	MR-2-02-2000	Network Trouble Report Rate - Loop	Resale	Parity with Retail POTS	DIAGNOSTIC	1917.00	172087.00	15.00	5118.00	1.11	0.29	NA	NA	NA	NA	NA	0
NH	01-OCT-2015	Aggregate	MR-2-02-3112	Network Trouble Report Rate - Loop	UNE 2-Wire Analog Loop	Parity with Retail POTS	DIAGNOSTIC	1917.00	172087.00	37.00	15105.00	1.11	0.24	NA	NA	NA	NA	NA	0
NH	01-OCT-2015	Aggregate	MR-2-02-3343	Network Trouble Report Rate - Loop	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	DIAGNOSTIC	1081.00	172087.00	1.00	2738.00	0.63	0.04	NA	NA	NA	NA	NA	0
NH	01-OCT-2015	Aggregate	MR-2-03-2000	Network Trouble Report Rate - Central Office	Resale	Parity with Retail POTS	DIAGNOSTIC	195.00	172087.00	15.00	5118.00	0.11	0.29	NA	NA	NA	NA	NA	0
NH	01-OCT-2015	Aggregate	MR-2-03-3112	Network Trouble Report Rate - Central Office	UNE 2-Wire Analog Loop	Parity with Retail POTS	DIAGNOSTIC	16.00	172087.00	1.00	15105.00	0.01	0.01	NA	NA	NA	NA	NA	0
NH	01-OCT-2015	Aggregate	MR-2-03-3343	Network Trouble Report Rate - Central Office	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	DIAGNOSTIC	10.00	172087.00	0.00	2738.00	0.01	0.00	NA	NA	NA	NA	NA	0
NH	01-OCT-2015	Aggregate	MR-3-01-2010	% Missed Repair Appointment - Loop	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	75.00	349.00	1.00	14.00	21.49	7.14	0.954	MET	0	1.00	70	0
NH	01-OCT-2015	Aggregate	MR-3-01-2120	% Missed Repair Appointment - Loop	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	223.00	1568.00	0.00	1.00	14.22	0.00	NA	SS	0	1.00	35	0
NH	01-OCT-2015	Aggregate	MR-3-01-3112	% Missed Repair Appointment - Loop	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	298.00	1917.00	6.00	37.00	15.55	16.22	-0.385	MET	0	1.00	70	0
NH	01-OCT-2015	Aggregate	MR-3-01-3343	% Missed Repair Appointment - Loop	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	298.00	1917.00	0.00	11.00	15.55	0.00	1.007	MET	0	1.00	70	0
NH	01-OCT-2015	Aggregate	MR-3-02-2010	% Missed Repair Appointment - Central Office	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	16.00	65.00	1.00	15.00	24.62	6.67	1.205	MET	0	1.00	70	0
NH	01-OCT-2015	Aggregate	MR-3-02-2120	% Missed Repair Appointment - Central Office	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	15.00	130.00	NA	NA	11.54	NA	NA	NA	0	1.00	35	0
NH	01-OCT-2015	Aggregate	MR-3-02-3112	% Missed Repair Appointment - Central Office	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	4.00	25.00	1.00	4.00	16.00	25.00	NA	SS	0	1.00	70	0
NH	01-OCT-2015	Aggregate	MR-3-02-3343	% Missed Repair Appointment - Central Office	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	4.00	25.00	0.00	2.00	16.00	0.00	NA	SS	0	1.00	70	0
NH	01-OCT-2015	Aggregate	MR-4-01-3200	Mean Time To Repair - Total	UNE Specials	Parity with Retail Specials	ELIGIBLE	88.76	7.00	348.91	32.00	12.68	10.90	0.418	MET	0	1.00	125	0
NH	01-OCT-2015	Aggregate	MR-4-01-5000	Mean Time To Repair - Total	CLEC Trunks	Parity with IXC Feature Group D Trunks	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	125	0
NH	01-OCT-2015	Aggregate	MR-4-02-2010	Mean Time To Repair - Loop Trouble	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	3810.28	349.00	180.34	14.00	10.92	12.88	-0.649	MET	0	1.00	60	0
NH	01-OCT-2015	Aggregate	MR-4-02-2120	Mean Time To Repair - Loop Trouble	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	38767.10	1568.00	5.14	1.00	24.72	5.14	NA	SS	0	1.00	35	0
NH	01-OCT-2015	Aggregate	MR-4-02-3112	Mean Time To Repair - Loop Trouble	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	42577.29	1917.00	435.63	37.00	22.21	11.77	3.719	MET	0	1.00	60	0
NH	01-OCT-2015	Aggregate	MR-4-02-3343	Mean Time To Repair - Loop Trouble	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	42577.29	1917.00	82.08	11.00	22.21	7.46	3.195	MET	0	1.00	60	0
NH	01-OCT-2015	Aggregate	MR-4-03-2010	Mean Time To Repair - Central Office Trouble	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	547.14	65.00	58.38	15.00	8.42	3.89	1.773	MET	0	1.00	60	0
NH	01-OCT-2015	Aggregate	MR-4-03-2120	Mean Time To Repair - Central Office Trouble	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	1638.02	130.00	NA	NA	12.58	NA	NA	NA	0	1.00	35	0
NH	01-OCT-2015	Aggregate	MR-4-03-3112	Mean Time To Repair - Central Office Trouble	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	310.24	25.00	32.77	4.00	12.41	8.19	NA	SS	0	1.00	60	0
NH	01-OCT-2015	Aggregate	MR-4-03-3343	Mean Time To Repair - Central Office Trouble	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	310.24	25.00	2.30	2.00	12.41	1.15	NA	SS	0	1.00	60	0
NH	01-OCT-2015	Aggregate	MR-4-04-2000	% Cleared within 24 Hours	Resale	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	1467.00	2112.00	28.00	30.00	69.46	93.33	NA	NA	NA	NA	NA	0
NH	01-OCT-2015	Aggregate	MR-4-04-3112	% Cleared within 24 Hours	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	1319.00	1942.00	40.00	41.00	67.92	97.56	NA	NA	NA	NA	NA	0
NH	01-OCT-2015	Aggregate	MR-4-04-3200	% Cleared within 24 Hours	UNE Specials	Diagnostic Comparison to Retail Specials	DIAGNOSTIC	6.00	7.00	28.00	32.00	85.71	87.50	NA	NA	NA	NA	NA	0
NH	01-OCT-2015	Aggregate	MR-4-04-3343	% Cleared within 24 Hours	UNE 2-Wire Digital and xDSL Loops	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	1319.00	1942.00	13.00	13.00	67.92	100.00	NA	NA	NA	NA	NA	0
NH	01-OCT-2015	Aggregate	MR-4-04-5000	% Cleared within 24 Hours	CLEC Trunks</														

