

State	Month	CLEC Id	Metric Id	Metric Title	Product	Performance Standard	Eligible/Diagnostic	FRP Num	FRP Den	CLEC Num	CLEC Den	FRP Perf.	CLEC Perf.	Z Score	Met Miss Ss	Qual'd Miss	Escalation Level	\$ Miss	\$ Credit
NNE	01-DEC-2015	Aggregate	PO-1-01-6040	Average Response Time - CSR	XML	<= 4.5 Seconds	ELIGIBLE	NA	NA	186.00	57.00	NA	3.26	NA	MET	0	1.00	5	0
NNE	01-DEC-2015	Aggregate	PO-1-01-6050	Average Response Time - CSR	WEB GUI	<= 6.5 Seconds	ELIGIBLE	NA	NA	1261.00	465.00	NA	2.71	NA	MET	0	1.00	5	0
NNE	01-DEC-2015	Aggregate	PO-1-03-6040	Average Response Time - Address Validation	XML	<= 4.5 Seconds	ELIGIBLE	NA	NA	843.00	489.00	NA	1.72	NA	MET	0	1.00	5	0
NNE	01-DEC-2015	Aggregate	PO-1-03-6050	Average Response Time - Address Validation	WEB GUI	<= 7.5 Seconds	ELIGIBLE	NA	NA	2543.00	1637.00	NA	1.55	NA	MET	0	1.00	5	0
NNE	01-DEC-2015	Aggregate	PO-1-05-6040	Average Response Time - TN Availability and Reservation	XML	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	5.00	1.00	NA	5.00	NA	NA	NA	NA		0
NNE	01-DEC-2015	Aggregate	PO-1-05-6050	Average Response Time - TN Availability and Reservation	WEB GUI	<= 7.5 Seconds	DIAGNOSTIC	NA	NA	1007.00	100.00	NA	10.07	NA	NA	NA	NA		0
NNE	01-DEC-2015	Aggregate	PO-1-06-6040	Average Response Time - Mech. Loop Qualification	XML	<= 4.5 Seconds	ELIGIBLE	NA	NA	3037.00	953.00	NA	3.19	NA	MET	0	1.00	5	0
NNE	01-DEC-2015	Aggregate	PO-1-06-6050	Average Response Time - Mech. Loop Qualification	WEB GUI	<= 6.5 Seconds	ELIGIBLE	NA	NA	1671.00	511.00	NA	3.27	NA	MET	0	1.00	5	0
NNE	01-DEC-2015	Aggregate	PO-1-07-6040	Average Response Time - Rejected Query	XML	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	318.00	51.00	NA	6.24	NA	NA	NA	NA		0
NNE	01-DEC-2015	Aggregate	PO-1-07-6050	Average Response Time - Rejected Query	WEB GUI	<= 7.5 Seconds	DIAGNOSTIC	NA	NA	270.00	248.00	NA	1.09	NA	NA	NA	NA		0
NNE	01-DEC-2015	Aggregate	PO-1-08-6040	% Timeouts	XML	<= 0.33%	DIAGNOSTIC	NA	NA	265.00	4330.00	NA	6.12	NA	NA	NA	NA		0
NNE	01-DEC-2015	Aggregate	PO-1-08-6050	% Timeouts	WEB GUI	<= 0.33%	DIAGNOSTIC	NA	NA	27.00	2988.00	NA	0.90	NA	NA	NA	NA		0
NNE	01-DEC-2015	Aggregate	PO-1-09-6040	Average Response Time - Parsed CSR	XML	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	6335.00	2514.00	NA	2.52	NA	NA	NA	NA		0
NNE	01-DEC-2015	Aggregate	PO-2-02-6000	OSS Interface Availability - Prime Time	VFO	>= 99.5%	ELIGIBLE	NA	NA	28080.00	28080.00	NA	100.00	NA	MET	0	1.00	Severity Dependent	0
NNE	01-DEC-2015	Aggregate	PO-3-02-1000	% Answered within 30 Seconds - Ordering	Resale and UNE	>= 80%	DIAGNOSTIC	NA	NA	917.00	928.00	NA	98.81	NA	NA	NA	NA		0
NNE	01-DEC-2015	Aggregate	PO-3-04-1000	% Answered within 30 Seconds - Repair	Resale and UNE	>= 80%	DIAGNOSTIC	NA	NA	10705.00	14299.00	NA	74.87	NA	NA	NA	NA		0
NNE	01-DEC-2015	Aggregate	PO-4-01-6660	% Change Management Notices Sent on Time	Change Notices (types 3, 4 and 5)	>= 95%	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-DEC-2015	Aggregate	PO-4-01-6671	% Change Management Notices Sent on Time	Change Notices (types 1 and 2)	>= 95%	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-DEC-2015	Aggregate	PO-4-02-6600	Change Management Notices - Delay 1 to 7 Days	Change Notices all types	No Standard	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NNE	01-DEC-2015	Aggregate	PO-4-03-6600	Change Management Notices - Delay >= 8 Days	Change Notices all types	0 (zero) Notices >= 8 Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-DEC-2015	Aggregate	PO-5-01-6500	% On Time Notice of OSS Interface Outage	OSS Interface Outage Notifications	>= 95% within 20 Minutes of Outage	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NNE	01-DEC-2015	Aggregate	PO-6-01-6000	Software Validation	VFO	<= 5% Failed Transactions	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-DEC-2015	Aggregate	PO-7-01-6000	% Production Software Referrals Resolved On Time	VFO	>= 95% within 48 Hours/10 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-DEC-2015	Aggregate	PO-7-02-6000	Delay Hours Production Software Resolution - Change - Transactions Failed - No Workaround	VFO	0 (zero) production resolution changes > 48 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-DEC-2015	Aggregate	PO-7-03-6000	Delay Days Production Software Resolution - Change - Transactions Failed - With Workaround	VFO	0 (zero) production resolution changes > 10 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-DEC-2015	Aggregate	PO-7-04-6000	Delay Hours - Failed/Rejected Test Deck Transactions - Transactions Failed - No Workaround	VFO	0 (zero) failed/rejected test deck transactions > 48 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NH	01-DEC-2015	Aggregate	PO-8-01-6100	% On Time - Manual Loop Qualification	Manual Loop Qual Request	>= 95% within 48 Hours	ELIGIBLE	NA	NA	7.00	7.00	NA	100.00	NA	MET	0	1.00	40	0
NH	01-DEC-2015	Aggregate	OR-1-02-2000	% On Time LSRC - Flow-Through	Resale	>= 95% within 2 Hours	ELIGIBLE	NA	NA	25.00	25.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-DEC-2015	Aggregate	OR-1-02-3332	% On Time LSRC - Flow-Through	UNE 2-Wire Loops/LNP	>= 95% within 2 Hours	ELIGIBLE	NA	NA	761.00	764.00	NA	99.61	NA	MET	0	1.00	28	0
NH	01-DEC-2015	Aggregate	OR-1-04-2000	% On Time LSRC - No Facility Check (Non-Flow-Through)	Resale	>= 95% within 24 Hours	ELIGIBLE	NA	NA	12.00	12.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-DEC-2015	Aggregate	OR-1-04-3331	% On Time LSRC - No Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 24 Hours	ELIGIBLE	NA	NA	105.00	116.00	NA	90.52	NA	MISS	9	2.50	28	630.00
NH	01-DEC-2015	Aggregate	OR-1-04-3343	% On Time LSRC - No Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 24 Hours	ELIGIBLE	NA	NA	3.00	3.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-DEC-2015	Aggregate	OR-1-06-2000	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	Resale	>= 95% within 72 Hours	ELIGIBLE	NA	NA	1.00	1.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-DEC-2015	Aggregate	OR-1-06-3200	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	UNE Specials	>= 95% within 5 Business Days	ELIGIBLE	NA	NA	6.00	6.00	NA	100.00	NA	MET	0	1.00	56	0
NH	01-DEC-2015	Aggregate	OR-1-06-3331	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 72 Hours	ELIGIBLE	NA	NA	1.00	1.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-DEC-2015	Aggregate	OR-1-06-3343	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 72 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NH	01-DEC-2015	Aggregate	OR-1-12-5020	% On Time ASRC	CLEC Trunks (<= 192 Forecasted)	>= 95% within 10 Business Days	ELIGIBLE	NA	NA	1.00	1.00	NA	100.00	NA	MET	0	1.00	56	0
NH	01-DEC-2015	Aggregate	OR-1-12-5030	% On Time ASRC	CLEC Trunks (> 192, Unforecasted, and Projects)	>= 95% within Negotiated Interval	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	56	0
NH	01-DEC-2015	Aggregate	OR-1-13-5000	% On Time Design Layout Record (DLR)	CLEC Trunks	>= 95% On or Before DLRD	ELIGIBLE	NA	NA	1.00	1.00	NA	100.00	NA	MET	0	1.00	56	0
NH	01-DEC-2015	Aggregate	OR-2-02-2000	% On Time LSR Reject (Flow-Through)	Resale	>= 95% within 2 Hours	ELIGIBLE	NA	NA	39.00	39.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-DEC-2015	Aggregate	OR-2-02-3332	% On Time LSR Reject (Flow-Through)	UNE 2-Wire Loops/LNP	>= 95% within 2 Hours	ELIGIBLE	NA	NA	239.00	239.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-DEC-2015	Aggregate	OR-2-04-2000	% On Time LSR Reject - No Facility Check (Non-Flow-Through)	Resale	>= 95% within 24 Hours	ELIGIBLE	NA	NA	5.00	5.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-DEC-2015	Aggregate	OR-2-04-3331	% On Time LSR Reject - No Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 24 Hours	ELIGIBLE	NA	NA	16.00	17.00	NA	94.12	NA	MET	0	1.00	28	0
NH	01-DEC-2015	Aggregate	OR-2-04-3343	% On Time LSR Reject - No Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 24 Hours	ELIGIBLE	NA	NA	1.00	1.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-DEC-2015	Aggregate	OR-2-06-2000	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	Resale	>= 95% within 72 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NH	01-DEC-2015	Aggregate	OR-2-06-3200	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	UNE Specials	>= 95% within 5 Business Days	ELIGIBLE	NA	NA	1.00	1.00	NA	100.00	NA	MET	0	1.00	56	0
NH	01-DEC-2015	Aggregate	OR-2-06-3331	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 72 Hours	ELIGIBLE	NA	NA	0.00	0.00	NA	NA	NA	NA	0	1.00	28	0
NH	01-DEC-2015	Aggregate	OR-2-06-3343	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 72 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NH	01-DEC-2015	Aggregate	OR-2-12-5020	% On Time Trunk ASR Reject	CLEC Trunks (<= 192 Forecasted)	>= 95% within 7 Business Days	ELIGIBLE	NA	NA	1.00	2.00	NA	50.00	NA	MET	0	1.00	56	0
NH	01-DEC-2015	Aggregate	OR-2-12-5030	% On Time Trunk ASR Reject	CLEC Trunks (> 192, Unforecasted, and Projects)	>= 95% within Negotiated Interval	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NH	01-DEC-2015	Aggregate	OR-4-11-1000	% Completed Orders with Neither a PCN nor BCN Sent	Resale and UNE	<= 0.25% within 2 Business Days of Provisioning Completion	DIAGNOSTIC	NA	NA	1524.00	1527.00	NA	99.80	NA	NA	NA	NA		0
NH	01-DEC-2015	Aggregate	OR-4-16-1000	% Provisioning Completion Notifiers Sent within One Business Day	Resale and UNE	>= 95%	ELIGIBLE	NA	NA	733.00	740.00	NA	99.05	NA	MET	2	1.00	28	56.00
NH	01-DEC-2015	Aggregate	OR-4-17-1000	% Billing Completion Notifiers Sent On Time	Resale and UNE	>= 95.5% within 2 or 4 Business Days of Provisioning Completion	ELIGIBLE	NA	NA	1512.00	1526.00	NA	99.08	NA	MET	2	1.00	28	56.00
NH	01-DEC-2015	Aggregate	OR-5-01-2000	% Flow-Through - Total	Resale	No Standard	DIAGNOSTIC	NA	NA	25.00	38.00	NA	65.79	NA	NA	NA	NA		0
NH	01-DEC-2015	Aggregate	OR-5-01-3112	% Flow-Through - Total	UNE 2-Wire Analog Loop	No Standard	DIAGNOSTIC	NA	NA	142.00	161.00	NA	88.20	NA	NA	NA	NA		0
NH	01-DEC-2015	Aggregate	OR-5-01-3121	% Flow-Through - Total	Directory Listings and LNP	No Standard	DIAGNOSTIC	NA	NA	1257.00	1429.00	NA	87.96	NA	NA	NA	NA		0
NH	01-DEC-2015	Aggregate	OR-5-03-2000	% Flow-Through - Achieved	Resale	>= 95%	ELIGIBLE	NA	NA	0.00	2.00	NA	0.00	NA	MISS	2	2.50	35	175.00
NH	01-DEC-2015	Aggregate	OR-5-03-3112	% Flow-Through - Achieved	UNE 2-Wire Analog Loop	>= 95%	ELIGIBLE	NA	NA	69.00	72.00	NA	95.83	NA	MET	0	1.00	35	0
NH	01-DEC-2015	Aggregate	OR-5-03-3121	% Flow-Through - Achieved	Directory Listings and LNP	>= 95%	ELIGIBLE	NA	NA	788.00	863.00	NA	91.31	NA	MISS	35	2.50	35	3,062.50
NNE	01-DEC-2015	Aggregate	OR-6-01-1001	% Service Order Accuracy	Resale and UNE 2-Wire Loops /LNP	>= 95% without Errors	ELIGIBLE	NA	NA	73.00	73.00	NA	100.00	NA	MET	0	1.00	56	0
NH	01-DEC-2015	Aggregate	OR-6-03-2000	% Resent LSRC	Resale	<= 5% due to Errors	ELIGIBLE	NA	NA	0.00	14.00	NA	0.00	NA	MET	0	1.00	28	0
NH	01-DEC-2015	Aggregate	OR-6-03-3332	% Resent LSRC	UNE 2-Wire Loops/LNP	<= 5% due to Errors	ELIGIBLE	NA	NA	1.00	159.00	NA	0.63	NA	MET	0	1.00	28	0
NNE	01-DEC-2015	Aggregate	OR-6-04-1040	% Accuracy - Directory Listing	Directory Listings	>= 95% without Errors	ELIGIBLE	NA	NA	65.00	72.00	NA	90.28	NA	MISS	4	2.50	40	252.50
NH	01-DEC-2015	Aggregate	OR-11-01-2000	% On Time Resale Provider Notifications	Resale	>= 95% within 2 Business Days	ELIGIBLE	NA	NA	62.00	63.00	NA	98.41	NA	MET	0	1.00	56	0
NH	01-DEC-2015	Aggregate	PR-1-04-3112	Average Interval Offered - Dispatch (6 to 9 Lines)	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	18.00	5.00	11.00	1.00	3.60	11.00	NA	NA	NA	NA		0
NH	01-DEC-2015	Aggregate	PR-1-05-3112	Average Interval Offered - Dispatch (>= 10 Lines)	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	4.00	1.00	12.00	1.00	4.00	12.00	NA	NA	NA	NA		0
NH	01-DEC-2015	Aggregate	PR-1-09-3211	Average Interval Offered	UNE DS1	Parity with Retail DS1	DIAGNOSTIC	72.00	10.00	31.00	4.00	7.20	7.75	NA	NA	NA	NA		0
NH	01-DEC-2015	Aggregate	PR-1-09-3213	Average Interval Offered	UNE DS3	Parity with Retail DS3	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NH	01-DEC-2015	Aggregate	PR-1-09-5020	Average Interval Offered	CLEC Trunks (<														

State	Month	CLEC Id	Metric Id	Metric Title	Product	Performance Standard	Eligible/Diagnostic	FRP Num	FRP Den	CLEC Num	CLEC Den	FRP Perf.	CLEC Perf.	Z Score	Met Miss Ss	Qual'd Miss	Escalation Level	\$ Miss	\$ Credit
NH	01-DEC-2015	Aggregate	PR-4-14-3343	% Met Due Date	UNE 2-Wire Digital and xDSL Loops	>= 95%	ELIGIBLE	NA	NA	11.00	11.00	NA	100.00	NA	MET	0	1.00	60	0
NNE	01-DEC-2015	Aggregate	PR-4-15-5000	% Met Due Date - Trunks	CLEC Trunks	>= 95%	ELIGIBLE	NA	NA	6.00	8.00	NA	75.00	NA	3R-MISS	2	1.00	150	0
NH	01-DEC-2015	Aggregate	PR-4-16-1040	% Directory Data Base Updates Completed On Time	Directory Listings	>= 95% within 1 Business Day	ELIGIBLE	NA	NA	2303.00	2343.00	NA	98.29	NA	MET	4	1.00	23	92.00
NH	01-DEC-2015	Aggregate	PR-5-01-2000	% Missed Due Date - Facilities	Resale	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	2.00	2408.00	0.00	15.00	0.08	0.00	NA	NA	NA	NA	NA	0
NH	01-DEC-2015	Aggregate	PR-5-01-5000	% Missed Due Date - Facilities	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D Trunks	DIAGNOSTIC	0.00	6.00	0.00	2.00	0.00	0.00	NA	NA	NA	NA	NA	0
NH	01-DEC-2015	Aggregate	PR-5-02-2000	% Orders Held for Facilities > 15 Days	Resale	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	1.00	2408.00	0.00	15.00	0.04	0.00	NA	NA	NA	NA	NA	0
NH	01-DEC-2015	Aggregate	PR-5-02-3112	% Orders Held for Facilities > 15 Days	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	1.00	2408.00	0.00	27.00	0.04	0.00	NA	NA	NA	NA	NA	0
NH	01-DEC-2015	Aggregate	PR-5-02-3200	% Orders Held for Facilities > 15 Days	UNE Specials	Diagnostic Comparison to Retail Specials	DIAGNOSTIC	0.00	9.00	0.00	4.00	0.00	0.00	NA	NA	NA	NA	NA	0
NH	01-DEC-2015	Aggregate	PR-5-02-3343	% Orders Held for Facilities > 15 Days	UNE 2-Wire Digital and xDSL Loops	No Standard	DIAGNOSTIC	NA	NA	0.00	11.00	NA	0.00	NA	NA	NA	NA	NA	0
NH	01-DEC-2015	Aggregate	PR-5-02-5000	% Orders Held for Facilities > 15 Days	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D	DIAGNOSTIC	0.00	6.00	0.00	2.00	0.00	0.00	NA	NA	NA	NA	NA	0
NH	01-DEC-2015	Aggregate	PR-5-03-5000	% Orders Held for Facilities > 60 Days	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D	DIAGNOSTIC	0.00	6.00	0.00	2.00	0.00	0.00	NA	NA	NA	NA	NA	0
NH	01-DEC-2015	Aggregate	PR-6-01-2000	% Installation Troubles Reported within 30 Days	Resale	Parity with Retail POTS	ELIGIBLE	80.00	1475.00	0.00	9.00	5.42	0.00	0.270	MET	0	1.00	60	0
NH	01-DEC-2015	Aggregate	PR-6-01-3113	% Installation Troubles Reported within 30 Days	UNE 2-Wire Analog Loop - New	Parity with Retail POTS - Dispatched	ELIGIBLE	40.00	384.00	1.00	60.00	10.42	1.67	2.156	MET	0	1.00	60	0
NH	01-DEC-2015	Aggregate	PR-6-01-3200	% Installation Troubles Reported within 30 Days	UNE Specials	Parity with Retail Specials	ELIGIBLE	1.00	0.00	2.00	3.00	0.00	66.67	NA	SS	0	1.00	150	0
NH	01-DEC-2015	Aggregate	PR-6-01-3343	% Installation Troubles Reported within 30 Days	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS - Dispatched	ELIGIBLE	42.00	384.00	3.00	20.00	10.94	15.00	-0.947	MET	0	1.00	60	0
NNE	01-DEC-2015	Aggregate	PR-6-01-5000	% Installation Troubles Reported within 30 Days	CLEC Trunks	Parity with IXC Feature Group D Trunks	ELIGIBLE	0.00	32.00	0.00	6.00	0.00	0.00	5.000	MET	0	1.00	150	0
NH	01-DEC-2015	Aggregate	PR-6-02-3520	% Installation Troubles Reported within 7 Days	UNE 2-Wire Analog Loop - Hot Cut	<= 2%	ELIGIBLE	NA	NA	0.00	21.00	NA	0.00	NA	MET	0	1.00	60	0
NH	01-DEC-2015	Aggregate	PR-8-01-2000	% Open Orders in a Hold Status > 30 Days	Resale	Parity with Retail POTS	ELIGIBLE	92.00	2689.00	0.00	22.00	3.42	0.00	0.084	MET	0	1.00	60	0
NH	01-DEC-2015	Aggregate	PR-8-01-3112	% Open Orders in a Hold Status > 30 Days	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	92.00	2689.00	0.00	30.00	3.42	0.00	0.374	MET	0	1.00	60	0
NH	01-DEC-2015	Aggregate	PR-8-01-3200	% Open Orders in a Hold Status > 30 Days	UNE Specials	Parity with Retail Specials	ELIGIBLE	4.00	15.00	0.00	4.00	26.67	0.00	NA	SS	0	1.00	150	0
NH	01-DEC-2015	Aggregate	PR-8-01-3343	% Open Orders in a Hold Status > 30 Days	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	92.00	2689.00	0.00	12.00	3.42	0.00	0.410	MET	0	1.00	60	0
NNE	01-DEC-2015	Aggregate	PR-8-01-5000	% Open Orders in a Hold Status > 30 Days	CLEC Trunks	Parity with IXC Feature Group D Trunks	ELIGIBLE	0.00	36.00	0.00	6.00	0.00	0.00	5.000	MET	0	1.00	150	0
NH	01-DEC-2015	Aggregate	PR-8-02-2000	% Open Orders in a Hold Status > 90 Days	Resale	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	86.00	2683.00	0.00	22.00	3.21	0.00	NA	NA	NA	NA	NA	0
NH	01-DEC-2015	Aggregate	PR-8-02-3112	% Open Orders in a Hold Status > 90 Days	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	86.00	2683.00	0.00	30.00	3.21	0.00	NA	NA	NA	NA	NA	0
NH	01-DEC-2015	Aggregate	PR-8-02-3200	% Open Orders in a Hold Status > 90 Days	UNE Specials	Diagnostic Comparison to Retail Specials	DIAGNOSTIC	4.00	15.00	0.00	4.00	26.67	0.00	NA	NA	NA	NA	NA	0
NH	01-DEC-2015	Aggregate	PR-8-02-3343	% Open Orders in a Hold Status > 90 Days	UNE 2-Wire Digital and xDSL Loops	Diagnostic comparison to Retail POTS	DIAGNOSTIC	86.00	2683.00	0.00	12.00	3.21	0.00	NA	NA	NA	NA	NA	0
NH	01-DEC-2015	Aggregate	PR-8-02-5000	% Open Orders in a Hold Status > 90 Days	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D Trunks	DIAGNOSTIC	0.00	7.00	0.00	2.00	0.00	0.00	NA	NA	NA	NA	NA	0
NH	01-DEC-2015	Aggregate	PR-9-01-3520	% On Time Performance - Hot Cut	UNE 2-Wire Analog Loop - Hot Cut	>= 95% Completed within Window	ELIGIBLE	NA	NA	13.00	13.00	NA	100.00	NA	MET	0	1.00	100	0
NH	01-DEC-2015	Aggregate	PR-9-08-3520	Average Duration of Hot Cut Installation Troubles	UNE 2-Wire Analog Loop - Hot Cut	Parity with Retail POTS - New	ELIGIBLE	1170.58	66.00	NA	NA	17.74	NA	NA	NA	0	1.00	100	0
NNE	01-DEC-2015	Aggregate	MR-1-01-6000	Average Response Time - Create Trouble	VFO	<= 4.5 Seconds	ELIGIBLE	NA	NA	2410.00	1290.00	NA	1.87	NA	MET	0	1.00	5	0
NNE	01-DEC-2015	Aggregate	MR-1-02-6000	Average Response Time - Status Trouble	VFO	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	159.00	6.00	NA	26.50	NA	NA	NA	NA	NA	0
NNE	01-DEC-2015	Aggregate	MR-1-03-6000	Average Response Time - Modify Trouble	VFO	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	3659.00	106.00	NA	34.52	NA	NA	NA	NA	NA	0
NNE	01-DEC-2015	Aggregate	MR-1-04-6000	Average Response Time - Request Cancellation of Trouble	VFO	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	271.00	8.00	NA	33.88	NA	NA	NA	NA	NA	0
NNE	01-DEC-2015	Aggregate	MR-1-05-6000	Average Response Time - Status and Trouble History	VFO	No Standard	DIAGNOSTIC	NA	NA	131.00	6.00	NA	21.83	NA	NA	NA	NA	NA	0
NNE	01-DEC-2015	Aggregate	MR-1-06-6000	Average Response Time - Test Trouble (Resale POTS Only)	VFO	<= 90 Seconds	ELIGIBLE	NA	NA	9629.00	179.00	NA	53.79	NA	MET	0	1.00	5	0
NH	01-DEC-2015	Aggregate	MR-2-01-3200	Network Trouble Report Rate	UNE Specials	No Standard	DIAGNOSTIC	NA	NA	22.00	3982.00	NA	0.55	NA	NA	NA	NA	NA	0
NH	01-DEC-2015	Aggregate	MR-2-01-5000	Network Trouble Report Rate	CLEC Trunks	Parity with IXC Feature Group D Trunks	DIAGNOSTIC	0.00	1.00	6.00	737.00	0.00	0.81	NA	NA	NA	NA	NA	0
NH	01-DEC-2015	Aggregate	MR-2-02-2000	Network Trouble Report Rate - Loop	Resale	Parity with Retail POTS	DIAGNOSTIC	1810.00	168222.00	17.00	5078.00	1.08	0.33	NA	NA	NA	NA	NA	0
NH	01-DEC-2015	Aggregate	MR-2-02-3112	Network Trouble Report Rate - Loop	UNE 2-Wire Analog Loop	Parity with Retail POTS	DIAGNOSTIC	1810.00	168222.00	74.00	15193.00	1.08	0.49	NA	NA	NA	NA	NA	0
NH	01-DEC-2015	Aggregate	MR-2-02-3343	Network Trouble Report Rate - Loop	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	DIAGNOSTIC	314.00	168222.00	0.00	2940.00	0.19	0.00	NA	NA	NA	NA	NA	0
NH	01-DEC-2015	Aggregate	MR-2-03-2000	Network Trouble Report Rate - Central Office	Resale	Parity with Retail POTS	DIAGNOSTIC	155.00	168222.00	3.00	5078.00	0.09	0.06	NA	NA	NA	NA	NA	0
NH	01-DEC-2015	Aggregate	MR-2-03-3112	Network Trouble Report Rate - Central Office	UNE 2-Wire Analog Loop	Parity with Retail POTS	DIAGNOSTIC	6.00	168222.00	1.00	15193.00	0.00	0.01	NA	NA	NA	NA	NA	0
NH	01-DEC-2015	Aggregate	MR-2-03-3343	Network Trouble Report Rate - Central Office	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	DIAGNOSTIC	2.00	168222.00	0.00	2940.00	0.00	0.00	NA	NA	NA	NA	NA	0
NH	01-DEC-2015	Aggregate	MR-3-01-2010	% Missed Repair Appointment - Loop	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	81.00	347.00	4.00	15.00	23.34	26.67	-0.639	MET	0	1.00	70	0
NH	01-DEC-2015	Aggregate	MR-3-01-2120	% Missed Repair Appointment - Loop	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	196.00	1463.00	0.00	1.00	13.40	0.00	NA	SS	0	1.00	35	0
NH	01-DEC-2015	Aggregate	MR-3-01-3112	% Missed Repair Appointment - Loop	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	277.00	1810.00	6.00	74.00	15.30	8.11	1.596	MET	0	1.00	70	0
NH	01-DEC-2015	Aggregate	MR-3-01-3343	% Missed Repair Appointment - Loop	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	277.00	1810.00	1.00	12.00	15.30	8.33	0.189	MET	0	1.00	70	0
NH	01-DEC-2015	Aggregate	MR-3-02-2010	% Missed Repair Appointment - Central Office	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	11.00	56.00	0.00	3.00	19.64	0.00	NA	SS	0	1.00	70	0
NH	01-DEC-2015	Aggregate	MR-3-02-2120	% Missed Repair Appointment - Central Office	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	14.00	99.00	NA	NA	14.14	NA	NA	NA	0	1.00	35	0
NH	01-DEC-2015	Aggregate	MR-3-02-3112	% Missed Repair Appointment - Central Office	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	2.00	29.00	2.00	3.00	6.90	66.67	NA	SS	0	1.00	70	0
NH	01-DEC-2015	Aggregate	MR-3-02-3343	% Missed Repair Appointment - Central Office	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	2.00	29.00	0.00	2.00	6.90	0.00	NA	SS	0	1.00	70	0
NH	01-DEC-2015	Aggregate	MR-4-01-3200	Mean Time To Repair - Total	UNE Specials	Parity with Retail Specials	ELIGIBLE	28.84	6.00	193.73	22.00	4.81	8.81	NA	SS	0	1.00	125	0
NNE	01-DEC-2015	Aggregate	MR-4-01-5000	Mean Time To Repair - Total	CLEC Trunks	Parity with IXC Feature Group D Trunks	ELIGIBLE	100.75	7.00	24.29	8.00	14.39	3.04	NA	3R-MET	0	1.00	125	0
NH	01-DEC-2015	Aggregate	MR-4-02-0100	Mean Time To Repair - Loop Trouble	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	4105.87	347.00	192.94	15.00	11.83	12.86	-0.392	MET	0	1.00	60	0
NH	01-DEC-2015	Aggregate	MR-4-02-2120	Mean Time To Repair - Loop Trouble	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	33352.37	1463.00	5.85	1.00	22.80	5.85	NA	SS	0	1.00	35	0
NH	01-DEC-2015	Aggregate	MR-4-02-3112	Mean Time To Repair - Loop Trouble	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	37458.16	1810.00	1039.59	74.00	20.70	14.05	3.432	MET	0	1.00	60	0
NH	01-DEC-2015	Aggregate	MR-4-02-3343	Mean Time To Repair - Loop Trouble	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	37458.16	1810.00	195.31	12.00	20.70	16.28	0.830	MET	0	1.00	60	0
NH	01-DEC-2015	Aggregate	MR-4-03-0100	Mean Time To Repair - Central Office Trouble	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	715.52	56.00	7.43	3.00	12.78	2.48	NA	SS	0	1.00	60	0
NH	01-DEC-2015	Aggregate	MR-4-03-2120	Mean Time To Repair - Central Office Trouble	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	1802.60	99.00	NA	NA	18.21	NA	NA	NA	0	1.00	35	0
NH	01-DEC-2015	Aggregate	MR-4-03-3112	Mean Time To Repair - Central Office Trouble	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	585.50	29.00	17.36	3.00	20.19	5.79	NA	SS	0	1.00	60	0
NH	01-DEC-2015	Aggregate	MR-4-03-3343	Mean Time To Repair - Central Office Trouble	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	585.50	29.00	2.31	2.00	20.19	1.15	NA	SS	0	1.00	60	0
NH	01-DEC-2015	Aggregate	MR-4-04-2000	% Cleared within 24 Hours	Resale	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	1372.00	1965.00	19.00	20.00	69.82	95.00	NA	NA	NA	NA	NA	0
NH	01-DEC-2015	Aggregate	MR-4-04-3112	% Cleared within 24 Hours	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	1272.00	1839.00	70.00	77.00	69.17	90.91	NA	NA	NA	NA	NA	0
NH	01-DEC-2015	Aggregate	MR-4-04-3200	% Cleared within 24 Hours	UNE Specials	Diagnostic Comparison to Retail Specials	DIAGNOSTIC	6.00	6.00	21.00	22.00	100.00	95.45	NA	NA	NA	NA	NA	0
NH	01-DEC-2015	Aggregate	MR-4-04-3343	% Cleared within 24 Hours	UNE 2-Wire Digital and xDSL Loops	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	1272.00	1839.00	13.00	14.00	69.17	92.86	NA	NA	NA	NA	NA	0
NNE	01-DEC-2015	Aggregate	MR-4-04-5000	% Cleared within 24															

