

| State | Month       | CLEC Id   | Metric Id     | Metric Title                                                                               | Product                                         | Performance Standard                                            | Eligible/Diagnostic | FRP Num | FRP Den | CLEC Num | CLEC Den | FRP Perf. | CLEC Perf. | Z Score | Met Miss Ss | Qual'd Miss | Escalation Level | \$ Miss            | \$ Credit          |   |
|-------|-------------|-----------|---------------|--------------------------------------------------------------------------------------------|-------------------------------------------------|-----------------------------------------------------------------|---------------------|---------|---------|----------|----------|-----------|------------|---------|-------------|-------------|------------------|--------------------|--------------------|---|
| NNE   | 01-FEB-2016 | Aggregate | PO-1-01-6040  | Average Response Time - CSR                                                                | XML                                             | <= 4.5 Seconds                                                  | ELIGIBLE            | NA      | NA      | 112.00   | 35.00    | NA        | 3.20       | NA      | MET         | 0           | 1.00             | 5                  | 0                  |   |
| NNE   | 01-FEB-2016 | Aggregate | PO-1-01-6050  | Average Response Time - CSR                                                                | WEB GUI                                         | <= 6.5 Seconds                                                  | ELIGIBLE            | NA      | NA      | 1097.00  | 441.00   | NA        | 2.49       | NA      | MET         | 0           | 1.00             | 5                  | 0                  |   |
| NNE   | 01-FEB-2016 | Aggregate | PO-1-03-6040  | Average Response Time - Address Validation                                                 | XML                                             | <= 4.5 Seconds                                                  | ELIGIBLE            | NA      | NA      | 818.00   | 448.00   | NA        | 1.83       | NA      | MET         | 0           | 1.00             | 5                  | 0                  |   |
| NNE   | 01-FEB-2016 | Aggregate | PO-1-03-6050  | Average Response Time - Address Validation                                                 | WEB GUI                                         | <= 7.5 Seconds                                                  | ELIGIBLE            | NA      | NA      | 2394.00  | 1421.00  | NA        | 1.68       | NA      | MET         | 0           | 1.00             | 5                  | 0                  |   |
| NNE   | 01-FEB-2016 | Aggregate | PO-1-05-6040  | Average Response Time - TN Availability and Reservation                                    | XML                                             | <= 4.5 Seconds                                                  | DIAGNOSTIC          | NA      | NA      | 61.00    | 3.00     | NA        | 20.33      | NA      | NA          | NA          | NA               |                    | 0                  |   |
| NNE   | 01-FEB-2016 | Aggregate | PO-1-05-6050  | Average Response Time - TN Availability and Reservation                                    | WEB GUI                                         | <= 7.5 Seconds                                                  | DIAGNOSTIC          | NA      | NA      | 990.00   | 110.00   | NA        | 9.00       | NA      | NA          | NA          | NA               |                    | 0                  |   |
| NNE   | 01-FEB-2016 | Aggregate | PO-1-06-6040  | Average Response Time - Mech. Loop Qualification                                           | XML                                             | <= 4.5 Seconds                                                  | ELIGIBLE            | NA      | NA      | 2501.00  | 852.00   | NA        | 2.94       | NA      | MET         | 0           | 1.00             | 5                  | 0                  |   |
| NNE   | 01-FEB-2016 | Aggregate | PO-1-06-6050  | Average Response Time - Mech. Loop Qualification                                           | WEB GUI                                         | <= 6.5 Seconds                                                  | ELIGIBLE            | NA      | NA      | 2414.00  | 803.00   | NA        | 3.01       | NA      | MET         | 0           | 1.00             | 5                  | 0                  |   |
| NNE   | 01-FEB-2016 | Aggregate | PO-1-07-6040  | Average Response Time - Rejected Query                                                     | XML                                             | <= 4.5 Seconds                                                  | DIAGNOSTIC          | NA      | NA      | 116.00   | 44.00    | NA        | 2.64       | NA      | NA          | NA          | NA               |                    | 0                  |   |
| NNE   | 01-FEB-2016 | Aggregate | PO-1-07-6050  | Average Response Time - Rejected Query                                                     | WEB GUI                                         | <= 7.5 Seconds                                                  | DIAGNOSTIC          | NA      | NA      | 282.00   | 196.00   | NA        | 1.44       | NA      | NA          | NA          | NA               |                    | 0                  |   |
| NNE   | 01-FEB-2016 | Aggregate | PO-1-08-6040  | % Timeouts                                                                                 | XML                                             | <= 0.33%                                                        | DIAGNOSTIC          | NA      | NA      | 677.00   | 22027.00 | NA        | 3.07       | NA      | NA          | NA          | NA               |                    | 0                  |   |
| NNE   | 01-FEB-2016 | Aggregate | PO-1-08-6050  | % Timeouts                                                                                 | WEB GUI                                         | <= 0.33%                                                        | DIAGNOSTIC          | NA      | NA      | 37.00    | 3008.00  | NA        | 1.23       | NA      | NA          | NA          | NA               |                    | 0                  |   |
| NNE   | 01-FEB-2016 | Aggregate | PO-1-09-6040  | Average Response Time - Parsed CSR                                                         | XML                                             | <= 4.5 Seconds                                                  | DIAGNOSTIC          | NA      | NA      | 45389.00 | 19968.00 | NA        | 2.27       | NA      | NA          | NA          | NA               |                    | 0                  |   |
| NNE   | 01-FEB-2016 | Aggregate | PO-2-02-6000  | OSS Interface Availability - Prime Time                                                    | VFO                                             | >= 99.5%                                                        | ELIGIBLE            | NA      | NA      | 25920.00 | 25920.00 | NA        | 100.00     | NA      | MET         | 0           | 1.00             | Severity Dependent | 0                  |   |
| NNE   | 01-FEB-2016 | Aggregate | PO-3-02-1000  | % Answered within 30 Seconds - Ordering                                                    | Resale and UNE                                  | >= 80%                                                          | DIAGNOSTIC          | NA      | NA      | 835.00   | 843.00   | NA        | 99.05      | NA      | NA          | NA          | NA               |                    | 0                  |   |
| NNE   | 01-FEB-2016 | Aggregate | PO-3-04-1000  | % Answered within 30 Seconds - Repair                                                      | Resale and UNE                                  | >= 80%                                                          | DIAGNOSTIC          | NA      | NA      | 8965.00  | 12571.00 | NA        | 71.31      | NA      | NA          | NA          | NA               |                    | 0                  |   |
| NNE   | 01-FEB-2016 | Aggregate | PO-4-01-6660  | % Change Management Notices Sent on Time                                                   | Change Notices (types 3, 4 and 5)               | >= 95%                                                          | ELIGIBLE            | NA      | NA      | 1.00     | 1.00     | NA        | 100.00     | NA      | MET         | 0           | 1.00             | Severity Dependent | 0                  |   |
| NNE   | 01-FEB-2016 | Aggregate | PO-4-01-6671  | % Change Management Notices Sent on Time                                                   | Change Notices (types 1 and 2)                  | >= 95%                                                          | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | 0                | 1.00               | Severity Dependent | 0 |
| NNE   | 01-FEB-2016 | Aggregate | PO-4-02-6600  | Change Management Notices - Delay 1 to 7 Days                                              | Change Notices all types                        | No Standard                                                     | DIAGNOSTIC          | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | NA               |                    | 0                  |   |
| NNE   | 01-FEB-2016 | Aggregate | PO-4-03-6600  | Change Management Notices - Delay >= 8 Days                                                | Change Notices all types                        | 0 (zero) Notices >= 8 Days                                      | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | 0                | 1.00               | Severity Dependent | 0 |
| NNE   | 01-FEB-2016 | Aggregate | PO-5-01-6500  | % On Time Notice of OSS Interface Outage                                                   | OSS Interface Outage Notifications              | >= 95% within 20 Minutes of Outage                              | DIAGNOSTIC          | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | NA               |                    | 0                  |   |
| NNE   | 01-FEB-2016 | Aggregate | PO-6-01-6000  | Software Validation                                                                        | VFO                                             | <= 5% Failed Transactions                                       | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | 0                | 1.00               | Severity Dependent | 0 |
| NNE   | 01-FEB-2016 | Aggregate | PO-7-01-6000  | % Production Software Referrals Resolved On Time                                           | VFO                                             | >= 95% within 48 Hours/10 Business Days                         | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | 0                | 1.00               | Severity Dependent | 0 |
| NNE   | 01-FEB-2016 | Aggregate | PO-1-02-6000  | Delay Hours Production Software Resolution - Change - Transactions Failed - No Workaround  | VFO                                             | 0 (zero) production resolution changes > 48 Hours               | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | 0                | 1.00               | Severity Dependent | 0 |
| NNE   | 01-FEB-2016 | Aggregate | PO-2-03-6000  | Delay Days Production Software Resolution - Change - Transactions Failed - With Workaround | VFO                                             | 0 (zero) production resolution changes > 10 Business Days       | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | 0                | 1.00               | Severity Dependent | 0 |
| NNE   | 01-FEB-2016 | Aggregate | PO-2-04-6000  | Delay Hours - Failed/Rejected Test Deck Transactions - Transactions Failed - No Workaround | VFO                                             | 0 (zero) failed/rejected test deck transactions > 48 Hours      | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | 0                | 1.00               | Severity Dependent | 0 |
| NH    | 01-FEB-2016 | Aggregate | PO-8-01-6100  | % On Time - Manual Loop Qualification                                                      | Manual Loop Qual Request                        | >= 95% within 48 Hours                                          | ELIGIBLE            | NA      | NA      | 1.00     | 1.00     | NA        | 100.00     | NA      | MET         | 0           | 1.00             | 40                 | 0                  |   |
| NH    | 01-FEB-2016 | Aggregate | OR-1-02-2000  | % On Time LSRC - Flow-Through                                                              | Resale                                          | >= 95% within 2 Hours                                           | ELIGIBLE            | NA      | NA      | 56.00    | 57.00    | NA        | 98.25      | NA      | MET         | 0           | 1.00             | 28                 | 0                  |   |
| NH    | 01-FEB-2016 | Aggregate | OR-1-02-3332  | % On Time LSRC - Flow-Through                                                              | UNE 2-Wire Loops/LNP                            | >= 95% within 2 Hours                                           | ELIGIBLE            | NA      | NA      | 769.00   | 769.00   | NA        | 100.00     | NA      | MET         | 0           | 1.00             | 28                 | 0                  |   |
| NH    | 01-FEB-2016 | Aggregate | OR-1-04-2000  | % On Time LSRC - No Facility Check (Non-Flow-Through)                                      | Resale                                          | >= 95% within 24 Hours                                          | ELIGIBLE            | NA      | NA      | 18.00    | 18.00    | NA        | 100.00     | NA      | MET         | 0           | 1.00             | 28                 | 0                  |   |
| NH    | 01-FEB-2016 | Aggregate | OR-1-04-3331  | % On Time LSRC - No Facility Check (Non-Flow-Through)                                      | UNE 2-Wire Analog Loop/LNP                      | >= 95% within 24 Hours                                          | ELIGIBLE            | NA      | NA      | 108.00   | 112.00   | NA        | 96.43      | NA      | MET         | 0           | 1.00             | 28                 | 0                  |   |
| NH    | 01-FEB-2016 | Aggregate | OR-1-04-3343  | % On Time LSRC - No Facility Check (Non-Flow-Through)                                      | UNE 2-Wire Digital and xDSL Loops               | >= 95% within 24 Hours                                          | ELIGIBLE            | NA      | NA      | 9.00     | 10.00    | NA        | 90.00      | NA      | MET         | 0           | 1.00             | 28                 | 0                  |   |
| NH    | 01-FEB-2016 | Aggregate | OR-1-06-2000  | % On Time LSRC/ASRC - Facility Check (Non-Flow-Through)                                    | Resale                                          | >= 95% within 72 Hours                                          | ELIGIBLE            | NA      | NA      | 4.00     | 4.00     | NA        | 100.00     | NA      | MET         | 0           | 1.00             | 28                 | 0                  |   |
| NH    | 01-FEB-2016 | Aggregate | OR-1-06-3200  | % On Time LSRC/ASRC - Facility Check (Non-Flow-Through)                                    | UNE Specials                                    | >= 95% within 5 Business Days                                   | ELIGIBLE            | NA      | NA      | 12.00    | 12.00    | NA        | 100.00     | NA      | MET         | 0           | 1.00             | 56                 | 0                  |   |
| NH    | 01-FEB-2016 | Aggregate | OR-1-06-3331  | % On Time LSRC/ASRC - Facility Check (Non-Flow-Through)                                    | UNE 2-Wire Analog Loop/LNP                      | >= 95% within 72 Hours                                          | ELIGIBLE            | NA      | NA      | 19.00    | 19.00    | NA        | 100.00     | NA      | MET         | 0           | 1.00             | 28                 | 0                  |   |
| NH    | 01-FEB-2016 | Aggregate | OR-1-06-3343  | % On Time LSRC/ASRC - Facility Check (Non-Flow-Through)                                    | UNE 2-Wire Digital and xDSL Loops               | >= 95% within 72 Hours                                          | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | 0           | 1.00             | 28                 | 0                  |   |
| NH    | 01-FEB-2016 | Aggregate | OR-1-12-5020  | % On Time ASRC                                                                             | CLEC Trunks (<= 192 Forecasted)                 | >= 95% within 10 Business Days                                  | ELIGIBLE            | NA      | NA      | 1.00     | 1.00     | NA        | 100.00     | NA      | MET         | 0           | 1.00             | 56                 | 0                  |   |
| NH    | 01-FEB-2016 | Aggregate | OR-1-12-5030  | % On Time ASRC                                                                             | CLEC Trunks (> 192, Unforecasted, and Projects) | >= 95% within Negotiated Interval                               | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | 0           | 1.00             | 56                 | 0                  |   |
| NH    | 01-FEB-2016 | Aggregate | OR-1-13-5000  | % On Time Design Layout Record (DLR)                                                       | CLEC Trunks                                     | >= 95% On or Before DLRD                                        | ELIGIBLE            | NA      | NA      | 1.00     | 1.00     | NA        | 100.00     | NA      | MET         | 0           | 1.00             | 56                 | 0                  |   |
| NH    | 01-FEB-2016 | Aggregate | OR-2-02-2000  | % On Time LSR Reject (Flow-Through)                                                        | Resale                                          | >= 95% within 2 Hours                                           | ELIGIBLE            | NA      | NA      | 26.00    | 26.00    | NA        | 100.00     | NA      | MET         | 0           | 1.00             | 28                 | 0                  |   |
| NH    | 01-FEB-2016 | Aggregate | OR-2-02-3332  | % On Time LSR Reject (Flow-Through)                                                        | UNE 2-Wire Loops/LNP                            | >= 95% within 2 Hours                                           | ELIGIBLE            | NA      | NA      | 256.00   | 256.00   | NA        | 100.00     | NA      | MET         | 0           | 1.00             | 28                 | 0                  |   |
| NH    | 01-FEB-2016 | Aggregate | OR-2-04-2000  | % On Time LSR Reject - No Facility Check (Non-Flow-Through)                                | Resale                                          | >= 95% within 24 Hours                                          | ELIGIBLE            | NA      | NA      | 19.00    | 19.00    | NA        | 100.00     | NA      | MET         | 0           | 1.00             | 28                 | 0                  |   |
| NH    | 01-FEB-2016 | Aggregate | OR-2-04-3331  | % On Time LSR Reject - No Facility Check (Non-Flow-Through)                                | UNE 2-Wire Analog Loop/LNP                      | >= 95% within 24 Hours                                          | ELIGIBLE            | NA      | NA      | 22.00    | 22.00    | NA        | 100.00     | NA      | MET         | 0           | 1.00             | 28                 | 0                  |   |
| NH    | 01-FEB-2016 | Aggregate | OR-2-04-3343  | % On Time LSR Reject - No Facility Check (Non-Flow-Through)                                | UNE 2-Wire Digital and xDSL Loops               | >= 95% within 24 Hours                                          | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | 0           | 1.00             | 28                 | 0                  |   |
| NH    | 01-FEB-2016 | Aggregate | OR-2-06-2000  | % On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)                               | Resale                                          | >= 95% within 72 Hours                                          | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | 0           | 1.00             | 28                 | 0                  |   |
| NH    | 01-FEB-2016 | Aggregate | OR-2-06-3200  | % On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)                               | UNE Specials                                    | >= 95% within 5 Business Days                                   | ELIGIBLE            | NA      | NA      | 7.00     | 7.00     | NA        | 100.00     | NA      | MET         | 0           | 1.00             | 56                 | 0                  |   |
| NH    | 01-FEB-2016 | Aggregate | OR-2-06-3331  | % On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)                               | UNE 2-Wire Analog Loop/LNP                      | >= 95% within 72 Hours                                          | ELIGIBLE            | NA      | NA      | 1.00     | 1.00     | NA        | 100.00     | NA      | MET         | 0           | 1.00             | 28                 | 0                  |   |
| NH    | 01-FEB-2016 | Aggregate | OR-2-06-3343  | % On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)                               | UNE 2-Wire Digital and xDSL Loops               | >= 95% within 72 Hours                                          | ELIGIBLE            | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | 0           | 1.00             | 28                 | 0                  |   |
| NH    | 01-FEB-2016 | Aggregate | OR-2-12-5020  | % On Time Trunk ASR Reject                                                                 | CLEC Trunks (<= 192 Forecasted)                 | >= 95% within 7 Business Days                                   | ELIGIBLE            | NA      | NA      | 4.00     | 4.00     | NA        | 100.00     | NA      | MET         | 0           | 1.00             | 56                 | 0                  |   |
| NH    | 01-FEB-2016 | Aggregate | OR-2-12-5030  | % On Time Trunk ASR Reject                                                                 | CLEC Trunks (> 192, Unforecasted, and Projects) | >= 95% within Negotiated Interval                               | DIAGNOSTIC          | NA      | NA      | 6.00     | 6.00     | NA        | 100.00     | NA      | NA          | NA          | NA               |                    | 0                  |   |
| NH    | 01-FEB-2016 | Aggregate | OR-4-11-1000  | % Completed Orders with Neither a PCN nor BCN Sent                                         | Resale and UNE                                  | <= 0.25% within 2 Business Days of Provisioning Completion      | DIAGNOSTIC          | NA      | NA      | 3.00     | 1281.00  | NA        | 0.23       | NA      | NA          | NA          | NA               |                    | 0                  |   |
| NH    | 01-FEB-2016 | Aggregate | OR-4-16-1000  | % Provisioning Completion Notifiers Sent within One Business Day                           | Resale and UNE                                  | >= 95%                                                          | ELIGIBLE            | NA      | NA      | 652.00   | 656.00   | NA        | 99.39      | NA      | MET         | 0           | 1.00             | 28                 | 0                  |   |
| NH    | 01-FEB-2016 | Aggregate | OR-4-17-1000  | % Billing Completion Notifiers Sent On Time                                                | Resale and UNE                                  | >= 95.5% within 2 or 4 Business Days of Provisioning Completion | ELIGIBLE            | NA      | NA      | 1307.00  | 1311.00  | NA        | 99.69      | NA      | MET         | 0           | 1.00             | 28                 | 0                  |   |
| NH    | 01-FEB-2016 | Aggregate | OR-5-01-2000  | % Flow-Through - Total                                                                     | Resale                                          | No Standard                                                     | DIAGNOSTIC          | NA      | NA      | 57.00    | 79.00    | NA        | 72.15      | NA      | NA          | NA          | NA               |                    | 0                  |   |
| NH    | 01-FEB-2016 | Aggregate | OR-5-01-3112  | % Flow-Through - Total                                                                     | UNE 2-Wire Analog Loop                          | No Standard                                                     | DIAGNOSTIC          | NA      | NA      | 119.00   | 148.00   | NA        | 80.41      | NA      | NA          | NA          | NA               |                    | 0                  |   |
| NH    | 01-FEB-2016 | Aggregate | OR-5-01-3121  | % Flow-Through - Total                                                                     | Directory Listings and LNP                      | No Standard                                                     | DIAGNOSTIC          | NA      | NA      | 1252.00  | 1418.00  | NA        | 88.29      | NA      | NA          | NA          | NA               |                    | 0                  |   |
| NH    | 01-FEB-2016 | Aggregate | OR-5-03-2000  | % Flow-Through - Achieved                                                                  | Resale                                          | >= 95%                                                          | ELIGIBLE            | NA      | NA      | 6.00     | 7.00     | NA        | 85.71      | NA      | MET         | 0           | 1.00             | 35                 | 0                  |   |
| NH    | 01-FEB-2016 | Aggregate | OR-5-03-3112  | % Flow-Through - Achieved                                                                  | UNE 2-Wire Analog Loop                          | >= 95%                                                          | ELIGIBLE            | NA      | NA      | 60.00    | 67.00    | NA        | 89.55      | NA      | MISS        | 6           | 2.50             | 35                 | 525.00             |   |
| NH    | 01-FEB-2016 | Aggregate | OR-5-03-3121  | % Flow-Through - Achieved                                                                  | Directory Listings and LNP                      | >= 95%                                                          | ELIGIBLE            | NA      | NA      | 761.00   | 821.00   | NA        | 92.69      | NA      | MISS        | 23          | 2.50             | 35                 | 2,012.50           |   |
| NNE   | 01-FEB-2016 | Aggregate | OR-6-01-1001  | % Service Order Accuracy                                                                   | Resale and UNE 2-Wire Loops /LNP                | >= 95% without Errors                                           | ELIGIBLE            | NA      | NA      | 70.00    | 70.00    | NA        | 100.00     | NA      | MET         | 0           | 1.00             | 56                 | 0                  |   |
| NH    | 01-FEB-2016 | Aggregate | OR-6-03-2000  | % Resent LSRC                                                                              | Resale                                          | <= 5% due to Errors                                             | ELIGIBLE            | NA      | NA      | 1.00     | 23.00    | NA        | 4.35       | NA      | MET         | 0           | 1.00             | 28                 | 0                  |   |
| NH    | 01-FEB-2016 | Aggregate | OR-6-03-3332  | % Resent LSRC                                                                              | UNE 2-Wire Loops/LNP                            | <= 5% due to Errors                                             | ELIGIBLE            | NA      | NA      | 0.00     | 160.00   | NA        | 0.00       | NA      | MET         | 0           | 1.00             | 28                 | 0                  |   |
| NNE   | 01-FEB-2016 | Aggregate | OR-6-04-1040  | % Accuracy - Directory Listing                                                             | Directory Listings                              | >= 95% without Errors                                           | ELIGIBLE            | NA      | NA      | 47.00    | 52.00    | NA        | 90.38      | NA      | MISS        | 5           | 2.50             | 40                 | 302.50             |   |
| NH    | 01-FEB-2016 | Aggregate | OR-11-01-2000 | % On Time Resale Provider Notifications                                                    | Resale                                          | >= 95% within 2 Business Days                                   | ELIGIBLE            | NA      | NA      | 29.00    | 31.00    | NA        | 93.55      | NA      | MISS        | 2           | 2.50             | 56                 | 280.00             |   |
| NH    | 01-FEB-2016 | Aggregate | PR-1-04-3112  | Average Interval Offered - Dispatch (6 to 9 Lines)                                         | UNE 2-Wire Analog Loop                          | Diagnostic Comparison to Retail POTS                            | DIAGNOSTIC          | 46.00   | 13.00   | NA       | NA       | 3.54      | NA         | NA      | NA          | NA          | NA               |                    | 0                  |   |
| NH    | 01-FEB-2016 | Aggregate | PR-1-05-3112  | Average Interval Offered - Dispatch (>= 10 Lines)                                          | UNE 2-Wire Analog Loop                          | Diagnostic Comparison to Retail POTS                            | DIAGNOSTIC          | 40.00   | 7.00    | NA       | NA       | 5.71      | NA         | NA      | NA          | NA          | NA               |                    | 0                  |   |
| NH    | 01-FEB-2016 | Aggregate | PR-1-09-3211  | Average Interval Offered                                                                   | UNE DS1                                         | Parity with Retail DS1                                          | DIAGNOSTIC          | 40.00   | 5.00    | 121.00   | 15.00    | 8.00      | 8.07       | NA      | NA          | NA          | NA               |                    | 0                  |   |
| NH    | 01-FEB-2016 | Aggregate | PR-1-09-3213  | Average Interval Offered                                                                   | UNE DS3                                         | Parity with Retail DS3                                          | DIAGNOSTIC          | NA      | NA      | NA       | NA       | NA        | NA         | NA      | NA          | NA          | NA               |                    | 0                  |   |
| NH    | 01-FEB-2016 |           |               |                                                                                            |                                                 |                                                                 |                     |         |         |          |          |           |            |         |             |             |                  |                    |                    |   |

| State | Month       | CLEC Id   | Metric Id    | Metric Title                                            | Product                           | Performance Standard                                | Eligible/Diagnostic | FRP Num  | FRP Den   | CLEC Num | CLEC Den | FRP Perf. | CLEC Perf. | Z Score | Met Miss Ss | Qual'd Miss | Escalation Level | \$ Miss | \$ Credit |   |
|-------|-------------|-----------|--------------|---------------------------------------------------------|-----------------------------------|-----------------------------------------------------|---------------------|----------|-----------|----------|----------|-----------|------------|---------|-------------|-------------|------------------|---------|-----------|---|
| NH    | 01-FEB-2016 | Aggregate | PR-4-14-3343 | % Met Due Date                                          | UNE 2-Wire Digital and xDSL Loops | >= 95%                                              | ELIGIBLE            | NA       | NA        | 14.00    | 14.00    | NA        | 100.00     | NA      | MET         | 0           | 1.00             | 60      | 0         |   |
| NNE   | 01-FEB-2016 | Aggregate | PR-4-15-5000 | % Met Due Date - Trunks                                 | CLEC Trunks                       | >= 95%                                              | ELIGIBLE            | NA       | NA        | 20.00    | 22.00    | NA        | 90.91      | NA      | 3R-MISS     | 1           | 1.00             | 150     | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | PR-4-16-1040 | % Directory Data Base Updates Completed On Time         | Directory Listings                | >= 95% within 1 Business Day                        | ELIGIBLE            | NA       | NA        | 927.00   | 948.00   | NA        | 97.78      | NA      | MET         | 4           | 1.00             | 23      | 92.00     |   |
| NH    | 01-FEB-2016 | Aggregate | PR-5-01-2000 | % Missed Due Date - Facilities                          | Resale                            | Diagnostic Comparison to Retail POTS                | DIAGNOSTIC          | 3.00     | 1804.00   | 0.00     | 12.00    | 0.17      | 0.00       | NA      | NA          | NA          | NA               | NA      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | PR-5-01-5000 | % Missed Due Date - Facilities                          | CLEC Trunks                       | Diagnostic Comparison to IXC Feature Group D Trunks | DIAGNOSTIC          | NA       | NA        | 0.00     | 27.00    | NA        | 0.00       | NA      | NA          | NA          | NA               | NA      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | PR-5-02-2000 | % Orders Held for Facilities > 15 Days                  | Resale                            | Diagnostic Comparison to Retail POTS                | DIAGNOSTIC          | 0.00     | 1804.00   | 0.00     | 12.00    | 0.00      | 0.00       | NA      | NA          | NA          | NA               | NA      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | PR-5-02-3112 | % Orders Held for Facilities > 15 Days                  | UNE 2-Wire Analog Loop            | Diagnostic Comparison to Retail POTS                | DIAGNOSTIC          | 0.00     | 1804.00   | 0.00     | 19.00    | 0.00      | 0.00       | NA      | NA          | NA          | NA               | NA      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | PR-5-02-3200 | % Orders Held for Facilities > 15 Days                  | UNE Specials                      | Diagnostic Comparison to Retail Specials            | DIAGNOSTIC          | 0.00     | 5.00      | 0.00     | 7.00     | 0.00      | 0.00       | NA      | NA          | NA          | NA               | NA      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | PR-5-02-3343 | % Orders Held for Facilities > 15 Days                  | UNE 2-Wire Digital and xDSL Loops | No Standard                                         | DIAGNOSTIC          | NA       | NA        | 0.00     | 14.00    | NA        | 0.00       | NA      | NA          | NA          | NA               | NA      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | PR-5-02-5000 | % Orders Held for Facilities > 15 Days                  | CLEC Trunks                       | Diagnostic Comparison to IXC Feature Group D        | DIAGNOSTIC          | NA       | NA        | 0.00     | 27.00    | NA        | 0.00       | NA      | NA          | NA          | NA               | NA      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | PR-5-03-5000 | % Orders Held for Facilities > 60 Days                  | CLEC Trunks                       | Diagnostic Comparison to IXC Feature Group D        | DIAGNOSTIC          | NA       | NA        | 0.00     | 27.00    | NA        | 0.00       | NA      | NA          | NA          | NA               | NA      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | PR-6-01-2000 | % Installation Troubles Reported within 30 Days         | Resale                            | Parity with Retail POTS                             | ELIGIBLE            | 62.00    | 1549.00   | 0.00     | 23.00    | 4.00      | 0.00       | 0.270   | MET         | 0           | 1.00             | 60      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | PR-6-01-3113 | % Installation Troubles Reported within 30 Days         | UNE 2-Wire Analog Loop - New      | Parity with Retail POTS - Dispatched                | ELIGIBLE            | 30.00    | 497.00    | 1.00     | 28.00    | 6.04      | 3.57       | 0.009   | MET         | 0           | 1.00             | 60      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | PR-6-01-3200 | % Installation Troubles Reported within 30 Days         | UNE Specials                      | Parity with Retail Specials                         | ELIGIBLE            | 0.00     | 1.00      | 0.00     | 10.00    | 0.00      | 0.00       | NA      | SS          | 0           | 1.00             | 150     | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | PR-6-01-3343 | % Installation Troubles Reported within 30 Days         | UNE 2-Wire Digital and xDSL Loops | Parity with Retail POTS - Dispatched                | ELIGIBLE            | 31.00    | 497.00    | 1.00     | 39.00    | 6.24      | 2.56       | 0.513   | MET         | 0           | 1.00             | 60      | 0         |   |
| NNE   | 01-FEB-2016 | Aggregate | PR-6-01-5000 | % Installation Troubles Reported within 30 Days         | CLEC Trunks                       | Parity with IXC Feature Group D Trunks              | ELIGIBLE            | 0.00     | 3.00      | 0.00     | 37.00    | 0.00      | 0.00       | NA      | MET         | 0           | 1.00             | 150     | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | PR-6-02-3520 | % Installation Troubles Reported within 7 Days          | UNE 2-Wire Analog Loop - Hot Cut  | <= 2%                                               | ELIGIBLE            | NA       | NA        | 0.00     | 66.00    | NA        | 0.00       | NA      | MET         | 0           | 1.00             | 60      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | PR-8-01-2000 | % Open Orders in a Hold Status > 30 Days                | Resale                            | Parity with Retail POTS                             | ELIGIBLE            | 90.00    | 2000.00   | 0.00     | 15.00    | 4.50      | 0.00       | 0.007   | MET         | 0           | 1.00             | 60      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | PR-8-01-3112 | % Open Orders in a Hold Status > 30 Days                | UNE 2-Wire Analog Loop            | Parity with Retail POTS                             | ELIGIBLE            | 90.00    | 2000.00   | 0.00     | 23.00    | 4.50      | 0.00       | 0.388   | MET         | 0           | 1.00             | 60      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | PR-8-01-3200 | % Open Orders in a Hold Status > 30 Days                | UNE Specials                      | Parity with Retail Specials                         | ELIGIBLE            | 4.00     | 10.00     | 0.00     | 15.00    | 40.00     | 0.00       | 2.130   | MET         | 0           | 1.00             | 150     | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | PR-8-01-3343 | % Open Orders in a Hold Status > 30 Days                | UNE 2-Wire Digital and xDSL Loops | Parity with Retail POTS                             | ELIGIBLE            | 90.00    | 2000.00   | 0.00     | 16.00    | 4.50      | 0.00       | 0.050   | MET         | 0           | 1.00             | 60      | 0         |   |
| NNE   | 01-FEB-2016 | Aggregate | PR-8-01-5000 | % Open Orders in a Hold Status > 30 Days                | CLEC Trunks                       | Parity with IXC Feature Group D Trunks              | ELIGIBLE            | 0.00     | 3.00      | 0.00     | 38.00    | 0.00      | 0.00       | NA      | MET         | 0           | 1.00             | 150     | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | PR-8-02-2000 | % Open Orders in a Hold Status > 90 Days                | Resale                            | Diagnostic Comparison to Retail POTS                | DIAGNOSTIC          | 88.00    | 1998.00   | 0.00     | 15.00    | 4.40      | 0.00       | NA      | NA          | NA          | NA               | NA      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | PR-8-02-3112 | % Open Orders in a Hold Status > 90 Days                | UNE 2-Wire Analog Loop            | Diagnostic Comparison to Retail POTS                | DIAGNOSTIC          | 88.00    | 1998.00   | 0.00     | 23.00    | 4.40      | 0.00       | NA      | NA          | NA          | NA               | NA      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | PR-8-02-3200 | % Open Orders in a Hold Status > 90 Days                | UNE Specials                      | Diagnostic Comparison to Retail Specials            | DIAGNOSTIC          | 4.00     | 10.00     | 0.00     | 15.00    | 40.00     | 0.00       | NA      | NA          | NA          | NA               | NA      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | PR-8-02-3343 | % Open Orders in a Hold Status > 90 Days                | UNE 2-Wire Digital and xDSL Loops | Diagnostic comparison to Retail POTS                | DIAGNOSTIC          | 88.00    | 1998.00   | 0.00     | 16.00    | 4.40      | 0.00       | NA      | NA          | NA          | NA               | NA      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | PR-8-02-5000 | % Open Orders in a Hold Status > 90 Days                | CLEC Trunks                       | Diagnostic Comparison to IXC Feature Group D Trunks | DIAGNOSTIC          | NA       | NA        | 0.00     | 27.00    | NA        | 0.00       | NA      | NA          | NA          | NA               | NA      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | PR-9-01-3520 | % On Time Performance - Hot Cut                         | UNE 2-Wire Analog Loop - Hot Cut  | >= 95% Completed within Window                      | ELIGIBLE            | NA       | NA        | NA       | 26.00    | 26.00     | NA         | 100.00  | NA          | MET         | 0                | 1.00    | 100       | 0 |
| NH    | 01-FEB-2016 | Aggregate | PR-9-08-3520 | Average Duration of Hot Cut Installation Troubles       | UNE 2-Wire Analog Loop - Hot Cut  | Parity with Retail POTS - New                       | ELIGIBLE            | 602.38   | 44.00     | NA       | NA       | 13.69     | NA         | NA      | NA          | 0           | 1.00             | 100     | 0         |   |
| NNE   | 01-FEB-2016 | Aggregate | MR-1-01-6000 | Average Response Time - Create Trouble                  | VFO                               | <= 4.5 Seconds                                      | ELIGIBLE            | NA       | NA        | 3380.00  | 1215.00  | NA        | 2.78       | NA      | MET         | 0           | 1.00             | 5       | 0         |   |
| NNE   | 01-FEB-2016 | Aggregate | MR-1-02-6000 | Average Response Time - Status Trouble                  | VFO                               | <= 4.5 Seconds                                      | DIAGNOSTIC          | NA       | NA        | 146.00   | 3.00     | NA        | 48.67      | NA      | NA          | NA          | NA               | NA      | 0         |   |
| NNE   | 01-FEB-2016 | Aggregate | MR-1-03-6000 | Average Response Time - Modify Trouble                  | VFO                               | <= 4.5 Seconds                                      | DIAGNOSTIC          | NA       | NA        | 1916.00  | 58.00    | NA        | 33.03      | NA      | NA          | NA          | NA               | NA      | 0         |   |
| NNE   | 01-FEB-2016 | Aggregate | MR-1-04-6000 | Average Response Time - Request Cancellation of Trouble | VFO                               | <= 4.5 Seconds                                      | DIAGNOSTIC          | NA       | NA        | 317.00   | 10.00    | NA        | 31.70      | NA      | NA          | NA          | NA               | NA      | 0         |   |
| NNE   | 01-FEB-2016 | Aggregate | MR-1-05-6000 | Average Response Time - Status and Trouble History      | VFO                               | No Standard                                         | DIAGNOSTIC          | NA       | NA        | 341.00   | 10.00    | NA        | 34.10      | NA      | NA          | NA          | NA               | NA      | 0         |   |
| NNE   | 01-FEB-2016 | Aggregate | MR-1-06-6000 | Average Response Time - Test Trouble (Resale POTS Only) | VFO                               | <= 90 Seconds                                       | ELIGIBLE            | NA       | NA        | 8863.00  | 173.00   | NA        | 51.23      | NA      | MET         | 0           | 1.00             | 5       | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | MR-2-01-3200 | Network Trouble Report Rate                             | UNE Specials                      | No Standard                                         | DIAGNOSTIC          | NA       | NA        | 20.00    | 3647.00  | NA        | 0.55       | NA      | NA          | NA          | NA               | NA      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | MR-2-01-5000 | Network Trouble Report Rate                             | CLEC Trunks                       | Parity with IXC Feature Group D Trunks              | DIAGNOSTIC          | 0.00     | 1.00      | 2.00     | 593.00   | 0.00      | 0.34       | NA      | NA          | NA          | NA               | NA      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | MR-2-02-2000 | Network Trouble Report Rate - Loop                      | Resale                            | Parity with Retail POTS                             | DIAGNOSTIC          | 1492.00  | 165572.00 | 10.00    | 4742.00  | 0.90      | 0.21       | NA      | NA          | NA          | NA               | NA      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | MR-2-02-3112 | Network Trouble Report Rate - Loop                      | UNE 2-Wire Analog Loop            | Parity with Retail POTS                             | DIAGNOSTIC          | 1492.00  | 165572.00 | 44.00    | 14772.00 | 0.90      | 0.30       | NA      | NA          | NA          | NA               | NA      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | MR-2-02-3343 | Network Trouble Report Rate - Loop                      | UNE 2-Wire Digital and xDSL Loops | Parity with Retail POTS                             | DIAGNOSTIC          | 292.00   | 165572.00 | 0.00     | 2621.00  | 0.18      | 0.00       | NA      | NA          | NA          | NA               | NA      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | MR-2-03-2000 | Network Trouble Report Rate - Central Office            | Resale                            | Parity with Retail POTS                             | DIAGNOSTIC          | 126.00   | 165572.00 | 7.00     | 4742.00  | 0.08      | 0.15       | NA      | NA          | NA          | NA               | NA      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | MR-2-03-3112 | Network Trouble Report Rate - Central Office            | UNE 2-Wire Analog Loop            | Parity with Retail POTS                             | DIAGNOSTIC          | 10.00    | 165572.00 | 2.00     | 14772.00 | 0.01      | 0.01       | NA      | NA          | NA          | NA               | NA      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | MR-2-03-3343 | Network Trouble Report Rate - Central Office            | UNE 2-Wire Digital and xDSL Loops | Parity with Retail POTS                             | DIAGNOSTIC          | 8.00     | 165572.00 | 0.00     | 2621.00  | 0.00      | 0.00       | NA      | NA          | NA          | NA               | NA      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | MR-3-01-2010 | % Missed Repair Appointment - Loop                      | Resale Business                   | Parity with Retail POTS - Business                  | ELIGIBLE            | 29.00    | 266.00    | 1.00     | 8.00     | 10.90     | 12.50      | -0.792  | MET         | 0           | 1.00             | 70      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | MR-3-01-2120 | % Missed Repair Appointment - Loop                      | Resale POTS Residence             | Parity with Retail POTS - Residence                 | ELIGIBLE            | 125.00   | 1226.00   | NA       | NA       | 10.20     | NA         | NA      | NA          | 0           | 1.00             | 35      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | MR-3-01-3112 | % Missed Repair Appointment - Loop                      | UNE 2-Wire Analog Loop            | Parity with Retail POTS                             | ELIGIBLE            | 154.00   | 1492.00   | 1.00     | 44.00    | 10.32     | 2.27       | 1.619   | MET         | 0           | 1.00             | 70      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | MR-3-01-3343 | % Missed Repair Appointment - Loop                      | UNE 2-Wire Digital and xDSL Loops | Parity with Retail POTS                             | ELIGIBLE            | 154.00   | 1492.00   | 0.00     | 8.00     | 10.32     | 0.00       | 0.203   | MET         | 0           | 1.00             | 70      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | MR-3-02-2010 | % Missed Repair Appointment - Central Office            | Resale Business                   | Parity with Retail POTS - Business                  | ELIGIBLE            | 11.00    | 43.00     | 1.00     | 6.00     | 25.58     | 16.67      | 0.101   | MET         | 0           | 1.00             | 70      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | MR-3-02-2120 | % Missed Repair Appointment - Central Office            | Resale POTS Residence             | Parity with Retail POTS - Residence                 | ELIGIBLE            | 6.00     | 83.00     | NA       | NA       | 7.23      | NA         | NA      | NA          | 0           | 1.00             | 35      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | MR-3-02-3112 | % Missed Repair Appointment - Central Office            | UNE 2-Wire Analog Loop            | Parity with Retail POTS                             | ELIGIBLE            | 0.00     | 26.00     | 1.00     | 3.00     | 0.00      | 33.33      | NA      | SS          | 0           | 1.00             | 70      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | MR-3-02-3343 | % Missed Repair Appointment - Central Office            | UNE 2-Wire Digital and xDSL Loops | Parity with Retail POTS                             | ELIGIBLE            | 0.00     | 26.00     | 1.00     | 2.00     | 0.00      | 50.00      | NA      | SS          | 0           | 1.00             | 70      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | MR-4-01-3200 | Mean Time To Repair - Total                             | UNE Specials                      | Parity with Retail Specials                         | ELIGIBLE            | 81.84    | 6.00      | 120.05   | 20.00    | 13.64     | 6.00       | NA      | SS          | 0           | 1.00             | 125     | 0         |   |
| NNE   | 01-FEB-2016 | Aggregate | MR-4-01-5000 | Mean Time To Repair - Total                             | CLEC Trunks                       | Parity with IXC Feature Group D Trunks              | ELIGIBLE            | NA       | NA        | 34.33    | 12.00    | NA        | 2.86       | NA      | 3R-SS       | 6           | 1.00             | 125     | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | MR-4-02-2010 | Mean Time To Repair - Loop Trouble                      | Resale Business                   | Parity with Retail POTS - Business                  | ELIGIBLE            | 2904.29  | 266.00    | 129.48   | 8.00     | 10.92     | 16.18      | -0.961  | MET         | 0           | 1.00             | 60      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | MR-4-02-2120 | Mean Time To Repair - Loop Trouble                      | Resale POTS Residence             | Parity with Retail POTS - Residence                 | ELIGIBLE            | 25892.60 | 1226.00   | NA       | NA       | 21.12     | NA         | NA      | NA          | 0           | 1.00             | 35      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | MR-4-02-3112 | Mean Time To Repair - Loop Trouble                      | UNE 2-Wire Analog Loop            | Parity with Retail POTS                             | ELIGIBLE            | 28796.83 | 1492.00   | 596.47   | 44.00    | 19.30     | 13.56      | 2.267   | MET         | 0           | 1.00             | 60      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | MR-4-02-3343 | Mean Time To Repair - Loop Trouble                      | UNE 2-Wire Digital and xDSL Loops | Parity with Retail POTS                             | ELIGIBLE            | 28796.83 | 1492.00   | 69.29    | 8.00     | 19.30     | 8.66       | 2.034   | MET         | 0           | 1.00             | 60      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | MR-4-03-2010 | Mean Time To Repair - Central Office Trouble            | Resale Business                   | Parity with Retail POTS - Business                  | ELIGIBLE            | 513.00   | 43.00     | 94.05    | 6.00     | 11.93     | 15.68      | -0.592  | MET         | 0           | 1.00             | 60      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | MR-4-03-2120 | Mean Time To Repair - Central Office Trouble            | Resale POTS Residence             | Parity with Retail POTS - Residence                 | ELIGIBLE            | 1425.13  | 83.00     | NA       | NA       | 17.17     | NA         | NA      | NA          | 0           | 1.00             | 35      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | MR-4-03-3112 | Mean Time To Repair - Central Office Trouble            | UNE 2-Wire Analog Loop            | Parity with Retail POTS                             | ELIGIBLE            | 386.05   | 26.00     | 32.59    | 3.00     | 14.85     | 10.86      | NA      | SS          | 0           | 1.00             | 60      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | MR-4-03-3343 | Mean Time To Repair - Central Office Trouble            | UNE 2-Wire Digital and xDSL Loops | Parity with Retail POTS                             | ELIGIBLE            | 386.05   | 26.00     | 22.35    | 2.00     | 14.85     | 11.17      | NA      | SS          | 0           | 1.00             | 60      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | MR-4-04-2000 | % Cleared within 24 Hours                               | Resale                            | Diagnostic Comparison to Retail POTS                | DIAGNOSTIC          | 1228.00  | 1618.00   | 17.00    | 17.00    | 75.90     | 100.00     | NA      | NA          | NA          | NA               | NA      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | MR-4-04-3112 | % Cleared within 24 Hours                               | UNE 2-Wire Analog Loop            | Diagnostic Comparison to Retail POTS                | DIAGNOSTIC          | 1146.00  | 1518.00   | 45.00    | 47.00    | 75.49     | 95.74      | NA      | NA          | NA          | NA               | NA      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | MR-4-04-3200 | % Cleared within 24 Hours                               | UNE Specials                      | Diagnostic Comparison to Retail Specials            | DIAGNOSTIC          | 5.00     | 6.00      | 20.00    | 20.00    | 83.33     | 100.00     | NA      | NA          | NA          | NA               | NA      | 0         |   |
| NH    | 01-FEB-2016 | Aggregate | MR-4-04-3343 | % Cleared within 24 Hours                               | UNE 2-Wire Digital and xDSL Loops | Diagnostic Comparison to Retail POTS                | DIAGNOSTIC          | 1146.00  | 1518.00   | 10.00    | 10.00    | 75.49     | 100.00     | NA      | NA          | NA          | NA               | NA      | 0         |   |
| NNE   | 01-FEB-2016 | Aggregate | MR-4-04-5000 | % Cleared within 24 Hours                               | CLEC Trunks                       | Diagnostic Comparison to IXC Feature Group D        | DIAGNOSTIC          | NA       | NA        |          |          |           |            |         |             |             |                  |         |           |   |

