

State	Month	CLEC Id	Metric Id	Metric Title	Product	Performance Standard	Eligible/Diagnostic	FRP Num	FRP Den	CLEC Num	CLEC Den	FRP Perf.	CLEC Perf.	Z Score	Met Miss Ss	Qual'd Miss	Escalation Level	\$ Miss	\$ Credit
NNE	01-MAR-2016	Aggregate	PO-1-01-6040	Average Response Time - CSR	XML	<= 4.5 Seconds	ELIGIBLE	NA	NA	156.00	69.00	NA	2.26	NA	MET	0	1.00	5	0
NNE	01-MAR-2016	Aggregate	PO-1-01-6050	Average Response Time - CSR	WEB GUI	<= 6.5 Seconds	ELIGIBLE	NA	NA	1912.00	904.00	NA	2.12	NA	MET	0	1.00	5	0
NNE	01-MAR-2016	Aggregate	PO-1-03-6040	Average Response Time - Address Validation	XML	<= 4.5 Seconds	ELIGIBLE	NA	NA	733.00	426.00	NA	1.72	NA	MET	0	1.00	5	0
NNE	01-MAR-2016	Aggregate	PO-1-03-6050	Average Response Time - Address Validation	WEB GUI	<= 7.5 Seconds	ELIGIBLE	NA	NA	2833.00	1651.00	NA	1.72	NA	MET	0	1.00	5	0
NNE	01-MAR-2016	Aggregate	PO-1-05-6040	Average Response Time - TN Availability and Reservation	XML	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NNE	01-MAR-2016	Aggregate	PO-1-05-6050	Average Response Time - TN Availability and Reservation	WEB GUI	<= 7.5 Seconds	DIAGNOSTIC	NA	NA	1017.00	96.00	NA	10.59	NA	NA	NA	NA		0
NNE	01-MAR-2016	Aggregate	PO-1-06-6040	Average Response Time - Mech. Loop Qualification	XML	<= 4.5 Seconds	ELIGIBLE	NA	NA	2548.00	908.00	NA	2.81	NA	MET	0	1.00	5	0
NNE	01-MAR-2016	Aggregate	PO-1-06-6050	Average Response Time - Mech. Loop Qualification	WEB GUI	<= 6.5 Seconds	ELIGIBLE	NA	NA	2782.00	978.00	NA	2.84	NA	MET	0	1.00	5	0
NNE	01-MAR-2016	Aggregate	PO-1-07-6040	Average Response Time - Rejected Query	XML	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	85.00	42.00	NA	2.02	NA	NA	NA	NA		0
NNE	01-MAR-2016	Aggregate	PO-1-07-6050	Average Response Time - Rejected Query	WEB GUI	<= 7.5 Seconds	DIAGNOSTIC	NA	NA	323.00	241.00	NA	1.34	NA	NA	NA	NA		0
NNE	01-MAR-2016	Aggregate	PO-1-08-6040	% Timeouts	XML	<= 0.33%	DIAGNOSTIC	NA	NA	1454.00	6086.00	NA	23.89	NA	NA	NA	NA		0
NNE	01-MAR-2016	Aggregate	PO-1-08-6050	% Timeouts	WEB GUI	<= 0.33%	DIAGNOSTIC	NA	NA	57.00	3927.00	NA	1.45	NA	NA	NA	NA		0
NNE	01-MAR-2016	Aggregate	PO-1-09-6040	Average Response Time - Parsed CSR	XML	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	7182.00	3187.00	NA	2.25	NA	NA	NA	NA		0
NNE	01-MAR-2016	Aggregate	PO-2-02-6000	OSS Interface Availability - Prime Time	VFO	>= 99.5%	ELIGIBLE	NA	NA	29160.00	29160.00	NA	100.00	NA	MET	0	1.00	Severity Dependent	0
NNE	01-MAR-2016	Aggregate	PO-3-02-1000	% Answered within 30 Seconds - Ordering	Resale and UNE	>= 80%	DIAGNOSTIC	NA	NA	823.00	834.00	NA	98.68	NA	NA	NA	NA		0
NNE	01-MAR-2016	Aggregate	PO-3-04-1000	% Answered within 30 Seconds - Repair	Resale and UNE	>= 80%	DIAGNOSTIC	NA	NA	12572.00	12749.00	NA	98.61	NA	NA	NA	NA		0
NNE	01-MAR-2016	Aggregate	PO-4-01-6660	% Change Management Notices Sent on Time	Change Notices (types 3, 4 and 5)	>= 95%	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-MAR-2016	Aggregate	PO-4-01-6671	% Change Management Notices Sent on Time	Change Notices (types 1 and 2)	>= 95%	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-MAR-2016	Aggregate	PO-4-02-6600	Change Management Notices - Delay 1 to 7 Days	Change Notices all types	No Standard	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NNE	01-MAR-2016	Aggregate	PO-4-03-6600	Change Management Notices - Delay >= 8 Days	Change Notices all types	0 (zero) Notices >= 8 Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-MAR-2016	Aggregate	PO-5-01-6500	% On Time Notice of OSS Interface Outage	OSS Interface Outage Notifications	>= 95% within 20 Minutes of Outage	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NNE	01-MAR-2016	Aggregate	PO-6-01-6000	Software Validation	VFO	<= 5% Failed Transactions	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-MAR-2016	Aggregate	PO-7-01-6000	% Production Software Referrals Resolved On Time	VFO	>= 95% within 48 Hours/10 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-MAR-2016	Aggregate	PO-7-02-6000	Delay Hours - Production Software Resolution - Change - Transactions Failed - No Workaround	VFO	0 (zero) production resolution changes > 48 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-MAR-2016	Aggregate	PO-7-03-6000	Delay Days - Production Software Resolution - Change - Transactions Failed - With Workaround	VFO	0 (zero) production resolution changes > 10 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-MAR-2016	Aggregate	PO-7-04-6000	Delay Hours - Failed/Rejected Test Deck Transactions - Transactions Failed - No Workaround	VFO	0 (zero) failed/rejected test deck transactions > 48 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NH	01-MAR-2016	Aggregate	PO-8-01-6100	% On Time - Manual Loop Qualification	Manual Loop Qual Request	>= 95% within 48 Hours	ELIGIBLE	NA	NA	5.00	5.00	NA	100.00	NA	MET	0	1.00	40	0
NH	01-MAR-2016	Aggregate	OR-1-02-2000	% On Time LSRC - Flow-Through	Resale	>= 95% within 2 Hours	ELIGIBLE	NA	NA	19.00	19.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-MAR-2016	Aggregate	OR-1-02-3332	% On Time LSRC - Flow-Through	UNE 2-Wire Loops/LNP	>= 95% within 2 Hours	ELIGIBLE	NA	NA	827.00	850.00	NA	97.29	NA	MET	1	1.00	28	28.00
NH	01-MAR-2016	Aggregate	OR-1-04-2000	% On Time LSRC - No Facility Check (Non-Flow-Through)	Resale	>= 95% within 24 Hours	ELIGIBLE	NA	NA	22.00	25.00	NA	88.00	NA	MISS	3	1.00	28	84.00
NH	01-MAR-2016	Aggregate	OR-1-04-3331	% On Time LSRC - No Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 24 Hours	ELIGIBLE	NA	NA	129.00	134.00	NA	96.27	NA	MET	0	1.00	28	0
NH	01-MAR-2016	Aggregate	OR-1-04-3343	% On Time LSRC - No Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 24 Hours	ELIGIBLE	NA	NA	5.00	5.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-MAR-2016	Aggregate	OR-1-06-2000	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	Resale	>= 95% within 72 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NH	01-MAR-2016	Aggregate	OR-1-06-3200	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	UNE Specials	>= 95% within 5 Business Days	ELIGIBLE	NA	NA	8.00	8.00	NA	100.00	NA	MET	0	1.00	56	0
NH	01-MAR-2016	Aggregate	OR-1-06-3331	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 72 Hours	ELIGIBLE	NA	NA	7.00	7.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-MAR-2016	Aggregate	OR-1-06-3343	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 72 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NH	01-MAR-2016	Aggregate	OR-1-12-5020	% On Time ASRC	CLEC Trunks (<= 192 Forecasted)	>= 95% within 10 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	56	0
NH	01-MAR-2016	Aggregate	OR-1-12-5030	% On Time ASRC	CLEC Trunks (> 192, Unforecasted, and Projects)	>= 95% within Negotiated Interval	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	56	0
NH	01-MAR-2016	Aggregate	OR-1-13-5000	% On Time Design Layout Record (DLR)	CLEC Trunks	>= 95% On or Before DLRD	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	56	0
NH	01-MAR-2016	Aggregate	OR-2-02-2000	% On Time LSR Reject (Flow-Through)	Resale	>= 95% within 2 Hours	ELIGIBLE	NA	NA	24.00	24.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-MAR-2016	Aggregate	OR-2-02-3332	% On Time LSR Reject (Flow-Through)	UNE 2-Wire Loops/LNP	>= 95% within 2 Hours	ELIGIBLE	NA	NA	164.00	164.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-MAR-2016	Aggregate	OR-2-04-2000	% On Time LSR Reject - No Facility Check (Non-Flow-Through)	Resale	>= 95% within 24 Hours	ELIGIBLE	NA	NA	26.00	27.00	NA	96.30	NA	MET	0	1.00	28	0
NH	01-MAR-2016	Aggregate	OR-2-04-3331	% On Time LSR Reject - No Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 24 Hours	ELIGIBLE	NA	NA	65.00	65.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-MAR-2016	Aggregate	OR-2-04-3343	% On Time LSR Reject - No Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 24 Hours	ELIGIBLE	NA	NA	5.00	5.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-MAR-2016	Aggregate	OR-2-06-2000	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	Resale	>= 95% within 72 Hours	ELIGIBLE	NA	NA	3.00	3.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-MAR-2016	Aggregate	OR-2-06-3200	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	UNE Specials	>= 95% within 5 Business Days	ELIGIBLE	NA	NA	13.00	13.00	NA	100.00	NA	MET	0	1.00	56	0
NH	01-MAR-2016	Aggregate	OR-2-06-3331	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 72 Hours	ELIGIBLE	NA	NA	5.00	5.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-MAR-2016	Aggregate	OR-2-06-3343	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 72 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NH	01-MAR-2016	Aggregate	OR-2-12-5020	% On Time Trunk ASR Reject	CLEC Trunks (<= 192 Forecasted)	>= 95% within 7 Business Days	ELIGIBLE	NA	NA	2.00	2.00	NA	100.00	NA	MET	0	1.00	56	0
NH	01-MAR-2016	Aggregate	OR-2-12-5030	% On Time Trunk ASR Reject	CLEC Trunks (> 192, Unforecasted, and Projects)	>= 95% within Negotiated Interval	DIAGNOSTIC	NA	NA	1.00	1.00	NA	100.00	NA	NA	NA	NA		0
NH	01-MAR-2016	Aggregate	OR-4-11-1000	% Completed Orders with Neither a PCN nor BCN Sent	Resale and UNE	<= 0.25% within 2 Business Days of Provisioning Completion	DIAGNOSTIC	NA	NA	1.00	1402.00	NA	0.07	NA	NA	NA	NA		0
NH	01-MAR-2016	Aggregate	OR-4-16-1000	% Provisioning Completion Notifiers Sent within One Business Day	Resale and UNE	>= 95%	ELIGIBLE	NA	NA	686.00	687.00	NA	99.85	NA	MET	0	1.00	28	0
NH	01-MAR-2016	Aggregate	OR-4-17-1000	% Billing Completion Notifiers Sent On Time	Resale and UNE	>= 95.5% within 2 or 4 Business Days of Provisioning Completion	ELIGIBLE	NA	NA	1394.00	1401.00	NA	99.50	NA	MET	2	1.00	28	56.00
NH	01-MAR-2016	Aggregate	OR-5-01-2000	% Flow-Through - Total	Resale	No Standard	DIAGNOSTIC	NA	NA	19.00	44.00	NA	43.18	NA	NA	NA	NA		0
NH	01-MAR-2016	Aggregate	OR-5-01-3112	% Flow-Through - Total	UNE 2-Wire Analog Loop	No Standard	DIAGNOSTIC	NA	NA	166.00	191.00	NA	86.91	NA	NA	NA	NA		0
NH	01-MAR-2016	Aggregate	OR-5-01-3121	% Flow-Through - Total	Directory Listings and LNP	No Standard	DIAGNOSTIC	NA	NA	1326.00	1491.00	NA	88.93	NA	NA	NA	NA		0
NH	01-MAR-2016	Aggregate	OR-5-03-2000	% Flow-Through - Achieved	Resale	>= 95%	ELIGIBLE	NA	NA	4.00	4.00	NA	100.00	NA	MET	0	1.00	35	0
NH	01-MAR-2016	Aggregate	OR-5-03-3112	% Flow-Through - Achieved	UNE 2-Wire Analog Loop	>= 95%	ELIGIBLE	NA	NA	81.00	87.00	NA	93.10	NA	MISS	5	2.50	35	437.50
NH	01-MAR-2016	Aggregate	OR-5-03-3121	% Flow-Through - Achieved	Directory Listings and LNP	>= 95%	ELIGIBLE	NA	NA	838.00	911.00	NA	91.99	NA	MISS	32	3.00	35	3,360.00
NNE	01-MAR-2016	Aggregate	OR-6-01-1001	% Service Order Accrued	Resale and UNE 2-Wire Loops /LNP	>= 95% without Errors	ELIGIBLE	NA	NA	70.00	70.00	NA	100.00	NA	MET	0	1.00	56	0
NH	01-MAR-2016	Aggregate	OR-6-03-2000	% Resent LSRC	Resale	<= 5% due to Errors	ELIGIBLE	NA	NA	0.00	25.00	NA	0.00	NA	MET	0	1.00	28	0
NH	01-MAR-2016	Aggregate	OR-6-03-3332	% Resent LSRC	UNE 2-Wire Loops/LNP	<= 5% due to Errors	ELIGIBLE	NA	NA	1.00	154.00	NA	0.65	NA	MET	0	1.00	28	0
NNE	01-MAR-2016	Aggregate	OR-6-04-1040	% Accuracy - Directory Listing	Directory Listings	>= 95% without Errors	ELIGIBLE	NA	NA	32.00	44.00	NA	72.73	NA	MISS	21	2.50	40	1,065.00
NH	01-MAR-2016	Aggregate	OR-11-01-2000	% On Time Resale Provider Notifications	Resale	>= 95% within 2 Business Days	ELIGIBLE	NA	NA	37.00	37.00	NA	100.00	NA	MET	0	1.00	56	0
NH	01-MAR-2016	Aggregate	PR-1-04-3112	Average Interval Offered - Dispatch (6 to 9 Lines)	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	29.00	7.00	NA	NA	4.14	NA	NA	NA	NA	NA		0
NH	01-MAR-2016	Aggregate	PR-1-05-3112	Average Interval Offered - Dispatch (>= 10 Lines)	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	14.00	3.00	9.00	1.00	4.67	9.00	NA	NA	NA	NA		0
NH	01-MAR-2016	Aggregate	PR-1-09-3211	Average Interval Offered	UNE DS1	Parity with Retail DS1	DIAGNOSTIC	127.00	19.00	31.00	4.00	6.68	7.75	NA	NA	NA	NA		0
NH	01-MAR-2016	Aggregate	PR-1-09-3213	Average Interval Offered	UNE DS3	Parity with Retail DS3	DIAGNOSTIC	NA	NA	10.00	1.00	NA	10.00	NA	NA	NA	NA		0
NH	01-MAR-2016	Aggregate	PR-1-09-5020	Average Interval Offered	CLEC Trunks (<= 192 Forecast														

State	Month	CLEC Id	Metric Id	Metric Title	Product	Performance Standard	Eligible/Diagnostic	FRP Num	FRP Den	CLEC Num	CLEC Den	FRP Perf.	CLEC Perf.	Z Score	Met Miss Ss	Qual'd Miss	Escalation Level	\$ Miss	\$ Credit	
NH	01-MAR-2016	Aggregate	PR-4-14-3343	% Met Due Date	UNE 2-Wire Digital and xDSL Loops	>= 95%	ELIGIBLE	NA	NA	23.00	24.00	NA	95.83	NA	MET	0	1.00	60	0	
NNE	01-MAR-2016	Aggregate	PR-4-15-5000	% Met Due Date - Trunks	CLEC Trunks	>= 95%	ELIGIBLE	NA	NA	17.00	17.00	NA	100.00	NA	3R-MET	0	1.00	150	0	
NH	01-MAR-2016	Aggregate	PR-4-16-1040	% Directory Data Base Updates Completed On Time	Directory Listings	>= 95% within 1 Business Day	ELIGIBLE	NA	NA	1031.00	1067.00	NA	96.63	NA	MET	11	1.00	23	253.00	
NH	01-MAR-2016	Aggregate	PR-5-01-2000	% Missed Due Date - Facilities	Resale	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	5.00	1944.00	2.00	20.00	0.26	10.00	NA	NA	NA	NA	NA	0	
NH	01-MAR-2016	Aggregate	PR-5-01-5000	% Missed Due Date - Facilities	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D Trunks	DIAGNOSTIC	0.00	1.00	0.00	1.00	0.00	0.00	NA	NA	NA	NA	NA	0	
NH	01-MAR-2016	Aggregate	PR-5-02-2000	% Orders Held for Facilities > 15 Days	Resale	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	0.00	1944.00	0.00	20.00	0.00	0.00	NA	NA	NA	NA	NA	0	
NH	01-MAR-2016	Aggregate	PR-5-02-3112	% Orders Held for Facilities > 15 Days	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	0.00	1944.00	0.00	20.00	0.00	0.00	NA	NA	NA	NA	NA	0	
NH	01-MAR-2016	Aggregate	PR-5-02-3200	% Orders Held for Facilities > 15 Days	UNE Specials	Diagnostic Comparison to Retail Specials	DIAGNOSTIC	0.00	4.00	0.00	4.00	0.00	0.00	NA	NA	NA	NA	NA	0	
NH	01-MAR-2016	Aggregate	PR-5-02-3343	% Orders Held for Facilities > 15 Days	UNE 2-Wire Digital and xDSL Loops	No Standard	DIAGNOSTIC	NA	NA	0.00	24.00	NA	0.00	NA	NA	NA	NA	NA	0	
NH	01-MAR-2016	Aggregate	PR-5-02-5000	% Orders Held for Facilities > 15 Days	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D	DIAGNOSTIC	0.00	1.00	0.00	1.00	0.00	0.00	NA	NA	NA	NA	NA	0	
NH	01-MAR-2016	Aggregate	PR-5-03-5000	% Orders Held for Facilities > 60 Days	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D	DIAGNOSTIC	0.00	1.00	0.00	1.00	0.00	0.00	NA	NA	NA	NA	NA	0	
NH	01-MAR-2016	Aggregate	PR-6-01-2000	% Installation Troubles Reported within 30 Days	Resale	Parity with Retail POTS	ELIGIBLE	77.00	1523.00	8.00	42.00	5.06	19.05	-3.456	MISS	7	1.00	60	420.00	
NH	01-MAR-2016	Aggregate	PR-6-01-3113	% Installation Troubles Reported within 30 Days	UNE 2-Wire Analog Loop - New	Parity with Retail POTS - Dispatched	ELIGIBLE	41.00	424.00	3.00	46.00	9.67	6.52	0.378	MET	0	1.00	60	0	
NH	01-MAR-2016	Aggregate	PR-6-01-3200	% Installation Troubles Reported within 30 Days	UNE Specials	Parity with Retail Specials	ELIGIBLE	NA	NA	1.00	5.00	NA	20.00	NA	SS	0	1.00	150	0	
NH	01-MAR-2016	Aggregate	PR-6-01-3343	% Installation Troubles Reported within 30 Days	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS - Dispatched	ELIGIBLE	42.00	424.00	6.00	49.00	9.91	12.24	-0.786	MET	0	1.00	60	0	
NNE	01-MAR-2016	Aggregate	PR-6-01-5000	% Installation Troubles Reported within 30 Days	CLEC Trunks	Parity with IXC Feature Group D Trunks	ELIGIBLE	0.00	3.00	0.00	1.00	0.00	0.00	NA	MET	0	1.00	150	0	
NH	01-MAR-2016	Aggregate	PR-6-02-3520	% Installation Troubles Reported within 7 Days	UNE 2-Wire Analog Loop - Hot Cut	<= 2%	ELIGIBLE	NA	NA	1.00	19.00	NA	5.26	NA	MET	0	1.00	60	0	
NH	01-MAR-2016	Aggregate	PR-8-01-2000	% Open Orders in a Hold Status > 30 Days	Resale	Parity with Retail POTS	ELIGIBLE	90.00	2166.00	2.00	23.00	4.16	8.70	-1.481	MET	0	1.00	60	0	
NH	01-MAR-2016	Aggregate	PR-8-01-3112	% Open Orders in a Hold Status > 30 Days	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	90.00	2166.00	0.00	21.00	4.16	0.00	0.222	MET	0	1.00	60	0	
NH	01-MAR-2016	Aggregate	PR-8-01-3200	% Open Orders in a Hold Status > 30 Days	UNE Specials	Parity with Retail Specials	ELIGIBLE	4.00	24.00	0.00	5.00	16.67	0.00	NA	SS	0	1.00	150	0	
NH	01-MAR-2016	Aggregate	PR-8-01-3343	% Open Orders in a Hold Status > 30 Days	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	90.00	2166.00	0.00	27.00	4.16	0.00	0.467	MET	0	1.00	60	0	
NNE	01-MAR-2016	Aggregate	PR-8-01-5000	% Open Orders in a Hold Status > 30 Days	CLEC Trunks	Parity with IXC Feature Group D Trunks	ELIGIBLE	0.00	3.00	0.00	2.00	0.00	0.00	NA	MET	0	1.00	150	0	
NH	01-MAR-2016	Aggregate	PR-8-02-2000	% Open Orders in a Hold Status > 90 Days	Resale	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	89.00	2165.00	0.00	21.00	4.11	0.00	NA	NA	NA	NA	NA	0	
NH	01-MAR-2016	Aggregate	PR-8-02-3112	% Open Orders in a Hold Status > 90 Days	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	89.00	2165.00	0.00	21.00	4.11	0.00	NA	NA	NA	NA	NA	0	
NH	01-MAR-2016	Aggregate	PR-8-02-3200	% Open Orders in a Hold Status > 90 Days	UNE Specials	Diagnostic Comparison to Retail Specials	DIAGNOSTIC	4.00	24.00	0.00	5.00	16.67	0.00	NA	NA	NA	NA	NA	0	
NH	01-MAR-2016	Aggregate	PR-8-02-3343	% Open Orders in a Hold Status > 90 Days	UNE 2-Wire Digital and xDSL Loops	Diagnostic comparison to Retail POTS	DIAGNOSTIC	89.00	2165.00	0.00	27.00	4.11	0.00	NA	NA	NA	NA	NA	0	
NH	01-MAR-2016	Aggregate	PR-8-02-5000	% Open Orders in a Hold Status > 90 Days	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D Trunks	DIAGNOSTIC	0.00	1.00	0.00	2.00	0.00	0.00	NA	NA	NA	NA	NA	0	
NH	01-MAR-2016	Aggregate	PR-9-01-3520	% On Time Performance - Hot Cut	UNE 2-Wire Analog Loop - Hot Cut	>= 95% Completed within Window	ELIGIBLE	NA	NA	13.00	13.00	NA	100.00	NA	MET	0	1.00	100	0	
NH	01-MAR-2016	Aggregate	PR-9-08-3520	Average Duration of Hot Cut Installation Troubles	UNE 2-Wire Analog Loop - Hot Cut	Parity with Retail POTS - New	ELIGIBLE	1089.72	65.00	4.57	1.00	16.76	4.57	NA	SS	0	1.00	100	0	
NNE	01-MAR-2016	Aggregate	MR-1-01-6000	Average Response Time - Create Trouble	VFO	<= 4.5 Seconds	ELIGIBLE	NA	NA	2387.00	1167.00	NA	2.05	NA	MET	0	1.00	5	0	
NNE	01-MAR-2016	Aggregate	MR-1-02-6000	Average Response Time - Status Trouble	VFO	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	115.00	3.00	NA	38.33	NA	NA	NA	NA	NA	0	
NNE	01-MAR-2016	Aggregate	MR-1-03-6000	Average Response Time - Modify Trouble	VFO	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	2937.00	87.00	NA	33.76	NA	NA	NA	NA	NA	0	
NNE	01-MAR-2016	Aggregate	MR-1-04-6000	Average Response Time - Request Cancellation of Trouble	VFO	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	541.00	14.00	NA	38.64	NA	NA	NA	NA	NA	0	
NNE	01-MAR-2016	Aggregate	MR-1-05-6000	Average Response Time - Status and Trouble History	VFO	No Standard	DIAGNOSTIC	NA	NA	108.00	4.00	NA	27.00	NA	NA	NA	NA	NA	0	
NNE	01-MAR-2016	Aggregate	MR-1-06-6000	Average Response Time - Test Trouble (Resale POTS Only)	VFO	<= 90 Seconds	ELIGIBLE	NA	NA	10622.00	210.00	NA	50.58	NA	MET	0	1.00	5	0	
NH	01-MAR-2016	Aggregate	MR-2-01-3200	Network Trouble Report Rate	UNE Specials	No Standard	DIAGNOSTIC	NA	NA	34.00	3984.00	NA	0.85	NA	NA	NA	NA	NA	0	
NH	01-MAR-2016	Aggregate	MR-2-01-5000	Network Trouble Report Rate	CLEC Trunks	Parity with IXC Feature Group D Trunks	DIAGNOSTIC	0.00	11.00	0.00	714.00	0.00	0.00	NA	NA	NA	NA	NA	0	
NH	01-MAR-2016	Aggregate	MR-2-02-2000	Network Trouble Report Rate - Loop	Resale	Parity with Retail POTS	DIAGNOSTIC	1541.00	164237.00	16.00	4856.00	0.94	0.33	NA	NA	NA	NA	NA	0	
NH	01-MAR-2016	Aggregate	MR-2-02-3112	Network Trouble Report Rate - Loop	UNE 2-Wire Analog Loop	Parity with Retail POTS	DIAGNOSTIC	1541.00	164237.00	45.00	14849.00	0.94	0.30	NA	NA	NA	NA	NA	0	
NH	01-MAR-2016	Aggregate	MR-2-02-3343	Network Trouble Report Rate - Loop	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	DIAGNOSTIC	318.00	164237.00	0.00	2853.00	0.19	0.00	NA	NA	NA	NA	NA	0	
NH	01-MAR-2016	Aggregate	MR-2-03-2000	Network Trouble Report Rate - Central Office	Resale	Parity with Retail POTS	DIAGNOSTIC	198.00	164237.00	6.00	4856.00	0.12	0.12	NA	NA	NA	NA	NA	0	
NH	01-MAR-2016	Aggregate	MR-2-03-3112	Network Trouble Report Rate - Central Office	UNE 2-Wire Analog Loop	Parity with Retail POTS	DIAGNOSTIC	10.00	164237.00	0.00	14849.00	0.01	0.00	NA	NA	NA	NA	NA	0	
NH	01-MAR-2016	Aggregate	MR-2-03-3343	Network Trouble Report Rate - Central Office	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	DIAGNOSTIC	7.00	164237.00	0.00	2853.00	0.00	0.00	NA	NA	NA	NA	NA	0	
NH	01-MAR-2016	Aggregate	MR-3-01-2010	% Missed Repair Appointment - Loop	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	49.00	370.00	4.00	15.00	13.24	26.67	-1.733	MISS	3	1.00	70	210.00	
NH	01-MAR-2016	Aggregate	MR-3-01-2120	% Missed Repair Appointment - Loop	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	101.00	1171.00	NA	NA	8.63	NA	NA	NA	0	1.00	35	0	
NH	01-MAR-2016	Aggregate	MR-3-01-3112	% Missed Repair Appointment - Loop	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	150.00	1541.00	2.00	45.00	9.73	4.44	0.925	MET	0	1.00	70	0	
NH	01-MAR-2016	Aggregate	MR-3-01-3343	% Missed Repair Appointment - Loop	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	150.00	1541.00	0.00	13.00	9.73	0.00	0.626	MET	0	1.00	70	0	
NH	01-MAR-2016	Aggregate	MR-3-02-2010	% Missed Repair Appointment - Central Office	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	7.00	82.00	0.00	6.00	8.54	0.00	0.250	MET	0	1.00	70	0	
NH	01-MAR-2016	Aggregate	MR-3-02-2120	% Missed Repair Appointment - Central Office	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	10.00	116.00	NA	NA	8.62	NA	NA	NA	0	1.00	35	0	
NH	01-MAR-2016	Aggregate	MR-3-02-3112	% Missed Repair Appointment - Central Office	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	0.00	31.00	0.00	6.00	0.00	0.00	5.000	MET	0	1.00	70	0	
NH	01-MAR-2016	Aggregate	MR-3-02-3343	% Missed Repair Appointment - Central Office	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	0.00	31.00	0.00	3.00	0.00	0.00	NA	SS	0	1.00	70	0	
NH	01-MAR-2016	Aggregate	MR-4-01-3200	Mean Time To Repair - Total	UNE Specials	Parity with Retail Specials	ELIGIBLE	38.91	6.00	279.73	34.00	6.48	8.23	0.025	MET	0	1.00	125	0	
NH	01-MAR-2016	Aggregate	MR-4-01-5000	Mean Time To Repair - Total	CLEC Trunks	Parity with IXC Feature Group D Trunks	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	125	0
NH	01-MAR-2016	Aggregate	MR-4-02-2010	Mean Time To Repair - Loop Trouble	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	4049.25	370.00	248.74	15.00	10.94	16.58	-1.363	MET	0	1.00	60	0	
NH	01-MAR-2016	Aggregate	MR-4-02-2120	Mean Time To Repair - Loop Trouble	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	20654.81	1171.00	NA	NA	17.64	NA	NA	NA	0	1.00	35	0	
NH	01-MAR-2016	Aggregate	MR-4-02-3112	Mean Time To Repair - Loop Trouble	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	24703.99	1541.00	486.12	45.00	16.03	10.80	2.473	MET	0	1.00	60	0	
NH	01-MAR-2016	Aggregate	MR-4-02-3343	Mean Time To Repair - Loop Trouble	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	24703.99	1541.00	128.16	13.00	16.03	9.86	1.631	MET	0	1.00	60	0	
NH	01-MAR-2016	Aggregate	MR-4-03-2010	Mean Time To Repair - Central Office Trouble	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	880.36	82.00	17.48	6.00	10.74	2.91	1.009	MET	0	1.00	60	0	
NH	01-MAR-2016	Aggregate	MR-4-03-2120	Mean Time To Repair - Central Office Trouble	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	1333.55	116.00	NA	NA	11.50	NA	NA	NA	0	1.00	35	0	
NH	01-MAR-2016	Aggregate	MR-4-03-3112	Mean Time To Repair - Central Office Trouble	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	353.08	31.00	40.93	6.00	11.39	6.82	1.024	MET	0	1.00	60	0	
NH	01-MAR-2016	Aggregate	MR-4-03-3343	Mean Time To Repair - Central Office Trouble	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	353.08	31.00	58.09	3.00	11.39	19.36	NA	SS	0	1.00	60	0	
NH	01-MAR-2016	Aggregate	MR-4-04-2000	% Cleared within 24 Hours	Resale	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	1475.00	1739.00	18.00	22.00	84.82	81.82	NA	NA	NA	NA	NA	0	
NH	01-MAR-2016	Aggregate	MR-4-04-3112	% Cleared within 24 Hours	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	1321.00	1572.00	50.00	51.00	84.03	98.04	NA	NA	NA	NA	NA	0	
NH	01-MAR-2016	Aggregate	MR-4-04-3200	% Cleared within 24 Hours	UNE Specials	Diagnostic Comparison to Retail Specials	DIAGNOSTIC	6.00	6.00	31.00	34.00	100.00	91.18	NA	NA	NA	NA	NA	0	
NH	01-MAR-2016	Aggregate	MR-4-04-3343	% Cleared within 24 Hours	UNE 2-Wire Digital and xDSL Loops	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	1321.00	1572.00	16.00	16.00	84.03	100.00	NA	NA	NA	NA	NA	0	
NH	01-MAR-2016	Aggregate	MR-4-04-5000	% Cleared within 24 Hours	CLEC Trunks															

