

State	Month	CLEC Id	Metric Id	Metric Title	Product	Performance Standard	Eligible/Diagnostic	FRP Num	FRP Den	CLEC Num	CLEC Den	FRP Perf.	CLEC Perf.	Z Score	Met Miss Ss	Qual'd Miss	Escalation Level	\$ Miss	\$ Credit
NNE	01-APR-2016	Aggregate	PO-1-01-6040	Average Response Time - CSR	XML	<= 4.5 Seconds	ELIGIBLE	NA	NA	203.00	59.00	NA	3.44	NA	MET	0	1.00	5	0
NNE	01-APR-2016	Aggregate	PO-1-01-6050	Average Response Time - CSR	WEB GUI	<= 6.5 Seconds	ELIGIBLE	NA	NA	1746.00	797.00	NA	2.19	NA	MET	0	1.00	5	0
NNE	01-APR-2016	Aggregate	PO-1-03-6040	Average Response Time - Address Validation	XML	<= 4.5 Seconds	ELIGIBLE	NA	NA	775.00	438.00	NA	1.77	NA	MET	0	1.00	5	0
NNE	01-APR-2016	Aggregate	PO-1-03-6050	Average Response Time - Address Validation	WEB GUI	<= 7.5 Seconds	ELIGIBLE	NA	NA	2232.00	1385.00	NA	1.61	NA	MET	0	1.00	5	0
NNE	01-APR-2016	Aggregate	PO-1-05-6040	Average Response Time - TN Availability and Reservation	XML	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	23.00	4.00	NA	5.75	NA	NA	NA	NA		0
NNE	01-APR-2016	Aggregate	PO-1-05-6050	Average Response Time - TN Availability and Reservation	WEB GUI	<= 7.5 Seconds	DIAGNOSTIC	NA	NA	794.00	88.00	NA	9.02	NA	NA	NA	NA		0
NNE	01-APR-2016	Aggregate	PO-1-06-6040	Average Response Time - Mech. Loop Qualification	XML	<= 4.5 Seconds	ELIGIBLE	NA	NA	2924.00	988.00	NA	2.96	NA	MET	0	1.00	5	0
NNE	01-APR-2016	Aggregate	PO-1-06-6050	Average Response Time - Mech. Loop Qualification	WEB GUI	<= 6.5 Seconds	ELIGIBLE	NA	NA	1734.00	598.00	NA	2.90	NA	MET	0	1.00	5	0
NNE	01-APR-2016	Aggregate	PO-1-07-6040	Average Response Time - Rejected Query	XML	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	115.00	61.00	NA	1.89	NA	NA	NA	NA		0
NNE	01-APR-2016	Aggregate	PO-1-07-6050	Average Response Time - Rejected Query	WEB GUI	<= 7.5 Seconds	DIAGNOSTIC	NA	NA	226.00	182.00	NA	1.24	NA	NA	NA	NA		0
NNE	01-APR-2016	Aggregate	PO-1-08-6040	% Timeouts	XML	<= 0.33%	DIAGNOSTIC	NA	NA	12.00	4729.00	NA	0.25	NA	NA	NA	NA	NA	0
NNE	01-APR-2016	Aggregate	PO-1-08-6050	% Timeouts	WEB GUI	<= 0.33%	DIAGNOSTIC	NA	NA	48.00	3098.00	NA	1.55	NA	NA	NA	NA	NA	0
NNE	01-APR-2016	Aggregate	PO-1-09-6040	Average Response Time - Parsed CSR	XML	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	7696.00	3167.00	NA	2.43	NA	NA	NA	NA	NA	0
NNE	01-APR-2016	Aggregate	PO-2-02-6000	OSS Interface Availability - Prime Time	VFO	>= 99.5%	ELIGIBLE	NA	NA	28080.00	28080.00	NA	100.00	NA	MET	0	1.00	Severity Dependent	0
NNE	01-APR-2016	Aggregate	PO-3-02-1000	% Answered within 30 Seconds - Ordering	Resale and UNE	>= 80%	DIAGNOSTIC	NA	NA	885.00	891.00	NA	99.33	NA	NA	NA	NA	NA	0
NNE	01-APR-2016	Aggregate	PO-3-04-1000	% Answered within 30 Seconds - Repair	Resale and UNE	>= 80%	DIAGNOSTIC	NA	NA	11834.00	12087.00	NA	97.91	NA	NA	NA	NA	NA	0
NNE	01-APR-2016	Aggregate	PO-4-01-6660	% Change Management Notices Sent on Time	Change Notices (types 3, 4 and 5)	>= 95%	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-APR-2016	Aggregate	PO-4-01-6671	% Change Management Notices Sent on Time	Change Notices (types 1 and 2)	>= 95%	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-APR-2016	Aggregate	PO-4-02-6600	Change Management Notices - Delay 1 to 7 Days	Change Notices all types	No Standard	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0
NNE	01-APR-2016	Aggregate	PO-4-03-6600	Change Management Notices - Delay >= 8 Days	Change Notices all types	0 (zero) Notices >= 8 Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-APR-2016	Aggregate	PO-5-01-6500	% On Time Notice of OSS Interface Outage	OSS Interface Outage Notifications	>= 95% within 20 Minutes of Outage	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0
NNE	01-APR-2016	Aggregate	PO-6-01-6000	Software Validation	VFO	<= 5% Failed Transactions	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-APR-2016	Aggregate	PO-7-01-6000	% Production Software Referrals Resolved On Time	VFO	>= 95% within 48 Hours/10 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-APR-2016	Aggregate	PO-7-02-6000	Delay Hours - Production Software Resolution - Change - Transactions Failed - No Workaround	VFO	0 (zero) production resolution changes > 48 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-APR-2016	Aggregate	PO-7-03-6000	Delay Days Production Software Resolution - Change - Transactions Failed - With Workaround	VFO	0 (zero) production resolution changes > 10 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-APR-2016	Aggregate	PO-7-04-6000	Delay Hours - Failed/Rejected Test Deck Transactions - Transactions Failed - No Workaround	VFO	0 (zero) failed/rejected test deck transactions > 48 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NH	01-APR-2016	Aggregate	PO-8-01-6100	% On Time - Manual Loop Qualification	Manual Loop Qual Request	>= 95% within 48 Hours	ELIGIBLE	NA	NA	1.00	1.00	NA	100.00	NA	MET	0	1.00	40	0
NH	01-APR-2016	Aggregate	OR-1-02-2000	% On Time LSRC - Flow-Through	Resale	>= 95% within 2 Hours	ELIGIBLE	NA	NA	29.00	29.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-APR-2016	Aggregate	OR-1-02-3332	% On Time LSRC - Flow-Through	UNE 2-Wire Loops/LNP	>= 95% within 2 Hours	ELIGIBLE	NA	NA	716.00	724.00	NA	98.90	NA	MET	0	1.00	28	0
NH	01-APR-2016	Aggregate	OR-1-04-2000	% On Time LSRC - No Facility Check (Non-Flow-Through)	Resale	>= 95% within 24 Hours	ELIGIBLE	NA	NA	17.00	17.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-APR-2016	Aggregate	OR-1-04-3331	% On Time LSRC - No Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 24 Hours	ELIGIBLE	NA	NA	118.00	122.00	NA	96.72	NA	MET	1	1.00	28	28.00
NH	01-APR-2016	Aggregate	OR-1-04-3343	% On Time LSRC - No Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 24 Hours	ELIGIBLE	NA	NA	5.00	5.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-APR-2016	Aggregate	OR-1-06-2000	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	Resale	>= 95% within 72 Hours	ELIGIBLE	NA	NA	1.00	1.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-APR-2016	Aggregate	OR-1-06-3200	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	UNE Specials	>= 95% within 5 Business Days	ELIGIBLE	NA	NA	9.00	9.00	NA	100.00	NA	MET	0	1.00	56	0
NH	01-APR-2016	Aggregate	OR-1-06-3331	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 72 Hours	ELIGIBLE	NA	NA	13.00	13.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-APR-2016	Aggregate	OR-1-06-3343	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 72 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NH	01-APR-2016	Aggregate	OR-1-12-5020	% On Time ASRC	CLEC Trunks (<= 192 Forecasted)	>= 95% within 10 Business Days	ELIGIBLE	NA	NA	2.00	2.00	NA	100.00	NA	MET	0	1.00	56	0
NH	01-APR-2016	Aggregate	OR-1-12-5030	% On Time ASRC	CLEC Trunks (> 192, Unforecasted, and Projects)	>= 95% within Negotiated Interval	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	56	0
NH	01-APR-2016	Aggregate	OR-1-13-5000	% On Time Design Layout Record (DLR)	CLEC Trunks	>= 95% On or Before DLRD	ELIGIBLE	NA	NA	2.00	2.00	NA	100.00	NA	MET	0	1.00	56	0
NH	01-APR-2016	Aggregate	OR-2-02-2000	% On Time LSR Reject (Flow-Through)	Resale	>= 95% within 2 Hours	ELIGIBLE	NA	NA	6.00	6.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-APR-2016	Aggregate	OR-2-02-3332	% On Time LSR Reject (Flow-Through)	UNE 2-Wire Loops/LNP	>= 95% within 2 Hours	ELIGIBLE	NA	NA	132.00	132.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-APR-2016	Aggregate	OR-2-04-2000	% On Time LSR Reject - No Facility Check (Non-Flow-Through)	Resale	>= 95% within 24 Hours	ELIGIBLE	NA	NA	17.00	17.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-APR-2016	Aggregate	OR-2-04-3331	% On Time LSR Reject - No Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 24 Hours	ELIGIBLE	NA	NA	54.00	54.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-APR-2016	Aggregate	OR-2-04-3343	% On Time LSR Reject - No Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 24 Hours	ELIGIBLE	NA	NA	3.00	3.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-APR-2016	Aggregate	OR-2-06-2000	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	Resale	>= 95% within 72 Hours	ELIGIBLE	NA	NA	1.00	1.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-APR-2016	Aggregate	OR-2-06-3200	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	UNE Specials	>= 95% within 5 Business Days	ELIGIBLE	NA	NA	5.00	5.00	NA	100.00	NA	MET	0	1.00	56	0
NH	01-APR-2016	Aggregate	OR-2-06-3331	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 72 Hours	ELIGIBLE	NA	NA	10.00	10.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-APR-2016	Aggregate	OR-2-06-3343	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 72 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NH	01-APR-2016	Aggregate	OR-2-12-5020	% On Time Trunk ASR Reject	CLEC Trunks (<= 192 Forecasted)	>= 95% within 7 Business Days	ELIGIBLE	NA	NA	6.00	6.00	NA	100.00	NA	MET	0	1.00	56	0
NH	01-APR-2016	Aggregate	OR-2-12-5030	% On Time Trunk ASR Reject	CLEC Trunks (> 192, Unforecasted, and Projects)	>= 95% within Negotiated Interval	DIAGNOSTIC	NA	NA	1.00	1.00	NA	100.00	NA	NA	NA	NA		0
NH	01-APR-2016	Aggregate	OR-4-11-1000	% Completed Orders with Neither a PCN nor BCN Sent	Resale and UNE	<= 0.25% within 2 Business Days of Provisioning Completion	DIAGNOSTIC	NA	NA	0.00	1266.00	NA	0.00	NA	NA	NA	NA	NA	0
NH	01-APR-2016	Aggregate	OR-4-16-1000	% Provisioning Completion Notifiers Sent within One Business Day	Resale and UNE	>= 95%	ELIGIBLE	NA	NA	617.00	618.00	NA	99.84	NA	MET	0	1.00	28	0
NH	01-APR-2016	Aggregate	OR-4-17-1000	% Billing Completion Notifiers Sent On Time	Resale and UNE	>= 95.5% within 2 or 4 Business Days of Provisioning Completion	ELIGIBLE	NA	NA	1254.00	1266.00	NA	99.05	NA	MET	1	1.00	28	28.00
NH	01-APR-2016	Aggregate	OR-5-01-2000	% Flow-Through - Total	Resale	No Standard	DIAGNOSTIC	NA	NA	29.00	47.00	NA	61.70	NA	NA	NA	NA		0
NH	01-APR-2016	Aggregate	OR-5-01-3112	% Flow-Through - Total	UNE 2-Wire Analog Loop	No Standard	DIAGNOSTIC	NA	NA	121.00	145.00	NA	83.45	NA	NA	NA	NA		0
NH	01-APR-2016	Aggregate	OR-5-01-3121	% Flow-Through - Total	Directory Listings and LNP	No Standard	DIAGNOSTIC	NA	NA	1354.00	1514.00	NA	89.43	NA	NA	NA	NA		0
NH	01-APR-2016	Aggregate	OR-5-03-2000	% Flow-Through - Achieved	Resale	>= 95%	ELIGIBLE	NA	NA	8.00	9.00	NA	88.89	NA	MET	0	1.00	35	0
NH	01-APR-2016	Aggregate	OR-5-03-3112	% Flow-Through - Achieved	UNE 2-Wire Analog Loop	>= 95%	ELIGIBLE	NA	NA	44.00	48.00	NA	91.67	NA	MISS	3	2.00	35	210.00
NH	01-APR-2016	Aggregate	OR-5-03-3121	% Flow-Through - Achieved	Directory Listings and LNP	>= 95%	ELIGIBLE	NA	NA	797.00	857.00	NA	93.00	NA	MISS	21	3.50	35	2,572.50
NNE	01-APR-2016	Aggregate	OR-6-01-1001	% Service Order Accuracy	Resale and UNE 2-Wire Loops /LNP	>= 95% without Errors	ELIGIBLE	NA	NA	70.00	70.00	NA	100.00	NA	MET	0	1.00	56	0
NH	01-APR-2016	Aggregate	OR-6-03-2000	% Resent LSRC	Resale	<= 5% due to Errors	ELIGIBLE	NA	NA	0.00	17.00	NA	0.00	NA	MET	0	1.00	28	0
NH	01-APR-2016	Aggregate	OR-6-03-3332	% Resent LSRC	UNE 2-Wire Loops/LNP	<= 5% due to Errors	ELIGIBLE	NA	NA	7.00	149.00	NA	4.70	NA	MET	1	1.00	28	28.00
NNE	01-APR-2016	Aggregate	OR-6-04-1040	% Accuracy - Directory Listing	Directory Listings	>= 95% without Errors	ELIGIBLE	NA	NA	46.00	57.00	NA	80.70	NA	MISS	14	3.00	40	831.00
NH	01-APR-2016	Aggregate	OR-11-01-2000	% On Time Resale Provider Notifications	Resale	>= 95% within 2 Business Days	ELIGIBLE	NA	NA	24.00	33.00	NA	72.73	NA	MISS	9	2.50	56	1,260.00
NH	01-APR-2016	Aggregate	PR-1-04-3112	Average Interval Offered - Dispatch (6 to 9 Lines)	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	8.00	2.00	NA	NA	4.00	NA	NA	NA	NA	NA		0
NH	01-APR-2016	Aggregate	PR-1-05-3112	Average Interval Offered - Dispatch (>= 10 Lines)	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	4.00	1.00	9.00	1.00	4.00	9.00	NA	NA	NA	NA		0
NH	01-APR-2016	Aggregate	PR-1-09-3211	Average Interval Offered	UNE DS1	Parity with Retail DS1	DIAGNOSTIC	85.00	11.00	97.00	6.00	7.73	16.17	NA	NA	NA	NA		0
NH	01-APR-2016	Aggregate	PR-1-09-3213	Average Interval Offered	UNE DS3	Parity with Retail DS3	DIAGNOSTIC	NA	NA	NA	NA	NA							

State	Month	CLEC Id	Metric Id	Metric Title	Product	Performance Standard	Eligible/Diagnostic	FRP Num	FRP Den	CLEC Num	CLEC Den	FRP Perf.	CLEC Perf.	Z Score	Met Miss Ss	Qual'd Miss	Escalation Level	\$ Miss	\$ Credit
NH	01-APR-2016	Aggregate	PR-4-14-3343	% Met Due Date	UNE 2-Wire Digital and xDSL Loops	>= 95%	ELIGIBLE	NA	NA	13.00	13.00	NA	100.00	NA	MET	0	1.00	60	0
NNE	01-APR-2016	Aggregate	PR-4-15-5000	% Met Due Date - Trunks	CLEC Trunks	>= 95%	ELIGIBLE	NA	NA	18.00	18.00	NA	100.00	NA	3R-MET	0	1.00	150	0
NH	01-APR-2016	Aggregate	PR-4-16-1040	% Directory Data Base Updates Completed On Time	Directory Listings	>= 95% within 1 Business Day	ELIGIBLE	NA	NA	877.00	904.00	NA	97.01	NA	MET	7	1.00	23	161.00
NH	01-APR-2016	Aggregate	PR-5-01-2000	% Missed Due Date - Facilities	Resale	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	5.00	2245.00	0.00	15.00	0.22	0.00	NA	NA	NA	NA	NA	0
NH	01-APR-2016	Aggregate	PR-5-01-5000	% Missed Due Date - Facilities	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D Trunks	DIAGNOSTIC	0.00	3.00	0.00	2.00	0.00	0.00	NA	NA	NA	NA	NA	0
NH	01-APR-2016	Aggregate	PR-5-02-2000	% Orders Held for Facilities > 15 Days	Resale	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	0.00	2245.00	0.00	15.00	0.00	0.00	NA	NA	NA	NA	NA	0
NH	01-APR-2016	Aggregate	PR-5-02-3112	% Orders Held for Facilities > 15 Days	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	0.00	2245.00	0.00	15.00	0.00	0.00	NA	NA	NA	NA	NA	0
NH	01-APR-2016	Aggregate	PR-5-02-3200	% Orders Held for Facilities > 15 Days	UNE Specials	Diagnostic Comparison to Retail Specials	DIAGNOSTIC	0.00	8.00	0.00	4.00	0.00	0.00	NA	NA	NA	NA	NA	0
NH	01-APR-2016	Aggregate	PR-5-02-3343	% Orders Held for Facilities > 15 Days	UNE 2-Wire Digital and xDSL Loops	No Standard	DIAGNOSTIC	NA	NA	0.00	13.00	NA	0.00	NA	NA	NA	NA	NA	0
NH	01-APR-2016	Aggregate	PR-5-02-5000	% Orders Held for Facilities > 15 Days	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D	DIAGNOSTIC	0.00	3.00	0.00	2.00	0.00	0.00	NA	NA	NA	NA	NA	0
NH	01-APR-2016	Aggregate	PR-5-03-5000	% Orders Held for Facilities > 60 Days	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D	DIAGNOSTIC	0.00	3.00	0.00	2.00	0.00	0.00	NA	NA	NA	NA	NA	0
NH	01-APR-2016	Aggregate	PR-6-01-2000	% Installation Troubles Reported within 30 Days	Resale	Parity with Retail POTS	ELIGIBLE	59.00	1379.00	1.00	24.00	4.28	4.17	0.601	MET	1	1.00	60	60.00
NH	01-APR-2016	Aggregate	PR-6-01-3113	% Installation Troubles Reported within 30 Days	UNE 2-Wire Analog Loop - New	Parity with Retail POTS - Dispatched	ELIGIBLE	29.00	289.00	0.00	42.00	10.03	0.00	2.140	MET	0	1.00	60	0
NH	01-APR-2016	Aggregate	PR-6-01-3200	% Installation Troubles Reported within 30 Days	UNE Specials	Parity with Retail Specials	ELIGIBLE	NA	NA	0.00	6.00	NA	0.00	NA	SS	0	1.00	150	0
NH	01-APR-2016	Aggregate	PR-6-01-3343	% Installation Troubles Reported within 30 Days	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS - Dispatched	ELIGIBLE	29.00	289.00	2.00	19.00	10.03	10.53	-0.535	MET	0	1.00	60	0
NNE	01-APR-2016	Aggregate	PR-6-01-5000	% Installation Troubles Reported within 30 Days	CLEC Trunks	Parity with IXC Feature Group D Trunks	ELIGIBLE	0.00	7.00	0.00	2.00	0.00	0.00	NA	MET	0	1.00	150	0
NH	01-APR-2016	Aggregate	PR-6-02-3520	% Installation Troubles Reported within 7 Days	UNE 2-Wire Analog Loop - Hot Cut	<= 2%	ELIGIBLE	NA	NA	1.00	31.00	NA	3.23	NA	MET	0	1.00	60	0
NH	01-APR-2016	Aggregate	PR-8-01-2000	% Open Orders in a Hold Status > 30 Days	Resale	Parity with Retail POTS	ELIGIBLE	78.00	2477.00	1.00	30.00	3.15	3.33	-0.695	MET	1	1.00	60	60.00
NH	01-APR-2016	Aggregate	PR-8-01-3112	% Open Orders in a Hold Status > 30 Days	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	78.00	2477.00	0.00	21.00	3.15	0.00	0.031	MET	0	1.00	60	0
NH	01-APR-2016	Aggregate	PR-8-01-3200	% Open Orders in a Hold Status > 30 Days	UNE Specials	Parity with Retail Specials	ELIGIBLE	4.00	18.00	0.00	6.00	22.22	0.00	NA	SS	0	1.00	150	0
NH	01-APR-2016	Aggregate	PR-8-01-3343	% Open Orders in a Hold Status > 30 Days	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	78.00	2477.00	0.00	14.00	3.15	0.00	0.358	MET	0	1.00	60	0
NNE	01-APR-2016	Aggregate	PR-8-01-5000	% Open Orders in a Hold Status > 30 Days	CLEC Trunks	Parity with IXC Feature Group D Trunks	ELIGIBLE	0.00	7.00	0.00	2.00	0.00	0.00	NA	MET	0	1.00	150	0
NH	01-APR-2016	Aggregate	PR-8-02-2000	% Open Orders in a Hold Status > 90 Days	Resale	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	77.00	2476.00	0.00	27.00	3.11	0.00	NA	NA	NA	NA	NA	0
NH	01-APR-2016	Aggregate	PR-8-02-3112	% Open Orders in a Hold Status > 90 Days	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	77.00	2476.00	0.00	21.00	3.11	0.00	NA	NA	NA	NA	NA	0
NH	01-APR-2016	Aggregate	PR-8-02-3200	% Open Orders in a Hold Status > 90 Days	UNE Specials	Diagnostic Comparison to Retail Specials	DIAGNOSTIC	4.00	18.00	0.00	6.00	22.22	0.00	NA	NA	NA	NA	NA	0
NH	01-APR-2016	Aggregate	PR-8-02-3343	% Open Orders in a Hold Status > 90 Days	UNE 2-Wire Digital and xDSL Loops	Diagnostic comparison to Retail POTS	DIAGNOSTIC	77.00	2476.00	0.00	14.00	3.11	0.00	NA	NA	NA	NA	NA	0
NH	01-APR-2016	Aggregate	PR-8-02-5000	% Open Orders in a Hold Status > 90 Days	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D Trunks	DIAGNOSTIC	0.00	3.00	0.00	2.00	0.00	0.00	NA	NA	NA	NA	NA	0
NH	01-APR-2016	Aggregate	PR-9-01-3520	% On Time Performance - Hot Cut	UNE 2-Wire Analog Loop - Hot Cut	>= 95% Completed within Window	ELIGIBLE	NA	NA	11.00	11.00	NA	100.00	NA	MET	0	1.00	100	0
NH	01-APR-2016	Aggregate	PR-9-08-3520	Average Duration of Hot Cut Installation Troubles	UNE 2-Wire Analog Loop - Hot Cut	Parity with Retail POTS - New	ELIGIBLE	765.46	49.00	21.41	1.00	15.62	21.41	NA	SS	0	1.00	100	0
NNE	01-APR-2016	Aggregate	MR-1-01-6000	Average Response Time - Create Trouble	VFO	<= 4.5 Seconds	ELIGIBLE	NA	NA	1906.00	1004.00	NA	1.90	NA	MET	0	1.00	5	0
NNE	01-APR-2016	Aggregate	MR-1-02-6000	Average Response Time - Status Trouble	VFO	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	20.00	1.00	NA	20.00	NA	NA	NA	NA	NA	0
NNE	01-APR-2016	Aggregate	MR-1-03-6000	Average Response Time - Modify Trouble	VFO	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	1617.00	50.00	NA	32.34	NA	NA	NA	NA	NA	0
NNE	01-APR-2016	Aggregate	MR-1-04-6000	Average Response Time - Request Cancellation of Trouble	VFO	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	371.00	11.00	NA	33.73	NA	NA	NA	NA	NA	0
NNE	01-APR-2016	Aggregate	MR-1-05-6000	Average Response Time - Status and Trouble History	VFO	No Standard	DIAGNOSTIC	NA	NA	142.00	3.00	NA	47.33	NA	NA	NA	NA	NA	0
NNE	01-APR-2016	Aggregate	MR-1-06-6000	Average Response Time - Test Trouble (Resale POTS Only)	VFO	<= 90 Seconds	ELIGIBLE	NA	NA	7078.00	147.00	NA	48.15	NA	MET	0	1.00	5	0
NH	01-APR-2016	Aggregate	MR-2-01-3200	Network Trouble Report Rate	UNE Specials	No Standard	DIAGNOSTIC	NA	NA	16.00	3631.00	NA	0.44	NA	NA	NA	NA	NA	0
NH	01-APR-2016	Aggregate	MR-2-01-5000	Network Trouble Report Rate	CLEC Trunks	Parity with IXC Feature Group D Trunks	DIAGNOSTIC	0.00	8.00	0.00	615.00	0.00	0.00	NA	NA	NA	NA	NA	0
NH	01-APR-2016	Aggregate	MR-2-02-2000	Network Trouble Report Rate - Loop	Resale	Parity with Retail POTS	DIAGNOSTIC	1231.00	164088.00	10.00	4694.00	0.75	0.21	NA	NA	NA	NA	NA	0
NH	01-APR-2016	Aggregate	MR-2-02-3112	Network Trouble Report Rate - Loop	UNE 2-Wire Analog Loop	Parity with Retail POTS	DIAGNOSTIC	1231.00	164088.00	24.00	14569.00	0.75	0.16	NA	NA	NA	NA	NA	0
NH	01-APR-2016	Aggregate	MR-2-02-3343	Network Trouble Report Rate - Loop	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	DIAGNOSTIC	227.00	164088.00	0.00	2573.00	0.14	0.00	NA	NA	NA	NA	NA	0
NH	01-APR-2016	Aggregate	MR-2-03-2000	Network Trouble Report Rate - Central Office	Resale	Parity with Retail POTS	DIAGNOSTIC	157.00	164088.00	3.00	4894.00	0.10	0.06	NA	NA	NA	NA	NA	0
NH	01-APR-2016	Aggregate	MR-2-03-3112	Network Trouble Report Rate - Central Office	UNE 2-Wire Analog Loop	Parity with Retail POTS	DIAGNOSTIC	18.00	164088.00	0.00	14569.00	0.01	0.00	NA	NA	NA	NA	NA	0
NH	01-APR-2016	Aggregate	MR-2-03-3343	Network Trouble Report Rate - Central Office	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	DIAGNOSTIC	11.00	164088.00	0.00	2573.00	0.01	0.00	NA	NA	NA	NA	NA	0
NH	01-APR-2016	Aggregate	MR-3-01-2010	% Missed Repair Appointment - Loop	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	33.00	249.00	0.00	8.00	13.25	0.00	0.446	MET	0	1.00	70	0
NH	01-APR-2016	Aggregate	MR-3-01-2120	% Missed Repair Appointment - Loop	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	72.00	982.00	0.00	1.00	7.33	0.00	NA	SS	0	1.00	35	0
NH	01-APR-2016	Aggregate	MR-3-01-3112	% Missed Repair Appointment - Loop	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	105.00	1231.00	0.00	24.00	8.53	0.00	1.173	MET	0	1.00	70	0
NH	01-APR-2016	Aggregate	MR-3-01-3343	% Missed Repair Appointment - Loop	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	105.00	1231.00	0.00	7.00	8.53	0.00	0.093	MET	0	1.00	70	0
NH	01-APR-2016	Aggregate	MR-3-02-2010	% Missed Repair Appointment - Central Office	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	11.00	58.00	0.00	3.00	18.97	0.00	NA	SS	0	1.00	70	0
NH	01-APR-2016	Aggregate	MR-3-02-2120	% Missed Repair Appointment - Central Office	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	9.00	99.00	NA	NA	9.09	NA	NA	NA	0	1.00	35	0
NH	01-APR-2016	Aggregate	MR-3-02-3112	% Missed Repair Appointment - Central Office	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	1.00	47.00	1.00	3.00	2.13	33.33	NA	SS	0	1.00	70	0
NH	01-APR-2016	Aggregate	MR-3-02-3343	% Missed Repair Appointment - Central Office	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	1.00	47.00	0.00	1.00	2.13	0.00	NA	SS	0	1.00	70	0
NH	01-APR-2016	Aggregate	MR-4-01-3200	Mean Time To Repair - Total	UNE Specials	Parity with Retail Specials	ELIGIBLE	103.98	13.00	101.35	16.00	8.00	6.33	0.724	MET	0	1.00	125	0
NNE	01-APR-2016	Aggregate	MR-4-01-5000	Mean Time To Repair - Total	CLEC Trunks	Parity with IXC Feature Group D Trunks	ELIGIBLE	2.10	1.00	4.37	3.00	2.10	1.46	NA	3R-MET	0	1.00	125	0
NH	01-APR-2016	Aggregate	MR-4-02-010	Mean Time To Repair - Loop Trouble	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	2919.18	249.00	80.01	8.00	11.72	10.00	0.226	MET	0	1.00	60	0
NH	01-APR-2016	Aggregate	MR-4-02-2120	Mean Time To Repair - Loop Trouble	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	16041.00	982.00	15.39	1.00	16.34	15.39	NA	SS	0	1.00	35	0
NH	01-APR-2016	Aggregate	MR-4-02-3112	Mean Time To Repair - Loop Trouble	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	18960.12	1231.00	343.33	24.00	15.40	14.31	0.247	MET	0	1.00	60	0
NH	01-APR-2016	Aggregate	MR-4-02-3343	Mean Time To Repair - Loop Trouble	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	18960.12	1231.00	41.98	7.00	15.40	6.00	2.235	MET	0	1.00	60	0
NH	01-APR-2016	Aggregate	MR-4-03-2010	Mean Time To Repair - Central Office Trouble	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	3148.21	58.00	40.85	3.00	54.28	13.62	NA	SS	0	1.00	60	0
NH	01-APR-2016	Aggregate	MR-4-03-2120	Mean Time To Repair - Central Office Trouble	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	1270.81	99.00	NA	NA	12.84	NA	NA	NA	0	1.00	35	0
NH	01-APR-2016	Aggregate	MR-4-03-3112	Mean Time To Repair - Central Office Trouble	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	359.74	47.00	29.53	3.00	7.65	9.84	NA	SS	0	1.00	60	0
NH	01-APR-2016	Aggregate	MR-4-03-3343	Mean Time To Repair - Central Office Trouble	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	359.74	47.00	0.66	1.00	7.65	0.66	NA	SS	0	1.00	60	0
NH	01-APR-2016	Aggregate	MR-4-04-2000	% Cleared within 24 Hours	Resale	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	1179.00	1388.00	11.00	13.00	84.94	84.62	NA	NA	NA	NA	NA	0
NH	01-APR-2016	Aggregate	MR-4-04-3112	% Cleared within 24 Hours	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	1084.00	1278.00	24.00	27.00	84.82	88.89	NA	NA	NA	NA	NA	0
NH	01-APR-2016	Aggregate	MR-4-04-3200	% Cleared within 24 Hours	UNE Specials	Diagnostic Comparison to Retail Specials	DIAGNOSTIC	13.00	13.00	16.00	16.00	100.00	100.00	NA	NA	NA	NA	NA	0
NH	01-APR-2016	Aggregate	MR-4-04-3343	% Cleared within 24 Hours	UNE 2-Wire Digital and xDSL Loops	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	1084.00	1278.00	8.00	8.00	84.82	100.00	NA	NA	NA	NA	NA	0</

