

State	Month	CLEC Id	Metric Id	Metric Title	Product	Performance Standard	Eligible/Diagnostic	FRP Num	FRP Den	CLEC Num	CLEC Den	FRP Perf.	CLEC Perf.	Z Score	Met Miss Ss	Qual'd Miss	Escalation Level	\$ Miss	\$ Credit
NNE	01-JUN-2016	Aggregate	PO-1-01-6040	Average Response Time - CSR	XML	<= 4.5 Seconds	ELIGIBLE	NA	NA	1208.00	497.00	NA	2.43	NA	MET	0	1.00	5	0
NNE	01-JUN-2016	Aggregate	PO-1-01-6050	Average Response Time - CSR	WEB GUI	<= 6.5 Seconds	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	5	0
NNE	01-JUN-2016	Aggregate	PO-1-03-6040	Average Response Time - Address Validation	XML	<= 4.5 Seconds	ELIGIBLE	NA	NA	2513.00	1518.00	NA	1.66	NA	MET	0	1.00	5	0
NNE	01-JUN-2016	Aggregate	PO-1-03-6050	Average Response Time - Address Validation	WEB GUI	<= 7.5 Seconds	ELIGIBLE	NA	NA	3.00	2.00	NA	1.50	NA	MET	0	1.00	5	0
NNE	01-JUN-2016	Aggregate	PO-1-05-6040	Average Response Time - TN Availability and Reservation	XML	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	819.00	96.00	NA	8.53	NA	NA	NA	NA		0
NNE	01-JUN-2016	Aggregate	PO-1-05-6050	Average Response Time - TN Availability and Reservation	WEB GUI	<= 7.5 Seconds	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NNE	01-JUN-2016	Aggregate	PO-1-06-6040	Average Response Time - Mech. Loop Qualification	XML	<= 4.5 Seconds	ELIGIBLE	NA	NA	4704.00	1523.00	NA	3.09	NA	MET	0	1.00	5	0
NNE	01-JUN-2016	Aggregate	PO-1-06-6050	Average Response Time - Mech. Loop Qualification	WEB GUI	<= 6.5 Seconds	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	5	0
NNE	01-JUN-2016	Aggregate	PO-1-07-6040	Average Response Time - Rejected Query	XML	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	201.00	178.00	NA	1.13	NA	NA	NA	NA		0
NNE	01-JUN-2016	Aggregate	PO-1-07-6050	Average Response Time - Rejected Query	WEB GUI	<= 7.5 Seconds	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NNE	01-JUN-2016	Aggregate	PO-1-08-6040	% Timeouts	XML	<= 0.33%	ELIGIBLE	NA	NA	188.00	8697.00	NA	2.16	NA	MISS	168	1.00	5	145.00
NNE	01-JUN-2016	Aggregate	PO-1-08-6050	% Timeouts	WEB GUI	<= 0.33%	ELIGIBLE	NA	NA	0.00	2.00	NA	0.00	NA	MET	0	1.00	5	0
NNE	01-JUN-2016	Aggregate	PO-1-09-6040	Average Response Time - Parsed CSR	XML	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	11130.00	4697.00	NA	2.37	NA	NA	NA	NA		0
NNE	01-JUN-2016	Aggregate	PO-2-02-6000	OSS Interface Availability - Prime Time	VFO	>= 99.5%	ELIGIBLE	NA	NA	28080.00	28080.00	NA	100.00	NA	MET	0	1.00	Severity Dependent	0
NNE	01-JUN-2016	Aggregate	PO-3-02-1000	% Answered within 30 Seconds - Ordering	Resale and UNE	>= 80%	DIAGNOSTIC	NA	NA	973.00	979.00	NA	99.39	NA	NA	NA	NA		0
NNE	01-JUN-2016	Aggregate	PO-3-04-1000	% Answered within 30 Seconds - Repair	Resale and UNE	>= 80%	DIAGNOSTIC	NA	NA	15510.00	16172.00	NA	95.91	NA	NA	NA	NA		0
NNE	01-JUN-2016	Aggregate	PO-4-01-6660	% Change Management Notices Sent on Time	Change Notices (types 3, 4 and 5)	>= 95%	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-JUN-2016	Aggregate	PO-4-01-6671	% Change Management Notices Sent on Time	Change Notices (types 1 and 2)	>= 95%	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-JUN-2016	Aggregate	PO-4-02-6600	Change Management Notices - Delay 1 to 7 Days	Change Notices all types	No Standard	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NNE	01-JUN-2016	Aggregate	PO-4-03-6600	Change Management Notices - Delay >= 8 Days	Change Notices all types	0 (zero) Notices >= 8 Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-JUN-2016	Aggregate	PO-5-01-6500	% On Time Notice of OSS Interface Outage	OSS Interface Outage Notifications	>= 95% within 20 Minutes of Outage	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NNE	01-JUN-2016	Aggregate	PO-6-01-6000	Software Validation	VFO	<= 5% Failed Transactions	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-JUN-2016	Aggregate	PO-7-01-6000	% Production Software Referrals Resolved On Time	VFO	>= 95% within 48 Hours/10 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-JUN-2016	Aggregate	PO-7-02-6000	Delay Hours Production Software Resolution - Change - Transactions Failed - No Workaround	VFO	0 (zero) production resolution changes > 48 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-JUN-2016	Aggregate	PO-7-03-6000	Delay Days Production Software Resolution - Change - Transactions Failed - With Workaround	VFO	0 (zero) production resolution changes > 10 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-JUN-2016	Aggregate	PO-7-04-6000	Delay Hours - Failed/Rejected Test Deck Transactions - Transactions Failed - No Workaround	VFO	0 (zero) failed/rejected test deck transactions > 48 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NH	01-JUN-2016	Aggregate	PO-8-01-6100	% On Time - Manual Loop Qualification	Manual Loop Qual Request	>= 95% within 48 Hours	ELIGIBLE	NA	NA	3.00	3.00	NA	100.00	NA	MET	0	1.00	40	0
NH	01-JUN-2016	Aggregate	OR-1-02-2000	% On Time LSRC - Flow-Through	Resale	>= 95% within 2 Hours	ELIGIBLE	NA	NA	19.00	19.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-JUN-2016	Aggregate	OR-1-02-3332	% On Time LSRC - Flow-Through	UNE 2-Wire Loops/LNP	>= 95% within 2 Hours	ELIGIBLE	NA	NA	712.00	714.00	NA	99.72	NA	MET	0	1.00	28	0
NH	01-JUN-2016	Aggregate	OR-1-04-2000	% On Time LSRC - No Facility Check (Non-Flow-Through)	Resale	>= 95% within 24 Hours	ELIGIBLE	NA	NA	31.00	32.00	NA	96.88	NA	MET	0	1.00	28	0
NH	01-JUN-2016	Aggregate	OR-1-04-3331	% On Time LSRC - No Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 24 Hours	ELIGIBLE	NA	NA	196.00	201.00	NA	97.51	NA	MET	1	1.00	28	28.00
NH	01-JUN-2016	Aggregate	OR-1-04-3343	% On Time LSRC - No Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 24 Hours	ELIGIBLE	NA	NA	4.00	4.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-JUN-2016	Aggregate	OR-1-06-2000	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	Resale	>= 95% within 72 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NH	01-JUN-2016	Aggregate	OR-1-06-3200	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	UNE Specials	>= 95% within 5 Business Days	ELIGIBLE	NA	NA	46.00	46.00	NA	100.00	NA	MET	0	1.00	56	0
NH	01-JUN-2016	Aggregate	OR-1-06-3331	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 72 Hours	ELIGIBLE	NA	NA	7.00	7.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-JUN-2016	Aggregate	OR-1-06-3343	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 72 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NH	01-JUN-2016	Aggregate	OR-1-12-5020	% On Time ASRC	CLEC Trunks (<= 192 Forecasted)	>= 95% within 10 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	56	0
NH	01-JUN-2016	Aggregate	OR-1-12-5030	% On Time ASRC	CLEC Trunks (> 192, Unforecasted, and Projects)	>= 95% within Negotiated Interval	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	56	0
NH	01-JUN-2016	Aggregate	OR-1-13-5000	% On Time Design Layout Record (DLR)	CLEC Trunks	>= 95% On or Before DLRD	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	56	0
NH	01-JUN-2016	Aggregate	OR-2-02-2000	% On Time LSR Reject (Flow-Through)	Resale	>= 95% within 2 Hours	ELIGIBLE	NA	NA	2.00	3.00	NA	66.67	NA	MET	0	1.00	28	0
NH	01-JUN-2016	Aggregate	OR-2-02-3332	% On Time LSR Reject (Flow-Through)	UNE 2-Wire Loops/LNP	>= 95% within 2 Hours	ELIGIBLE	NA	NA	114.00	115.00	NA	99.13	NA	MET	0	1.00	28	0
NH	01-JUN-2016	Aggregate	OR-2-04-2000	% On Time LSR Reject - No Facility Check (Non-Flow-Through)	Resale	>= 95% within 24 Hours	ELIGIBLE	NA	NA	41.00	41.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-JUN-2016	Aggregate	OR-2-04-3331	% On Time LSR Reject - No Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 24 Hours	ELIGIBLE	NA	NA	75.00	76.00	NA	98.68	NA	MET	0	1.00	28	0
NH	01-JUN-2016	Aggregate	OR-2-04-3343	% On Time LSR Reject - No Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 24 Hours	ELIGIBLE	NA	NA	1.00	1.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-JUN-2016	Aggregate	OR-2-06-2000	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	Resale	>= 95% within 72 Hours	ELIGIBLE	NA	NA	1.00	1.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-JUN-2016	Aggregate	OR-2-06-3200	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	UNE Specials	>= 95% within 5 Business Days	ELIGIBLE	NA	NA	24.00	24.00	NA	100.00	NA	MET	0	1.00	56	0
NH	01-JUN-2016	Aggregate	OR-2-06-3331	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 72 Hours	ELIGIBLE	NA	NA	1.00	1.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-JUN-2016	Aggregate	OR-2-06-3343	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 72 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NH	01-JUN-2016	Aggregate	OR-2-12-5020	% On Time Trunk ASR Reject	CLEC Trunks (<= 192 Forecasted)	>= 95% within 7 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	56	0
NH	01-JUN-2016	Aggregate	OR-2-12-5030	% On Time Trunk ASR Reject	CLEC Trunks (> 192, Unforecasted, and Projects)	>= 95% within Negotiated Interval	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NH	01-JUN-2016	Aggregate	OR-4-11-1000	% Completed Orders with Neither a PCN nor BCN Sent	Resale and UNE	<= 0.25% within 2 Business Days of Provisioning Completion	DIAGNOSTIC	NA	NA	3.00	2923.00	NA	0.10	NA	NA	NA	NA		0
NH	01-JUN-2016	Aggregate	OR-4-16-1000	% Provisioning Completion Notifiers Sent within One Business Day	Resale and UNE	>= 95%	ELIGIBLE	NA	NA	629.00	658.00	NA	95.59	NA	MET	5	1.00	28	140.00
NH	01-JUN-2016	Aggregate	OR-4-17-1000	% Billing Completion Notifiers Sent On Time	Resale and UNE	>= 95.5% within 2 or 4 Business Days of Provisioning Completion	ELIGIBLE	NA	NA	2900.00	2922.00	NA	99.25	NA	MET	2	1.00	28	56.00
NH	01-JUN-2016	Aggregate	OR-5-01-2000	% Flow-Through - Total	Resale	No Standard	DIAGNOSTIC	NA	NA	19.00	51.00	NA	37.25	NA	NA	NA	NA		0
NH	01-JUN-2016	Aggregate	OR-5-01-3112	% Flow-Through - Total	UNE 2-Wire Analog Loop	No Standard	DIAGNOSTIC	NA	NA	115.00	133.00	NA	86.47	NA	NA	NA	NA		0
NH	01-JUN-2016	Aggregate	OR-5-01-3121	% Flow-Through - Total	Directory Listings and LNP	No Standard	DIAGNOSTIC	NA	NA	2782.00	3044.00	NA	91.39	NA	NA	NA	NA		0
NH	01-JUN-2016	Aggregate	OR-5-03-2000	% Flow-Through - Achieved	Resale	>= 95%	ELIGIBLE	NA	NA	3.00	3.00	NA	100.00	NA	MET	0	1.00	35	0
NH	01-JUN-2016	Aggregate	OR-5-03-3112	% Flow-Through - Achieved	UNE 2-Wire Analog Loop	>= 95%	ELIGIBLE	NA	NA	60.00	63.00	NA	95.24	NA	MET	2	1.00	35	70.00
NH	01-JUN-2016	Aggregate	OR-5-03-3121	% Flow-Through - Achieved	Directory Listings and LNP	>= 95%	ELIGIBLE	NA	NA	2344.00	2457.00	NA	95.40	NA	MET	36	1.00	35	1,260.00
NNE	01-JUN-2016	Aggregate	OR-6-01-1001	% Service Order Accuracy	Resale and UNE 2-Wire Loops /LNP	>= 95% without Errors	ELIGIBLE	NA	NA	69.00	70.00	NA	98.57	NA	MET	0	1.00	56	0
NH	01-JUN-2016	Aggregate	OR-6-03-2000	% Resent LSRC	Resale	<= 5% due to Errors	ELIGIBLE	NA	NA	0.00	32.00	NA	0.00	NA	MET	0	1.00	28	0
NH	01-JUN-2016	Aggregate	OR-6-03-3332	% Resent LSRC	UNE 2-Wire Loops/LNP	<= 5% due to Errors	ELIGIBLE	NA	NA	4.00	180.00	NA	2.22	NA	MET	0	1.00	28	0
NNE	01-JUN-2016	Aggregate	OR-6-04-1040	% Accuracy - Directory Listing	Directory Listings	>= 95% without Errors	ELIGIBLE	NA	NA	30.00	33.00	NA	90.91	NA	MISS	2	2.50	40	85.00
NH	01-JUN-2016	Aggregate	OR-11-01-2000	% On Time Resale Provider Notifications	Resale	>= 95% within 2 Business Days	ELIGIBLE	NA	NA	138.00	141.00	NA	97.87	NA	MET	3	1.00	56	168.00
NH	01-JUN-2016	Aggregate	PR-1-04-3112	Average Interval Offered - Dispatch (6 to 9 Lines)	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	7.00	1.00	NA	NA	7.00	NA	NA	NA	NA	NA		0
NH	01-JUN-2016	Aggregate	PR-1-05-3112	Average Interval Offered - Dispatch (>= 10 Lines)	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	10.00	2.00	NA	NA	5.00	NA	NA	NA	NA	NA		0
NH	01-JUN-2016	Aggregate	PR-1-09-3211	Average Interval Offered	UNE DS1	Parity with Retail DS1	DIAGNOSTIC	127.00	15.00	414.00	46.00	8.47	9.00	NA	NA	NA	NA		0
NH	01-JUN-2016	Aggregate	PR-1-09-3213	Average Interval Offered	UNE DS3	Parity with Retail DS3	DIAGNOSTIC	360.00	8.00	NA	NA	45.00	NA	NA	NA	NA	NA		0
NH	01-JUN-2016	Aggregate	PR-1-09-5020	Average Interval Offered	CLEC Trunks (<= 192 Forecasted)	Parity with IXC Feature Group D Trunks	DIAGNOSTIC	160.00	12.00	NA	NA	13.							

State	Month	CLEC Id	Metric Id	Metric Title	Product	Performance Standard	Eligible/Diagnostic	FRP Num	FRP Den	CLEC Num	CLEC Den	FRP Perf.	CLEC Perf.	Z Score	Met Miss Ss	Qual'd Miss	Escalation Level	\$ Miss	\$ Credit
NH	01-JUN-2016	Aggregate	PR-5-02-3343	% Orders Held for Facilities > 15 Days	UNE 2-Wire Digital and xDSL Loops	No Standard	DIAGNOSTIC	NA	NA	0.00	9.00	NA	0.00	NA	NA	NA	NA		0
NH	01-JUN-2016	Aggregate	PR-5-02-5000	% Orders Held for Facilities > 15 Days	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D	DIAGNOSTIC	0.00	12.00	NA	NA	0.00	NA	NA	NA	NA	NA		0
NH	01-JUN-2016	Aggregate	PR-5-03-5000	% Orders Held for Facilities > 60 Days	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D	DIAGNOSTIC	0.00	12.00	NA	NA	0.00	NA	NA	NA	NA	NA		0
NH	01-JUN-2016	Aggregate	PR-6-01-2000	% Installation Troubles Reported within 30 Days	Resale	Parity with Retail POTS	ELIGIBLE	105.00	1331.00	0.00	8.00	7.89	0.00	0.049	MET	0	1.00	60	0
NH	01-JUN-2016	Aggregate	PR-6-01-3113	% Installation Troubles Reported within 30 Days	UNE 2-Wire Analog Loop - New	Parity with Retail POTS - Dispatched	ELIGIBLE	56.00	396.00	2.00	27.00	14.14	7.41	0.659	MET	0	1.00	60	0
NH	01-JUN-2016	Aggregate	PR-6-01-3200	% Installation Troubles Reported within 30 Days	UNE Specials	Parity with Retail Specials	ELIGIBLE	0.00	14.00	0.00	50.00	0.00	0.00	5.000	MET	0	1.00	150	0
NH	01-JUN-2016	Aggregate	PR-6-01-3343	% Installation Troubles Reported within 30 Days	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS - Dispatched	ELIGIBLE	57.00	396.00	1.00	17.00	14.39	5.88	0.576	MET	0	1.00	60	0
NNE	01-JUN-2016	Aggregate	PR-6-01-5000	% Installation Troubles Reported within 30 Days	CLEC Trunks	Parity with IXC Feature Group D Trunks	ELIGIBLE	0.00	22.00	0.00	9.00	0.00	0.00	5.000	MET	0	1.00	150	0
NH	01-JUN-2016	Aggregate	PR-6-02-3520	% Installation Troubles Reported within 7 Days	UNE 2-Wire Analog Loop - Hot Cut	<= 2%	ELIGIBLE	NA	NA	0.00	7.00	NA	0.00	NA	MET	0	1.00	60	0
NH	01-JUN-2016	Aggregate	PR-8-01-2000	% Open Orders in a Hold Status > 30 Days	Resale	Parity with Retail POTS	ELIGIBLE	72.00	2637.00	0.00	27.00	2.73	0.00	0.062	MET	0	1.00	60	0
NH	01-JUN-2016	Aggregate	PR-8-01-3112	% Open Orders in a Hold Status > 30 Days	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	72.00	2637.00	0.00	24.00	2.73	0.00	0.041	MET	0	1.00	60	0
NH	01-JUN-2016	Aggregate	PR-8-01-3200	% Open Orders in a Hold Status > 30 Days	UNE Specials	Parity with Retail Specials	ELIGIBLE	4.00	27.00	0.00	52.00	14.81	0.00	2.268	MET	0	1.00	150	0
NH	01-JUN-2016	Aggregate	PR-8-01-3343	% Open Orders in a Hold Status > 30 Days	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	72.00	2637.00	0.00	12.00	2.73	0.00	0.577	MET	0	1.00	60	0
NH	01-JUN-2016	Aggregate	PR-8-01-5000	% Open Orders in a Hold Status > 30 Days	CLEC Trunks	Parity with IXC Feature Group D Trunks	ELIGIBLE	0.00	12.00	NA	NA	0.00	NA	NA	NA	0	1.00	150	0
NH	01-JUN-2016	Aggregate	PR-8-02-2000	% Open Orders in a Hold Status > 90 Days	Resale	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	72.00	2637.00	0.00	27.00	2.73	0.00	NA	NA	NA	NA		0
NH	01-JUN-2016	Aggregate	PR-8-02-3112	% Open Orders in a Hold Status > 90 Days	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	72.00	2637.00	0.00	24.00	2.73	0.00	NA	NA	NA	NA		0
NH	01-JUN-2016	Aggregate	PR-8-02-3200	% Open Orders in a Hold Status > 90 Days	UNE Specials	Diagnostic Comparison to Retail Specials	DIAGNOSTIC	4.00	27.00	0.00	52.00	14.81	0.00	NA	NA	NA	NA		0
NH	01-JUN-2016	Aggregate	PR-8-02-3343	% Open Orders in a Hold Status > 90 Days	UNE 2-Wire Digital and xDSL Loops	Diagnostic comparison to Retail POTS	DIAGNOSTIC	72.00	2637.00	0.00	12.00	2.73	0.00	NA	NA	NA	NA		0
NH	01-JUN-2016	Aggregate	PR-8-02-5000	% Open Orders in a Hold Status > 90 Days	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D Trunks	DIAGNOSTIC	0.00	12.00	NA	NA	0.00	NA	NA	NA	NA	NA		0
NH	01-JUN-2016	Aggregate	PR-9-01-3520	% On Time Performance - Hot Cut	UNE 2-Wire Analog Loop - Hot Cut	>= 95% Completed within Window	ELIGIBLE	NA	NA	5.00	5.00	NA	100.00	NA	MET	0	1.00	100	0
NH	01-JUN-2016	Aggregate	PR-9-08-3520	Average Duration of Hot Cut Installation Troubles	UNE 2-Wire Analog Loop - Hot Cut	Parity with Retail POTS - New	ELIGIBLE	1497.30	81.00	NA	NA	18.49	NA	NA	NA	0	1.00	100	0
NNE	01-JUN-2016	Aggregate	MR-1-01-6000	Average Response Time - Create Trouble	VFO	<= 4.5 Seconds	ELIGIBLE	NA	NA	3519.00	1186.00	NA	2.97	NA	MET	0	1.00	5	0
NNE	01-JUN-2016	Aggregate	MR-1-02-6000	Average Response Time - Status Trouble	VFO	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	230.00	5.00	NA	46.00	NA	NA	NA	NA		0
NNE	01-JUN-2016	Aggregate	MR-1-03-6000	Average Response Time - Modify Trouble	VFO	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	1339.00	40.00	NA	33.48	NA	NA	NA	NA		0
NNE	01-JUN-2016	Aggregate	MR-1-04-6000	Average Response Time - Request Cancellation of Trouble	VFO	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	176.00	4.00	NA	44.00	NA	NA	NA	NA		0
NNE	01-JUN-2016	Aggregate	MR-1-05-6000	Average Response Time - Status and Trouble History	VFO	No Standard	DIAGNOSTIC	NA	NA	353.00	10.00	NA	35.30	NA	NA	NA	NA		0
NNE	01-JUN-2016	Aggregate	MR-1-06-6000	Average Response Time - Test Trouble (Resale POTS Only)	VFO	<= 90 Seconds	ELIGIBLE	NA	NA	8877.00	220.00	NA	40.35	NA	MET	0	1.00	5	0
NH	01-JUN-2016	Aggregate	MR-2-01-3200	Network Trouble Report Rate	UNE Specials	DIAGNOSTIC	No Standard	NA	NA	17.00	3857.00	NA	0.44	NA	NA	NA	NA		0
NH	01-JUN-2016	Aggregate	MR-2-01-5000	Network Trouble Report Rate	CLEC Trunks	Parity with IXC Feature Group D Trunks	DIAGNOSTIC	0.00	17.00	0.00	620.00	0.00	0.00	NA	NA	NA	NA		0
NH	01-JUN-2016	Aggregate	MR-2-02-2000	Network Trouble Report Rate - Loop	Resale	Parity with Retail POTS	DIAGNOSTIC	1730.00	164340.00	15.00	4739.00	1.05	0.32	NA	NA	NA	NA		0
NH	01-JUN-2016	Aggregate	MR-2-02-3112	Network Trouble Report Rate - Loop	UNE 2-Wire Analog Loop	Parity with Retail POTS	DIAGNOSTIC	1730.00	164340.00	42.00	14599.00	1.05	0.29	NA	NA	NA	NA		0
NH	01-JUN-2016	Aggregate	MR-2-02-3343	Network Trouble Report Rate - Loop	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	DIAGNOSTIC	365.00	164340.00	0.00	2660.00	0.22	0.00	NA	NA	NA	NA		0
NH	01-JUN-2016	Aggregate	MR-2-03-2000	Network Trouble Report Rate - Central Office	Resale	Parity with Retail POTS	DIAGNOSTIC	165.00	164340.00	0.00	4739.00	0.10	0.00	NA	NA	NA	NA		0
NH	01-JUN-2016	Aggregate	MR-2-03-3112	Network Trouble Report Rate - Central Office	UNE 2-Wire Analog Loop	Parity with Retail POTS	DIAGNOSTIC	7.00	164340.00	3.00	14599.00	0.00	0.02	NA	NA	NA	NA		0
NH	01-JUN-2016	Aggregate	MR-2-03-3343	Network Trouble Report Rate - Central Office	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	DIAGNOSTIC	4.00	164340.00	0.00	2660.00	0.00	0.00	NA	NA	NA	NA		0
NH	01-JUN-2016	Aggregate	MR-3-01-2010	% Missed Repair Appointment - Loop	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	60.00	325.00	2.00	15.00	18.46	13.33	0.091	MET	0	1.00	70	0
NH	01-JUN-2016	Aggregate	MR-3-01-2120	% Missed Repair Appointment - Loop	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	146.00	1405.00	NA	NA	10.39	NA	NA	NA	0	1.00	35	0
NH	01-JUN-2016	Aggregate	MR-3-01-3112	% Missed Repair Appointment - Loop	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	206.00	1730.00	3.00	42.00	11.91	7.14	0.672	MET	0	1.00	70	0
NH	01-JUN-2016	Aggregate	MR-3-01-3343	% Missed Repair Appointment - Loop	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	206.00	1730.00	0.00	7.00	11.91	0.00	0.221	MET	0	1.00	70	0
NH	01-JUN-2016	Aggregate	MR-3-02-2010	% Missed Repair Appointment - Central Office	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	8.00	62.00	NA	NA	12.90	NA	NA	NA	0	1.00	70	0
NH	01-JUN-2016	Aggregate	MR-3-02-2120	% Missed Repair Appointment - Central Office	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	8.00	103.00	NA	NA	7.77	NA	NA	NA	0	1.00	35	0
NH	01-JUN-2016	Aggregate	MR-3-02-3112	% Missed Repair Appointment - Central Office	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	3.00	25.00	0.00	12.00	12.00	0.00	0.536	MET	0	1.00	70	0
NH	01-JUN-2016	Aggregate	MR-3-02-3343	% Missed Repair Appointment - Central Office	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	3.00	25.00	NA	NA	12.00	NA	NA	NA	0	1.00	70	0
NH	01-JUN-2016	Aggregate	MR-4-01-3200	Mean Time To Repair - Total	UNE Specials	Parity with Retail Specials	ELIGIBLE	57.18	11.00	183.12	17.00	5.20	10.77	-0.768	MET	0	1.00	125	0
NNE	01-JUN-2016	Aggregate	MR-4-01-5000	Mean Time To Repair - Total	CLEC Trunks	Parity with IXC Feature Group D Trunks	ELIGIBLE	NA	NA	9.55	3.00	NA	3.18	NA	3R-SS	3	1.00	125	0
NH	01-JUN-2016	Aggregate	MR-4-02-2010	Mean Time To Repair - Loop Trouble	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	3903.37	325.00	189.02	15.00	12.01	12.60	-0.490	MET	0	1.00	60	0
NH	01-JUN-2016	Aggregate	MR-4-02-2120	Mean Time To Repair - Loop Trouble	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	29661.66	1405.00	NA	NA	21.11	NA	NA	NA	0	1.00	35	0
NH	01-JUN-2016	Aggregate	MR-4-02-3112	Mean Time To Repair - Loop Trouble	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	33564.95	1730.00	583.25	42.00	19.40	13.89	2.203	MET	0	1.00	60	0
NH	01-JUN-2016	Aggregate	MR-4-02-3343	Mean Time To Repair - Loop Trouble	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	33564.95	1730.00	108.78	7.00	19.40	15.54	0.475	MET	0	1.00	60	0
NH	01-JUN-2016	Aggregate	MR-4-03-2010	Mean Time To Repair - Central Office Trouble	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	444.80	62.00	NA	NA	7.17	NA	NA	NA	0	1.00	60	0
NH	01-JUN-2016	Aggregate	MR-4-03-2120	Mean Time To Repair - Central Office Trouble	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	1478.21	103.00	NA	NA	14.35	NA	NA	NA	0	1.00	35	0
NH	01-JUN-2016	Aggregate	MR-4-03-3112	Mean Time To Repair - Central Office Trouble	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	676.39	25.00	19.89	12.00	27.06	1.66	5.000	MET	0	1.00	60	0
NH	01-JUN-2016	Aggregate	MR-4-03-3343	Mean Time To Repair - Central Office Trouble	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	676.39	25.00	NA	NA	27.06	NA	NA	NA	0	1.00	60	0
NH	01-JUN-2016	Aggregate	MR-4-04-2000	% Cleared within 24 Hours	Resale	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	1430.00	1895.00	15.00	15.00	75.46	100.00	NA	NA	NA	NA		0
NH	01-JUN-2016	Aggregate	MR-4-04-3112	% Cleared within 24 Hours	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	1303.00	1755.00	52.00	54.00	74.25	96.30	NA	NA	NA	NA		0
NH	01-JUN-2016	Aggregate	MR-4-04-3200	% Cleared within 24 Hours	UNE Specials	Diagnostic Comparison to Retail Specials	DIAGNOSTIC	11.00	11.00	15.00	17.00	100.00	88.24	NA	NA	NA	NA		0
NH	01-JUN-2016	Aggregate	MR-4-04-3343	% Cleared within 24 Hours	UNE 2-Wire Digital and xDSL Loops	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	1303.00	1755.00	7.00	7.00	74.25	100.00	NA	NA	NA	NA		0
NNE	01-JUN-2016	Aggregate	MR-4-04-5000	% Cleared within 24 Hours	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D	DIAGNOSTIC	NA	NA	3.00	3.00	NA	100.00	NA	NA	NA	NA		0
NH	01-JUN-2016	Aggregate	MR-4-05-5000	% Out of Service > 2 Hours	CLEC Trunks	Parity with IXC Feature Group D Trunks	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	175	0
NH	01-JUN-2016	Aggregate	MR-4-06-2010	% Out of Service > 4 Hours	Resale Business	Diagnostic Comparison to Retail POTS - Business	DIAGNOSTIC	163.00	281.00	10.00	14.00	58.01	71.43	NA	NA	NA	NA		0
NH	01-JUN-2016	Aggregate	MR-4-06-2120	% Out of Service > 4 Hours	Resale POTS Residence	Diagnostic Comparison to Retail POTS - Residence	DIAGNOSTIC	958.00	1092.00	NA	NA	87.73	NA	NA	NA	NA	NA		0
NH	01-JUN-2016	Aggregate	MR-4-06-3200	% Out of Service > 4 Hours	UNE Specials	Parity with Retail Specials	ELIGIBLE	2.00	5.00	NA	NA	40.00	NA	NA	NA	0	1.00	175	0
NH	01-JUN-2016	Aggregate	MR-4-06-5000	% Out of Service > 4 Hours	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D Trunks	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NH	01-JUN-2016	Aggregate	MR-4-07-2010	% Out of Service > 12 Hours	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	102.00	281.00	8.00	14.00	36.30	57.14	-1.830	MISS	4	2.50	100	1,000.00
NH	01-JUN-2016	Aggregate	MR-4-07-2120	% Out of Service > 12 Hours	Resale POTS Residence	Diagnostic Comparison to Retail POTS - Residence	DIAGNOSTIC	736.00	1092.00	NA	NA	67.40	NA	NA	NA	NA	NA		0
NH	01-JUN-2016	Aggregate	MR-4-07-3112	% Out of Service > 12 Hours	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	317.00	1297.00	1.00	32.00	24.44	3.13	2.948	MET	0	1.00	100	0
NH	01-J																		

