

State	Month	CLEC Id	Metric Id	Metric Title	Product	Performance Standard	Eligible/Diagnostic	FRP Num	FRP Den	CLEC Num	CLEC Den	FRP Perf.	CLEC Perf.	Z Score	Met Miss Ss	Qual'd Miss	Escalation Level	\$ Miss	\$ Credit
NNE	01-AUG-2016	Aggregate	PO-1-01-6040	Average Response Time - CSR	XML	<= 4.5 Seconds	ELIGIBLE	NA	NA	278.00	102.00	NA	2.73	NA	MET	0	1.00	5	0
NNE	01-AUG-2016	Aggregate	PO-1-01-6050	Average Response Time - CSR	WEB GUI	<= 6.5 Seconds	ELIGIBLE	NA	NA	1080.00	431.00	NA	2.51	NA	MET	0	1.00	5	0
NNE	01-AUG-2016	Aggregate	PO-1-03-6040	Average Response Time - Address Validation	XML	<= 4.5 Seconds	ELIGIBLE	NA	NA	860.00	496.00	NA	1.73	NA	MET	0	1.00	5	0
NNE	01-AUG-2016	Aggregate	PO-1-03-6050	Average Response Time - Address Validation	WEB GUI	<= 7.5 Seconds	ELIGIBLE	NA	NA	2369.00	1426.00	NA	1.66	NA	MET	0	1.00	5	0
NNE	01-AUG-2016	Aggregate	PO-1-05-6040	Average Response Time - TN Availability and Reservation	XML	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NNE	01-AUG-2016	Aggregate	PO-1-05-6050	Average Response Time - TN Availability and Reservation	WEB GUI	<= 7.5 Seconds	DIAGNOSTIC	NA	NA	992.00	116.00	NA	8.55	NA	NA	NA	NA		0
NNE	01-AUG-2016	Aggregate	PO-1-06-6040	Average Response Time - Mech. Loop Qualification	XML	<= 4.5 Seconds	ELIGIBLE	NA	NA	3438.00	1098.00	NA	3.13	NA	MET	0	1.00	5	0
NNE	01-AUG-2016	Aggregate	PO-1-06-6050	Average Response Time - Mech. Loop Qualification	WEB GUI	<= 6.5 Seconds	ELIGIBLE	NA	NA	2292.00	954.00	NA	2.40	NA	MET	0	1.00	5	0
NNE	01-AUG-2016	Aggregate	PO-1-07-6040	Average Response Time - Rejected Query	XML	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	47.00	39.00	NA	1.21	NA	NA	NA	NA		0
NNE	01-AUG-2016	Aggregate	PO-1-07-6050	Average Response Time - Rejected Query	WEB GUI	<= 7.5 Seconds	DIAGNOSTIC	NA	NA	294.00	252.00	NA	1.17	NA	NA	NA	NA		0
NNE	01-AUG-2016	Aggregate	PO-1-08-6040	% Timeouts	XML	<= 0.33%	ELIGIBLE	NA	NA	149.00	5343.00	NA	2.79	NA	MISS	135	1.00	5	235.00
NNE	01-AUG-2016	Aggregate	PO-1-08-6050	% Timeouts	WEB GUI	<= 0.33%	ELIGIBLE	NA	NA	101.00	3280.00	NA	3.08	NA	MISS	94	1.00	5	175.00
NNE	01-AUG-2016	Aggregate	PO-1-09-6040	Average Response Time - Parsed CSR	XML	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	8367.00	3459.00	NA	2.42	NA	NA	NA	NA		0
NNE	01-AUG-2016	Aggregate	PO-2-02-6000	OSS Interface Availability - Prime Time	VFO	>= 99.5%	ELIGIBLE	NA	NA	29160.00	29160.00	NA	100.00	NA	MET	0	1.00	Severity Dependent	0
NNE	01-AUG-2016	Aggregate	PO-3-02-1000	% Answered within 30 Seconds - Ordering	Resale and UNE	>= 80%	DIAGNOSTIC	NA	NA	921.00	940.00	NA	97.98	NA	NA	NA	NA		0
NNE	01-AUG-2016	Aggregate	PO-3-04-1000	% Answered within 30 Seconds - Repair	Resale and UNE	>= 80%	DIAGNOSTIC	NA	NA	17436.00	18645.00	NA	93.52	NA	NA	NA	NA		0
NNE	01-AUG-2016	Aggregate	PO-4-01-6660	% Change Management Notices Sent on Time	Change Notices (types 3, 4 and 5)	>= 95%	ELIGIBLE	NA	NA	1.00	1.00	NA	100.00	NA	MET	0	1.00	Severity Dependent	0
NNE	01-AUG-2016	Aggregate	PO-4-01-6671	% Change Management Notices Sent on Time	Change Notices (types 1 and 2)	>= 95%	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-AUG-2016	Aggregate	PO-4-02-6600	Change Management Notices - Delay 1 to 7 Days	Change Notices all types	No Standard	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NNE	01-AUG-2016	Aggregate	PO-4-03-6600	Change Management Notices - Delay >= 8 Days	Change Notices all types	0 (zero) Notices >= 8 Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-AUG-2016	Aggregate	PO-5-01-6500	% On Time Notice of OSS Interface Outage	OSS Interface Outage Notifications	>= 95% within 20 Minutes of Outage	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NNE	01-AUG-2016	Aggregate	PO-6-01-6000	Software Validation	VFO	<= 5% Failed Transactions	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-AUG-2016	Aggregate	PO-7-01-6000	% Production Software Referrals Resolved On Time	VFO	>= 95% within 48 Hours/10 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-AUG-2016	Aggregate	PO-7-02-6000	Delay Hours Production Software Resolution - Change - Transactions Failed - No Workaround	VFO	0 (zero) production resolution changes > 48 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-AUG-2016	Aggregate	PO-7-03-6000	Delay Days Production Software Resolution - Change - Transactions Failed - With Workaround	VFO	0 (zero) production resolution changes > 10 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-AUG-2016	Aggregate	PO-7-04-6000	Delay Hours - Failed/Rejected Test Deck Transactions - Transactions Failed - No Workaround	VFO	0 (zero) failed/rejected test deck transactions > 48 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NH	01-AUG-2016	Aggregate	PO-8-01-6100	% On Time - Manual Loop Qualification	Manual Loop Qual Request	>= 95% within 48 Hours	ELIGIBLE	NA	NA	1.00	1.00	NA	100.00	NA	MET	0	1.00	40	0
NH	01-AUG-2016	Aggregate	OR-1-02-2000	% On Time LSRC - Flow-Through	Resale	>= 95% within 2 Hours	ELIGIBLE	NA	NA	11.00	11.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-AUG-2016	Aggregate	OR-1-02-3332	% On Time LSRC - Flow-Through	UNE 2-Wire Loops/LNP	>= 95% within 2 Hours	ELIGIBLE	NA	NA	818.00	818.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-AUG-2016	Aggregate	OR-1-04-2000	% On Time LSRC - No Facility Check (Non-Flow-Through)	Resale	>= 95% within 24 Hours	ELIGIBLE	NA	NA	7.00	7.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-AUG-2016	Aggregate	OR-1-04-3331	% On Time LSRC - No Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 24 Hours	ELIGIBLE	NA	NA	191.00	200.00	NA	95.50	NA	MET	1	1.00	28	28.00
NH	01-AUG-2016	Aggregate	OR-1-04-3343	% On Time LSRC - No Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 24 Hours	ELIGIBLE	NA	NA	1.00	1.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-AUG-2016	Aggregate	OR-1-06-2000	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	Resale	>= 95% within 72 Hours	ELIGIBLE	NA	NA	1.00	1.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-AUG-2016	Aggregate	OR-1-06-3200	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	UNE Specials	>= 95% within 5 Business Days	ELIGIBLE	NA	NA	34.00	34.00	NA	100.00	NA	MET	0	1.00	56	0
NH	01-AUG-2016	Aggregate	OR-1-06-3331	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 72 Hours	ELIGIBLE	NA	NA	7.00	7.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-AUG-2016	Aggregate	OR-1-06-3343	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 72 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NH	01-AUG-2016	Aggregate	OR-1-12-5020	% On Time ASRC	CLEC Trunks (<= 192 Forecasted)	>= 95% within 10 Business Days	ELIGIBLE	NA	NA	4.00	4.00	NA	100.00	NA	MET	0	1.00	56	0
NH	01-AUG-2016	Aggregate	OR-1-12-5030	% On Time ASRC	CLEC Trunks (> 192, Unforecasted, and Projects)	>= 95% within Negotiated Interval	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	56	0
NH	01-AUG-2016	Aggregate	OR-1-13-5000	% On Time Design Layout Record (DLR)	CLEC Trunks	>= 95% On or Before DLRD	ELIGIBLE	NA	NA	4.00	4.00	NA	100.00	NA	MET	0	1.00	56	0
NH	01-AUG-2016	Aggregate	OR-2-02-2000	% On Time LSR Reject (Flow-Through)	Resale	>= 95% within 2 Hours	ELIGIBLE	NA	NA	8.00	8.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-AUG-2016	Aggregate	OR-2-02-3332	% On Time LSR Reject (Flow-Through)	UNE 2-Wire Loops/LNP	>= 95% within 2 Hours	ELIGIBLE	NA	NA	174.00	174.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-AUG-2016	Aggregate	OR-2-04-2000	% On Time LSR Reject - No Facility Check (Non-Flow-Through)	Resale	>= 95% within 24 Hours	ELIGIBLE	NA	NA	12.00	12.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-AUG-2016	Aggregate	OR-2-04-3331	% On Time LSR Reject - No Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 24 Hours	ELIGIBLE	NA	NA	76.00	77.00	NA	98.70	NA	MET	0	1.00	28	0
NH	01-AUG-2016	Aggregate	OR-2-04-3343	% On Time LSR Reject - No Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 24 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NH	01-AUG-2016	Aggregate	OR-2-06-2000	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	Resale	>= 95% within 72 Hours	ELIGIBLE	NA	NA	1.00	1.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-AUG-2016	Aggregate	OR-2-06-3200	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	UNE Specials	>= 95% within 5 Business Days	ELIGIBLE	NA	NA	12.00	12.00	NA	100.00	NA	MET	0	1.00	56	0
NH	01-AUG-2016	Aggregate	OR-2-06-3331	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 72 Hours	ELIGIBLE	NA	NA	3.00	3.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-AUG-2016	Aggregate	OR-2-06-3343	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 72 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NH	01-AUG-2016	Aggregate	OR-2-12-5020	% On Time Trunk ASR Reject	CLEC Trunks (<= 192 Forecasted)	>= 95% within 7 Business Days	ELIGIBLE	NA	NA	5.00	5.00	NA	100.00	NA	MET	0	1.00	56	0
NH	01-AUG-2016	Aggregate	OR-2-12-5030	% On Time Trunk ASR Reject	CLEC Trunks (> 192, Unforecasted, and Projects)	>= 95% within Negotiated Interval	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NH	01-AUG-2016	Aggregate	OR-4-11-1000	% Completed Orders with Neither a PCN nor BCN Sent	Resale and UNE	<= 0.25% within 2 Business Days of Provisioning Completion	DIAGNOSTIC	NA	NA	2.00	1624.00	NA	0.12	NA	NA	NA	NA		0
NH	01-AUG-2016	Aggregate	OR-4-16-1000	% Provisioning Completion Notifiers Sent within One Business Day	Resale and UNE	>= 95%	ELIGIBLE	NA	NA	799.00	802.00	NA	99.63	NA	MET	0	1.00	28	0
NH	01-AUG-2016	Aggregate	OR-4-17-1000	% Billing Completion Notifiers Sent On Time	Resale and UNE	>= 95.5% within 2 or 4 Business Days of Provisioning Completion	ELIGIBLE	NA	NA	1610.00	1624.00	NA	99.14	NA	MET	4	1.00	28	112.00
NH	01-AUG-2016	Aggregate	OR-5-01-2000	% Flow-Through - Total	Resale	No Standard	DIAGNOSTIC	NA	NA	11.00	19.00	NA	57.89	NA	NA	NA	NA		0
NH	01-AUG-2016	Aggregate	OR-5-01-3112	% Flow-Through - Total	UNE 2-Wire Analog Loop	No Standard	DIAGNOSTIC	NA	NA	129.00	141.00	NA	91.49	NA	NA	NA	NA		0
NH	01-AUG-2016	Aggregate	OR-5-01-3121	% Flow-Through - Total	Directory Listings and LNP	No Standard	DIAGNOSTIC	NA	NA	1433.00	1662.00	NA	86.22	NA	NA	NA	NA		0
NH	01-AUG-2016	Aggregate	OR-5-03-2000	% Flow-Through - Achieved	Resale	>= 95%	ELIGIBLE	NA	NA	3.00	3.00	NA	100.00	NA	MET	0	1.00	35	0
NH	01-AUG-2016	Aggregate	OR-5-03-3112	% Flow-Through - Achieved	UNE 2-Wire Analog Loop	>= 95%	ELIGIBLE	NA	NA	44.00	47.00	NA	93.62	NA	MISS	3	2.50	35	262.50
NH	01-AUG-2016	Aggregate	OR-5-03-3121	% Flow-Through - Achieved	Directory Listings and LNP	>= 95%	ELIGIBLE	NA	NA	924.00	1001.00	NA	92.31	NA	MISS	31	2.50	35	2,712.50
NNE	01-AUG-2016	Aggregate	OR-6-01-1001	% Service Order Accuracy	Resale and UNE 2-Wire Loops /LNP	>= 95% without Errors	ELIGIBLE	NA	NA	65.00	70.00	NA	92.86	NA	MISS	12	1.00	56	239.00
NH	01-AUG-2016	Aggregate	OR-6-03-2000	% Resent LSRC	Resale	<= 5% due to Errors	ELIGIBLE	NA	NA	0.00	8.00	NA	0.00	NA	MET	0	1.00	28	0
NH	01-AUG-2016	Aggregate	OR-6-03-3332	% Resent LSRC	UNE 2-Wire Loops/LNP	<= 5% due to Errors	ELIGIBLE	NA	NA	5.00	213.00	NA	2.35	NA	MET	1	1.00	28	28.00
NNE	01-AUG-2016	Aggregate	OR-6-04-1040	% Accuracy - Directory Listing	Directory Listings	>= 95% without Errors	ELIGIBLE	NA	NA	27.00	31.00	NA	87.10	NA	MISS	3	2.00	40	82.00
NH	01-AUG-2016	Aggregate	OR-11-01-2000	% On Time Resale Provider Notifications	Resale	>= 95% within 2 Business Days	ELIGIBLE	NA	NA	118.00	118.00	NA	100.00	NA	MET	0	1.00	56	0
NH	01-AUG-2016	Aggregate	PR-1-04-3112	Average Interval Offered - Dispatch (6 to 9 Lines)	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	29.00	3.00	NA	NA	9.67	NA	NA	NA	NA	NA		0
NH	01-AUG-2016	Aggregate	PR-1-05-3112	Average Interval Offered - Dispatch (>= 10 Lines)	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	29.00	2.00	NA	NA	14.50	NA	NA	NA	NA	NA		0
NH	01-AUG-2016	Aggregate	PR-1-09-3211	Average Interval Offered	UNE DS1	Parity with Retail DS1	DIAGNOSTIC	78.00	11.00	247.00	30.00	7.09	8.23	NA	NA	NA	NA		0
NH	01-AUG-2016	Aggregate	PR-1-09-3213	Average Interval Offered	UNE DS3	Parity with Retail DS3	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NH	01-AUG-2016	Aggregate	PR-1-09-5020																

State	Month	CLEC Id	Metric Id	Metric Title	Product	Performance Standard	Eligible/Diagnostic	FRP Num	FRP Den	CLEC Num	CLEC Den	FRP Perf.	CLEC Perf.	Z Score	Met Miss Ss	Qual'd Miss	Escalation Level	\$ Miss	\$ Credit
NH	01-AUG-2016	Aggregate	PR-5-02-3343	% Orders Held for Facilities > 15 Days	UNE 2-Wire Digital and xDSL Loops	No Standard	DIAGNOSTIC	NA	NA	0.00	4.00	NA	0.00	NA	NA	NA	NA		0
NH	01-AUG-2016	Aggregate	PR-5-02-5000	% Orders Held for Facilities > 15 Days	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D	DIAGNOSTIC	0.00	5.00	0.00	5.00	0.00	0.00	NA	NA	NA	NA		0
NH	01-AUG-2016	Aggregate	PR-5-03-5000	% Orders Held for Facilities > 60 Days	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D	DIAGNOSTIC	0.00	5.00	0.00	5.00	0.00	0.00	NA	NA	NA	NA		0
NH	01-AUG-2016	Aggregate	PR-6-01-2000	% Installation Troubles Reported within 30 Days	Resale	Parity with Retail POTS	ELIGIBLE	89.00	1349.00	2.00	21.00	6.60	9.52	-1.000	MET	0	1.00	60	0
NH	01-AUG-2016	Aggregate	PR-6-01-3113	% Installation Troubles Reported within 30 Days	UNE 2-Wire Analog Loop - New	Parity with Retail POTS - Dispatched	ELIGIBLE	57.00	366.00	0.00	17.00	15.57	0.00	1.550	MET	0	1.00	60	0
NH	01-AUG-2016	Aggregate	PR-6-01-3200	% Installation Troubles Reported within 30 Days	UNE Specials	Parity with Retail Specials	ELIGIBLE	0.00	1.00	1.00	4.00	0.00	25.00	NA	SS	0	1.00	150	0
NH	01-AUG-2016	Aggregate	PR-6-01-3343	% Installation Troubles Reported within 30 Days	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS - Dispatched	ELIGIBLE	58.00	366.00	2.00	16.00	15.85	12.50	0.068	MET	0	1.00	60	0
NNE	01-AUG-2016	Aggregate	PR-6-01-5000	% Installation Troubles Reported within 30 Days	CLEC Trunks	Parity with IXC Feature Group D Trunks	ELIGIBLE	0.00	17.00	0.00	7.00	0.00	0.00	NA	MET	0	1.00	150	0
NH	01-AUG-2016	Aggregate	PR-6-02-3520	% Installation Troubles Reported within 7 Days	UNE 2-Wire Analog Loop - Hot Cut	<= 2%	ELIGIBLE	NA	NA	1.00	72.00	NA	1.39	NA	MET	0	1.00	60	0
NH	01-AUG-2016	Aggregate	PR-8-01-2000	% Open Orders in a Hold Status > 30 Days	Resale	Parity with Retail POTS	ELIGIBLE	73.00	2010.00	0.00	16.00	3.63	0.00	0.138	MET	0	1.00	60	0
NH	01-AUG-2016	Aggregate	PR-8-01-3112	% Open Orders in a Hold Status > 30 Days	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	73.00	2010.00	0.00	12.00	3.63	0.00	0.365	MET	0	1.00	60	0
NH	01-AUG-2016	Aggregate	PR-8-01-3200	% Open Orders in a Hold Status > 30 Days	UNE Specials	Parity with Retail Specials	ELIGIBLE	4.00	16.00	0.00	30.00	25.00	0.00	2.285	MET	0	1.00	150	0
NH	01-AUG-2016	Aggregate	PR-8-01-3343	% Open Orders in a Hold Status > 30 Days	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	73.00	2010.00	0.00	5.00	3.63	0.00	NA	SS	0	1.00	60	0
NNE	01-AUG-2016	Aggregate	PR-8-01-5000	% Open Orders in a Hold Status > 30 Days	CLEC Trunks	Parity with IXC Feature Group D Trunks	ELIGIBLE	0.00	17.00	0.00	1.00	0.00	0.00	NA	MET	0	1.00	150	0
NH	01-AUG-2016	Aggregate	PR-8-02-2000	% Open Orders in a Hold Status > 90 Days	Resale	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	70.00	2007.00	0.00	16.00	3.49	0.00	NA	NA	NA	NA		0
NH	01-AUG-2016	Aggregate	PR-8-02-3112	% Open Orders in a Hold Status > 90 Days	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	70.00	2007.00	0.00	12.00	3.49	0.00	NA	NA	NA	NA		0
NH	01-AUG-2016	Aggregate	PR-8-02-3200	% Open Orders in a Hold Status > 90 Days	UNE Specials	Diagnostic Comparison to Retail Specials	DIAGNOSTIC	4.00	16.00	0.00	30.00	25.00	0.00	NA	NA	NA	NA		0
NH	01-AUG-2016	Aggregate	PR-8-02-3343	% Open Orders in a Hold Status > 90 Days	UNE 2-Wire Digital and xDSL Loops	Diagnostic comparison to Retail POTS	DIAGNOSTIC	70.00	2007.00	0.00	5.00	3.49	0.00	NA	NA	NA	NA		0
NH	01-AUG-2016	Aggregate	PR-8-02-5000	% Open Orders in a Hold Status > 90 Days	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D Trunks	DIAGNOSTIC	0.00	5.00	0.00	1.00	0.00	0.00	NA	NA	NA	NA		0
NH	01-AUG-2016	Aggregate	PR-9-01-3520	% On Time Performance - Hot Cut	UNE 2-Wire Analog Loop - Hot Cut	>= 95% Completed within Window	ELIGIBLE	NA	NA	31.00	31.00	NA	100.00	NA	MET	0	1.00	100	0
NH	01-AUG-2016	Aggregate	PR-9-08-3520	Average Duration of Hot Cut Installation Troubles	UNE 2-Wire Analog Loop - Hot Cut	Parity with Retail POTS - New	ELIGIBLE	1754.13	68.00	1.91	1.00	25.80	1.91	NA	SS	0	1.00	100	0
NNE	01-AUG-2016	Aggregate	MR-1-01-6000	Average Response Time - Create Trouble	VFO	<= 4.5 Seconds	ELIGIBLE	NA	NA	3596.00	1337.00	NA	2.69	NA	MET	0	1.00	5	0
NNE	01-AUG-2016	Aggregate	MR-1-02-6000	Average Response Time - Status Trouble	VFO	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	293.00	8.00	NA	36.63	NA	NA	NA	NA		0
NNE	01-AUG-2016	Aggregate	MR-1-03-6000	Average Response Time - Modify Trouble	VFO	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	1963.00	53.00	NA	37.04	NA	NA	NA	NA		0
NNE	01-AUG-2016	Aggregate	MR-1-04-6000	Average Response Time - Request Cancellation of Trouble	VFO	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	113.00	5.00	NA	22.60	NA	NA	NA	NA		0
NNE	01-AUG-2016	Aggregate	MR-1-05-6000	Average Response Time - Status and Trouble History	VFO	No Standard	DIAGNOSTIC	NA	NA	298.00	7.00	NA	42.57	NA	NA	NA	NA		0
NNE	01-AUG-2016	Aggregate	MR-1-06-6000	Average Response Time - Test Trouble (Resale POTS Only)	VFO	<= 90 Seconds	ELIGIBLE	NA	NA	10178.00	257.00	NA	39.60	NA	MET	0	1.00	5	0
NH	01-AUG-2016	Aggregate	MR-2-01-3200	Network Trouble Report Rate	UNE Specials	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	NA	NA	25.00	4052.00	NA	0.62	NA	NA	NA	NA		0
NH	01-AUG-2016	Aggregate	MR-2-01-5000	Network Trouble Report Rate	CLEC Trunks	Parity with IXC Feature Group D Trunks	DIAGNOSTIC	0.00	17.00	0.00	747.00	0.00	0.00	NA	NA	NA	NA		0
NH	01-AUG-2016	Aggregate	MR-2-02-2000	Network Trouble Report Rate - Loop	Resale	Parity with Retail POTS	DIAGNOSTIC	2248.00	161727.00	11.00	4659.00	1.39	0.24	NA	NA	NA	NA		0
NH	01-AUG-2016	Aggregate	MR-2-02-3112	Network Trouble Report Rate - Loop	UNE 2-Wire Analog Loop	Parity with Retail POTS	DIAGNOSTIC	2248.00	161727.00	58.00	14663.00	1.39	0.40	NA	NA	NA	NA		0
NH	01-AUG-2016	Aggregate	MR-2-02-3343	Network Trouble Report Rate - Loop	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	DIAGNOSTIC	523.00	161727.00	1.00	2738.00	0.32	0.04	NA	NA	NA	NA		0
NH	01-AUG-2016	Aggregate	MR-2-03-2000	Network Trouble Report Rate - Central Office	Resale	Parity with Retail POTS	DIAGNOSTIC	218.00	161727.00	2.00	4659.00	0.13	0.04	NA	NA	NA	NA		0
NH	01-AUG-2016	Aggregate	MR-2-03-3112	Network Trouble Report Rate - Central Office	UNE 2-Wire Analog Loop	Parity with Retail POTS	DIAGNOSTIC	11.00	161727.00	1.00	14663.00	0.01	0.01	NA	NA	NA	NA		0
NH	01-AUG-2016	Aggregate	MR-2-03-3343	Network Trouble Report Rate - Central Office	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	DIAGNOSTIC	9.00	161727.00	0.00	2738.00	0.01	0.00	NA	NA	NA	NA		0
NH	01-AUG-2016	Aggregate	MR-3-01-2010	% Missed Repair Appointment - Loop	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	74.00	399.00	0.00	9.00	18.55	0.00	0.987	MET	0	1.00	70	0
NH	01-AUG-2016	Aggregate	MR-3-01-2120	% Missed Repair Appointment - Loop	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	302.00	1849.00	0.00	2.00	16.33	0.00	NA	SS	0	1.00	35	0
NH	01-AUG-2016	Aggregate	MR-3-01-3112	% Missed Repair Appointment - Loop	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	376.00	2248.00	11.00	58.00	16.73	18.97	-0.651	MET	0	1.00	70	0
NH	01-AUG-2016	Aggregate	MR-3-01-3343	% Missed Repair Appointment - Loop	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	376.00	2248.00	1.00	12.00	16.73	8.33	0.305	MET	0	1.00	70	0
NH	01-AUG-2016	Aggregate	MR-3-02-2010	% Missed Repair Appointment - Central Office	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	12.00	78.00	0.00	1.00	15.38	0.00	NA	SS	0	1.00	70	0
NH	01-AUG-2016	Aggregate	MR-3-02-2120	% Missed Repair Appointment - Central Office	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	13.00	140.00	1.00	1.00	9.29	100.00	NA	SS	0	1.00	35	0
NH	01-AUG-2016	Aggregate	MR-3-02-3112	% Missed Repair Appointment - Central Office	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	3.00	39.00	1.00	3.00	7.69	33.33	NA	SS	0	1.00	70	0
NH	01-AUG-2016	Aggregate	MR-3-02-3343	% Missed Repair Appointment - Central Office	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	3.00	39.00	0.00	1.00	7.69	0.00	NA	SS	0	1.00	70	0
NH	01-AUG-2016	Aggregate	MR-4-01-3200	Mean Time To Repair - Total	UNE Specials	Parity with Retail Specials	ELIGIBLE	118.11	14.00	210.62	25.00	8.44	8.42	0.057	MET	0	1.00	125	0
NH	01-AUG-2016	Aggregate	MR-4-01-5000	Mean Time To Repair - Total	CLEC Trunks	Parity with IXC Feature Group D Trunks	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	125	0
NH	01-AUG-2016	Aggregate	MR-4-02-2010	Mean Time To Repair - Loop Trouble	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	5182.30	399.00	102.89	9.00	12.99	11.43	0.172	MET	0	1.00	60	0
NH	01-AUG-2016	Aggregate	MR-4-02-2120	Mean Time To Repair - Loop Trouble	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	62620.19	1849.00	8.63	2.00	33.87	4.32	NA	SS	0	1.00	35	0
NH	01-AUG-2016	Aggregate	MR-4-02-3112	Mean Time To Repair - Loop Trouble	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	67802.39	2248.00	734.75	58.00	30.16	12.67	5.000	MET	0	1.00	60	0
NH	01-AUG-2016	Aggregate	MR-4-02-3343	Mean Time To Repair - Loop Trouble	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	67802.39	2248.00	96.82	12.00	30.16	8.07	5.000	MET	0	1.00	60	0
NH	01-AUG-2016	Aggregate	MR-4-03-2010	Mean Time To Repair - Central Office Trouble	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	2898.27	78.00	1.43	1.00	37.16	1.43	NA	SS	0	1.00	60	0
NH	01-AUG-2016	Aggregate	MR-4-03-2120	Mean Time To Repair - Central Office Trouble	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	7274.99	140.00	25.36	1.00	51.96	25.36	NA	SS	0	1.00	35	0
NH	01-AUG-2016	Aggregate	MR-4-03-3112	Mean Time To Repair - Central Office Trouble	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	982.46	39.00	31.81	3.00	25.19	10.60	NA	SS	0	1.00	60	0
NH	01-AUG-2016	Aggregate	MR-4-03-3343	Mean Time To Repair - Central Office Trouble	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	982.46	39.00	1.97	1.00	25.19	1.97	NA	SS	0	1.00	60	0
NH	01-AUG-2016	Aggregate	MR-4-04-2000	% Cleared within 24 Hours	Resale	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	1314.00	2466.00	12.00	13.00	53.28	92.31	NA	NA	NA	NA		0
NH	01-AUG-2016	Aggregate	MR-4-04-3112	% Cleared within 24 Hours	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	1169.00	2287.00	59.00	61.00	51.11	96.72	NA	NA	NA	NA		0
NH	01-AUG-2016	Aggregate	MR-4-04-3200	% Cleared within 24 Hours	UNE Specials	Diagnostic Comparison to Retail Specials	DIAGNOSTIC	12.00	14.00	22.00	25.00	85.71	88.00	NA	NA	NA	NA		0
NH	01-AUG-2016	Aggregate	MR-4-04-3343	% Cleared within 24 Hours	UNE 2-Wire Digital and xDSL Loops	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	1169.00	2287.00	13.00	13.00	51.11	100.00	NA	NA	NA	NA		0
NH	01-AUG-2016	Aggregate	MR-4-04-5000	% Cleared within 24 Hours	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NH	01-AUG-2016	Aggregate	MR-4-05-5000	% Out of Service > 2 Hours	CLEC Trunks	Parity with IXC Feature Group D Trunks	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	175	0
NH	01-AUG-2016	Aggregate	MR-4-06-2010	% Out of Service > 4 Hours	Resale Business	Diagnostic Comparison to Retail POTS - Business	DIAGNOSTIC	233.00	360.00	5.00	7.00	64.72	71.43	NA	NA	NA	NA		0
NH	01-AUG-2016	Aggregate	MR-4-06-2120	% Out of Service > 4 Hours	Resale POTS Residence	Diagnostic Comparison to Retail POTS - Residence	DIAGNOSTIC	1389.00	1478.00	0.00	1.00	93.98	0.00	NA	NA	NA	NA		0
NH	01-AUG-2016	Aggregate	MR-4-06-3200	% Out of Service > 4 Hours	UNE Specials	Parity with Retail Specials	ELIGIBLE	5.00	7.00	1.00	1.00	71.43	100.00	NA	SS	0	1.00	175	0
NH	01-AUG-2016	Aggregate	MR-4-06-5000	% Out of Service > 4 Hours	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D Trunks	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NH	01-AUG-2016	Aggregate	MR-4-07-2010	% Out of Service > 12 Hours	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	147.00	360.00	4.00	7.00	40.83	57.14	-1.251	MET	0	1.00	100	0
NH	01-AUG-2016	Aggregate	MR-4-07-2120	% Out of Service > 12 Hours	Resale POTS Residence	Diagnostic Comparison to Retail POTS - Residence	DIAGNOSTIC	1215.00	1478.00	0.00	1.00	82.21	0.00	NA	NA	NA	NA		0
NH	01-AUG-2016	Aggregate	MR-4-07-3112	% Out of Service > 12 Hours	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	774.00	1719.00										

