

State	Month	CLEC Id	Metric Id	Metric Title	Product	Performance Standard	Eligible/Diagnostic	FRP Num	FRP Den	CLEC Num	CLEC Den	FRP Perf.	CLEC Perf.	Z Score	Met Miss Ss	Qual'd Miss	Escalation Level	\$ Miss	\$ Credit
NNE	01-SEP-2016	Aggregate	PO-1-01-6040	Average Response Time - CSR	XML	<= 4.5 Seconds	ELIGIBLE	NA	NA	137.00	55.00	NA	2.49	NA	MET	0	1.00	5	0
NNE	01-SEP-2016	Aggregate	PO-1-01-6050	Average Response Time - CSR	WEB GUI	<= 6.5 Seconds	ELIGIBLE	NA	NA	995.00	394.00	NA	2.53	NA	MET	0	1.00	5	0
NNE	01-SEP-2016	Aggregate	PO-1-03-6040	Average Response Time - Address Validation	XML	<= 4.5 Seconds	ELIGIBLE	NA	NA	866.00	468.00	NA	1.85	NA	MET	0	1.00	5	0
NNE	01-SEP-2016	Aggregate	PO-1-03-6050	Average Response Time - Address Validation	WEB GUI	<= 7.5 Seconds	ELIGIBLE	NA	NA	2620.00	1545.00	NA	1.70	NA	MET	0	1.00	5	0
NNE	01-SEP-2016	Aggregate	PO-1-05-6040	Average Response Time - TN Availability and Reservation	XML	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NNE	01-SEP-2016	Aggregate	PO-1-05-6050	Average Response Time - TN Availability and Reservation	WEB GUI	<= 7.5 Seconds	DIAGNOSTIC	NA	NA	1111.00	116.00	NA	9.58	NA	NA	NA	NA		0
NNE	01-SEP-2016	Aggregate	PO-1-06-6040	Average Response Time - Mech. Loop Qualification	XML	<= 4.5 Seconds	ELIGIBLE	NA	NA	2897.00	1001.00	NA	2.89	NA	MET	0	1.00	5	0
NNE	01-SEP-2016	Aggregate	PO-1-06-6050	Average Response Time - Mech. Loop Qualification	WEB GUI	<= 6.5 Seconds	ELIGIBLE	NA	NA	1949.00	707.00	NA	2.76	NA	MET	0	1.00	5	0
NNE	01-SEP-2016	Aggregate	PO-1-07-6040	Average Response Time - Rejected Query	XML	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	94.00	64.00	NA	1.47	NA	NA	NA	NA		0
NNE	01-SEP-2016	Aggregate	PO-1-07-6050	Average Response Time - Rejected Query	WEB GUI	<= 7.5 Seconds	DIAGNOSTIC	NA	NA	203.00	198.00	NA	1.03	NA	NA	NA	NA		0
NNE	01-SEP-2016	Aggregate	PO-1-08-6040	% Timeouts	XML	<= 0.33%	ELIGIBLE	NA	NA	50.00	4059.00	NA	1.23	NA	MISS	42	1.00	5	25.00
NNE	01-SEP-2016	Aggregate	PO-1-08-6050	% Timeouts	WEB GUI	<= 0.33%	ELIGIBLE	NA	NA	49.00	3009.00	NA	1.63	NA	MISS	43	1.00	5	135.00
NNE	01-SEP-2016	Aggregate	PO-1-09-6040	Average Response Time - Parsed CSR	XML	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	6280.00	2421.00	NA	2.59	NA	NA	NA	NA		0
NNE	01-SEP-2016	Aggregate	PO-2-02-6000	OSS Interface Availability - Prime Time	VFO	>= 99.5%	ELIGIBLE	NA	NA	27000.00	27000.00	NA	100.00	NA	MET	0	1.00	Severity Dependent	0
NNE	01-SEP-2016	Aggregate	PO-3-02-1000	% Answered within 30 Seconds - Ordering	Resale and UNE	>= 80%	DIAGNOSTIC	NA	NA	777.00	781.00	NA	99.49	NA	NA	NA	NA		0
NNE	01-SEP-2016	Aggregate	PO-3-04-1000	% Answered within 30 Seconds - Repair	Resale and UNE	>= 80%	DIAGNOSTIC	NA	NA	14657.00	15536.00	NA	94.34	NA	NA	NA	NA		0
NNE	01-SEP-2016	Aggregate	PO-4-01-6660	% Change Management Notices Sent on Time	Change Notices (types 3, 4 and 5)	>= 95%	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-SEP-2016	Aggregate	PO-4-01-6671	% Change Management Notices Sent on Time	Change Notices (types 1 and 2)	>= 95%	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-SEP-2016	Aggregate	PO-4-02-6600	Change Management Notices - Delay 1 to 7 Days	Change Notices all types	No Standard	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NNE	01-SEP-2016	Aggregate	PO-4-03-6600	Change Management Notices - Delay >= 8 Days	Change Notices all types	0 (zero) Notices >= 8 Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-SEP-2016	Aggregate	PO-5-01-6500	% On Time Notice of OSS Interface Outage	OSS Interface Outage Notifications	>= 95% within 20 Minutes of Outage	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NNE	01-SEP-2016	Aggregate	PO-6-01-6000	Software Validation	VFO	<= 5% Failed Transactions	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-SEP-2016	Aggregate	PO-7-01-6000	% Production Software Referrals Resolved On Time	VFO	>= 95% within 48 Hours/10 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-SEP-2016	Aggregate	PO-7-02-6000	Delay Hours - Production Software Resolution - Change - Transactions Failed - No Workaround	VFO	0 (zero) production resolution changes > 48 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-SEP-2016	Aggregate	PO-7-03-6000	Delay Days - Production Software Resolution - Change - Transactions Failed - With Workaround	VFO	0 (zero) production resolution changes > 10 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-SEP-2016	Aggregate	PO-7-04-6000	Delay Hours - Failed/Rejected Test Deck Transactions - Transactions Failed - No Workaround	VFO	0 (zero) failed/rejected test deck transactions > 48 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NH	01-SEP-2016	Aggregate	PO-8-01-6100	% On Time - Manual Loop Qualification	Manual Loop Qual Request	>= 95% within 48 Hours	ELIGIBLE	NA	NA	3.00	3.00	NA	100.00	NA	MET	0	1.00	40	0
NH	01-SEP-2016	Aggregate	OR-1-02-2000	% On Time LSRC - Flow-Through	Resale	>= 95% within 2 Hours	ELIGIBLE	NA	NA	9.00	9.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-SEP-2016	Aggregate	OR-1-02-3332	% On Time LSRC - Flow-Through	UNE 2-Wire Loops/LNP	>= 95% within 2 Hours	ELIGIBLE	NA	NA	707.00	709.00	NA	99.72	NA	MET	0	1.00	28	0
NH	01-SEP-2016	Aggregate	OR-1-04-2000	% On Time LSRC - No Facility Check (Non-Flow-Through)	Resale	>= 95% within 24 Hours	ELIGIBLE	NA	NA	23.00	24.00	NA	95.83	NA	MET	0	1.00	28	0
NH	01-SEP-2016	Aggregate	OR-1-04-3331	% On Time LSRC - No Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 24 Hours	ELIGIBLE	NA	NA	148.00	153.00	NA	96.73	NA	MET	1	1.00	28	28.00
NH	01-SEP-2016	Aggregate	OR-1-04-3343	% On Time LSRC - No Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 24 Hours	ELIGIBLE	NA	NA	2.00	2.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-SEP-2016	Aggregate	OR-1-06-2000	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	Resale	>= 95% within 72 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NH	01-SEP-2016	Aggregate	OR-1-06-3200	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	UNE Specials	>= 95% within 5 Business Days	ELIGIBLE	NA	NA	11.00	11.00	NA	100.00	NA	MET	0	1.00	56	0
NH	01-SEP-2016	Aggregate	OR-1-06-3331	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 72 Hours	ELIGIBLE	NA	NA	4.00	4.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-SEP-2016	Aggregate	OR-1-06-3343	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 72 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NH	01-SEP-2016	Aggregate	OR-1-12-5020	% On Time ASRC	CLEC Trunks (<= 192 Forecasted)	>= 95% within 10 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	56	0
NH	01-SEP-2016	Aggregate	OR-1-12-5030	% On Time ASRC	CLEC Trunks (> 192, Unforecasted, and Projects)	>= 95% within Negotiated Interval	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	56	0
NH	01-SEP-2016	Aggregate	OR-1-13-5000	% On Time Design Layout Record (DLR)	CLEC Trunks	>= 95% On or Before DLRD	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	56	0
NH	01-SEP-2016	Aggregate	OR-2-02-2000	% On Time LSR Reject (Flow-Through)	Resale	>= 95% within 2 Hours	ELIGIBLE	NA	NA	35.00	35.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-SEP-2016	Aggregate	OR-2-02-3332	% On Time LSR Reject (Flow-Through)	UNE 2-Wire Loops/LNP	>= 95% within 2 Hours	ELIGIBLE	NA	NA	185.00	185.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-SEP-2016	Aggregate	OR-2-04-2000	% On Time LSR Reject - No Facility Check (Non-Flow-Through)	Resale	>= 95% within 24 Hours	ELIGIBLE	NA	NA	5.00	5.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-SEP-2016	Aggregate	OR-2-04-3331	% On Time LSR Reject - No Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 24 Hours	ELIGIBLE	NA	NA	10.00	11.00	NA	90.91	NA	MET	0	1.00	28	0
NH	01-SEP-2016	Aggregate	OR-2-04-3343	% On Time LSR Reject - No Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 24 Hours	ELIGIBLE	NA	NA	1.00	1.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-SEP-2016	Aggregate	OR-2-06-2000	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	Resale	>= 95% within 72 Hours	ELIGIBLE	NA	NA	1.00	1.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-SEP-2016	Aggregate	OR-2-06-3200	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	UNE Specials	>= 95% within 5 Business Days	ELIGIBLE	NA	NA	3.00	4.00	NA	75.00	NA	MET	0	1.00	56	0
NH	01-SEP-2016	Aggregate	OR-2-06-3331	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 72 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NH	01-SEP-2016	Aggregate	OR-2-06-3343	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 72 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NH	01-SEP-2016	Aggregate	OR-2-12-5020	% On Time Trunk ASR Reject	CLEC Trunks (<= 192 Forecasted)	>= 95% within 7 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	56	0
NH	01-SEP-2016	Aggregate	OR-2-12-5030	% On Time Trunk ASR Reject	CLEC Trunks (> 192, Unforecasted, and Projects)	>= 95% within Negotiated Interval	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NH	01-SEP-2016	Aggregate	OR-4-11-1000	% Completed Orders with Neither a PCN nor BCN Sent	Resale and UNE	<= 0.25% within 2 Business Days of Provisioning Completion	DIAGNOSTIC	NA	NA	1.00	1289.00	NA	0.08	NA	NA	NA	NA		0
NH	01-SEP-2016	Aggregate	OR-4-16-1000	% Provisioning Completion Notifiers Sent within One Business Day	Resale and UNE	>= 95%	ELIGIBLE	NA	NA	602.00	602.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-SEP-2016	Aggregate	OR-4-17-1000	% Billing Completion Notifiers Sent On Time	Resale and UNE	>= 95.5% within 2 or 4 Business Days of Provisioning Completion	ELIGIBLE	NA	NA	1281.00	1289.00	NA	99.38	NA	MET	1	1.00	28	28.00
NH	01-SEP-2016	Aggregate	OR-5-01-2000	% Flow-Through - Total	Resale	No Standard	DIAGNOSTIC	NA	NA	9.00	33.00	NA	27.27	NA	NA	NA	NA		0
NH	01-SEP-2016	Aggregate	OR-5-01-3112	% Flow-Through - Total	UNE 2-Wire Analog Loop	No Standard	DIAGNOSTIC	NA	NA	93.00	118.00	NA	78.81	NA	NA	NA	NA		0
NH	01-SEP-2016	Aggregate	OR-5-01-3121	% Flow-Through - Total	Directory Listings and LNP	No Standard	DIAGNOSTIC	NA	NA	1265.00	1447.00	NA	87.42	NA	NA	NA	NA		0
NH	01-SEP-2016	Aggregate	OR-5-03-2000	% Flow-Through - Achieved	Resale	>= 95%	ELIGIBLE	NA	NA	3.00	3.00	NA	100.00	NA	MET	0	1.00	35	0
NH	01-SEP-2016	Aggregate	OR-5-03-3112	% Flow-Through - Achieved	UNE 2-Wire Analog Loop	>= 95%	ELIGIBLE	NA	NA	50.00	55.00	NA	90.91	NA	MISS	4	2.00	35	280.00
NH	01-SEP-2016	Aggregate	OR-5-03-3121	% Flow-Through - Achieved	Directory Listings and LNP	>= 95%	ELIGIBLE	NA	NA	787.00	863.00	NA	91.19	NA	MISS	33	2.50	35	2,887.50
NNE	01-SEP-2016	Aggregate	OR-6-01-1001	% Service Order Accuracy	Resale and UNE 2-Wire Loops /LNP	>= 95% without Errors	ELIGIBLE	NA	NA	67.00	70.00	NA	95.71	NA	MET	0	1.00	56	0
NH	01-SEP-2016	Aggregate	OR-6-03-2000	% Resent LSRC	Resale	<= 5% due to Errors	ELIGIBLE	NA	NA	0.00	21.00	NA	0.00	NA	MET	0	1.00	28	0
NH	01-SEP-2016	Aggregate	OR-6-03-3332	% Resent LSRC	UNE 2-Wire Loops/LNP	<= 5% due to Errors	ELIGIBLE	NA	NA	1.00	155.00	NA	0.65	NA	MET	0	1.00	28	0
NNE	01-SEP-2016	Aggregate	OR-6-04-1040	% Accuracy - Directory Listing	Directory Listings	>= 95% without Errors	ELIGIBLE	NA	NA	52.00	57.00	NA	91.23	NA	MISS	10	2.50	40	895.00
NH	01-SEP-2016	Aggregate	OR-11-01-2000	% On Time Resale Provider Notifications	Resale	>= 95% within 2 Business Days	ELIGIBLE	NA	NA	62.00	62.00	NA	100.00	NA	MET	0	1.00	56	0
NH	01-SEP-2016	Aggregate	PR-1-04-3112	Average Interval Offered - Dispatch (6 to 9 Lines)	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	70.00	11.00	NA	NA	6.36	NA	NA	NA	NA	NA		0
NH	01-SEP-2016	Aggregate	PR-1-05-3112	Average Interval Offered - Dispatch (>= 10 Lines)	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	4.00	1.00	NA	NA	4.00	NA	NA	NA	NA	NA		0
NH	01-SEP-2016	Aggregate	PR-1-09-3211	Average Interval Offered	UNE DS1	Parity with Retail DS1	DIAGNOSTIC	16.00	3.00	65.00	8.00	5.33	8.13	NA	NA	NA	NA		0
NH	01-SEP-2016	Aggregate	PR-1-09-3213	Average Interval Offered	UNE DS3	Parity with Retail DS3	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NH	01-SEP-2016	Aggregate	PR-1-09-5020	Average Interval Offered	CLEC Trunks (<= 192 Forecasted)	Parity with IXC Feature Group D Trunks	DIAGNOSTIC	1.00	1.00	18.00									

State	Month	CLEC Id	Metric Id	Metric Title	Product	Performance Standard	Eligible/Diagnostic	FRP Num	FRP Den	CLEC Num	CLEC Den	FRP Perf.	CLEC Perf.	Z Score	Met Miss Ss	Qual'd Miss	Escalation Level	\$ Miss	\$ Credit
NH	01-SEP-2016	Aggregate	PR-5-02-3343	% Orders Held for Facilities > 15 Days	UNE 2-Wire Digital and xDSL Loops	No Standard	DIAGNOSTIC	NA	NA	0.00	7.00	NA	0.00	NA	NA	NA	NA		0
NH	01-SEP-2016	Aggregate	PR-5-02-5000	% Orders Held for Facilities > 15 Days	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D	DIAGNOSTIC	0.00	1.00	0.00	1.00	0.00	0.00	NA	NA	NA	NA		0
NH	01-SEP-2016	Aggregate	PR-5-03-5000	% Orders Held for Facilities > 60 Days	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D	DIAGNOSTIC	0.00	1.00	0.00	1.00	0.00	0.00	NA	NA	NA	NA		0
NH	01-SEP-2016	Aggregate	PR-6-01-2000	% Installation Troubles Reported within 30 Days	Resale	Parity with Retail POTS	ELIGIBLE	84.00	1294.00	1.00	16.00	6.49	6.25	0.587	MET	0	1.00	60	0
NH	01-SEP-2016	Aggregate	PR-6-01-3113	% Installation Troubles Reported within 30 Days	UNE 2-Wire Analog Loop - New	Parity with Retail POTS - Dispatched	ELIGIBLE	60.00	380.00	1.00	28.00	15.79	3.57	1.578	MET	0	1.00	60	0
NH	01-SEP-2016	Aggregate	PR-6-01-3200	% Installation Troubles Reported within 30 Days	UNE Specials	Parity with Retail Specials	ELIGIBLE	NA	NA	0.00	8.00	NA	0.00	NA	SS	0	1.00	150	0
NH	01-SEP-2016	Aggregate	PR-6-01-3343	% Installation Troubles Reported within 30 Days	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS - Dispatched	ELIGIBLE	61.00	380.00	1.00	10.00	16.05	10.00	0.024	MET	0	1.00	60	0
NNE	01-SEP-2016	Aggregate	PR-6-01-5000	% Installation Troubles Reported within 7 Days	CLEC Trunks	Parity with IXC Feature Group D Trunks	ELIGIBLE	0.00	9.00	0.00	1.00	0.00	0.00	NA	MET	0	1.00	150	0
NH	01-SEP-2016	Aggregate	PR-6-02-3520	% Installation Troubles Reported within 7 Days	UNE 2-Wire Analog Loop - Hot Cut	<= 2%	ELIGIBLE	NA	NA	0.00	1.00	NA	0.00	NA	MET	0	1.00	60	0
NH	01-SEP-2016	Aggregate	PR-8-01-2000	% Open Orders in a Hold Status > 30 Days	Resale	Parity with Retail POTS	ELIGIBLE	73.00	2256.00	0.00	18.00	3.24	0.00	0.137	MET	0	1.00	60	0
NH	01-SEP-2016	Aggregate	PR-8-01-3112	% Open Orders in a Hold Status > 30 Days	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	73.00	2256.00	0.00	21.00	3.24	0.00	0.007	MET	0	1.00	60	0
NH	01-SEP-2016	Aggregate	PR-8-01-3200	% Open Orders in a Hold Status > 30 Days	UNE Specials	Parity with Retail Specials	ELIGIBLE	4.00	8.00	0.00	8.00	50.00	0.00	NA	SS	0	1.00	150	0
NH	01-SEP-2016	Aggregate	PR-8-01-3343	% Open Orders in a Hold Status > 30 Days	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	73.00	2256.00	0.00	6.00	3.24	0.00	0.920	MET	0	1.00	60	0
NH	01-SEP-2016	Aggregate	PR-8-01-5000	% Open Orders in a Hold Status > 30 Days	CLEC Trunks	Parity with IXC Feature Group D Trunks	ELIGIBLE	0.00	1.00	NA	NA	0.00	NA	NA	NA	0	1.00	150	0
NH	01-SEP-2016	Aggregate	PR-8-02-2000	% Open Orders in a Hold Status > 90 Days	Resale	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	70.00	2253.00	0.00	18.00	3.11	0.00	NA	NA	NA	NA		0
NH	01-SEP-2016	Aggregate	PR-8-02-3112	% Open Orders in a Hold Status > 90 Days	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	70.00	2253.00	0.00	21.00	3.11	0.00	NA	NA	NA	NA		0
NH	01-SEP-2016	Aggregate	PR-8-02-3200	% Open Orders in a Hold Status > 90 Days	UNE Specials	Diagnostic Comparison to Retail Specials	DIAGNOSTIC	4.00	8.00	0.00	8.00	50.00	0.00	NA	NA	NA	NA		0
NH	01-SEP-2016	Aggregate	PR-8-02-3343	% Open Orders in a Hold Status > 90 Days	UNE 2-Wire Digital and xDSL Loops	Diagnostic comparison to Retail POTS	DIAGNOSTIC	70.00	2253.00	0.00	6.00	3.11	0.00	NA	NA	NA	NA		0
NH	01-SEP-2016	Aggregate	PR-8-02-5000	% Open Orders in a Hold Status > 90 Days	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D Trunks	DIAGNOSTIC	0.00	1.00	NA	NA	0.00	NA	NA	NA	NA	NA		0
NH	01-SEP-2016	Aggregate	PR-9-01-3520	% On Time Performance - Hot Cut	UNE 2-Wire Analog Loop - Hot Cut	>= 95% Completed within Window	ELIGIBLE	NA	NA	1.00	1.00	NA	100.00	NA	MET	0	1.00	100	0
NH	01-SEP-2016	Aggregate	PR-9-08-3520	Average Duration of Hot Cut Installation Troubles	UNE 2-Wire Analog Loop - Hot Cut	Parity with Retail POTS - New	ELIGIBLE	1351.80	67.00	NA	NA	20.18	NA	NA	NA	0	1.00	100	0
NNE	01-SEP-2016	Aggregate	MR-1-01-6000	Average Response Time - Create Trouble	VFO	<= 4.5 Seconds	ELIGIBLE	NA	NA	3151.00	1150.00	NA	2.74	NA	MET	0	1.00	5	0
NNE	01-SEP-2016	Aggregate	MR-1-02-6000	Average Response Time - Status Trouble	VFO	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	88.00	3.00	NA	29.33	NA	NA	NA	NA		0
NNE	01-SEP-2016	Aggregate	MR-1-03-6000	Average Response Time - Modify Trouble	VFO	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	2145.00	62.00	NA	34.60	NA	NA	NA	NA		0
NNE	01-SEP-2016	Aggregate	MR-1-04-6000	Average Response Time - Request Cancellation of Trouble	VFO	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	52.00	2.00	NA	26.00	NA	NA	NA	NA		0
NNE	01-SEP-2016	Aggregate	MR-1-05-6000	Average Response Time - Status and Trouble History	VFO	No Standard	DIAGNOSTIC	NA	NA	123.00	5.00	NA	24.60	NA	NA	NA	NA		0
NNE	01-SEP-2016	Aggregate	MR-1-06-6000	Average Response Time - Test Trouble (Resale POTS Only)	VFO	<= 90 Seconds	ELIGIBLE	NA	NA	9095.00	189.00	NA	48.12	NA	MET	0	1.00	5	0
NH	01-SEP-2016	Aggregate	MR-2-01-3200	Network Trouble Report Rate	UNE Specials	DIAGNOSTIC	No Standard	NA	NA	25.00	3701.00	NA	0.68	NA	NA	NA	NA		0
NH	01-SEP-2016	Aggregate	MR-2-01-5000	Network Trouble Report Rate	CLEC Trunks	Parity with IXC Feature Group D Trunks	DIAGNOSTIC	1.00	3.00	4.00	608.00	33.33	0.66	NA	NA	NA	NA		0
NH	01-SEP-2016	Aggregate	MR-2-02-2000	Network Trouble Report Rate - Loop	Resale	Parity with Retail POTS	DIAGNOSTIC	1696.00	159885.00	14.00	4455.00	1.06	0.31	NA	NA	NA	NA		0
NH	01-SEP-2016	Aggregate	MR-2-02-3112	Network Trouble Report Rate - Loop	UNE 2-Wire Analog Loop	Parity with Retail POTS	DIAGNOSTIC	1696.00	159885.00	23.00	14333.00	1.06	0.16	NA	NA	NA	NA		0
NH	01-SEP-2016	Aggregate	MR-2-02-3343	Network Trouble Report Rate - Loop	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	DIAGNOSTIC	356.00	159885.00	1.00	2438.00	0.22	0.04	NA	NA	NA	NA		0
NH	01-SEP-2016	Aggregate	MR-2-03-2000	Network Trouble Report Rate - Central Office	Resale	Parity with Retail POTS	DIAGNOSTIC	150.00	159885.00	4.00	4455.00	0.09	0.09	NA	NA	NA	NA		0
NH	01-SEP-2016	Aggregate	MR-2-03-3112	Network Trouble Report Rate - Central Office	UNE 2-Wire Analog Loop	Parity with Retail POTS	DIAGNOSTIC	12.00	159885.00	1.00	14333.00	0.01	0.01	NA	NA	NA	NA		0
NH	01-SEP-2016	Aggregate	MR-2-03-3343	Network Trouble Report Rate - Central Office	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	DIAGNOSTIC	7.00	159885.00	0.00	2438.00	0.00	0.00	NA	NA	NA	NA		0
NH	01-SEP-2016	Aggregate	MR-3-01-2010	% Missed Repair Appointment - Loop	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	70.00	340.00	0.00	12.00	29.59	0.00	1.501	MET	0	1.00	70	0
NH	01-SEP-2016	Aggregate	MR-3-01-2120	% Missed Repair Appointment - Loop	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	210.00	1356.00	0.00	2.00	15.49	0.00	NA	SS	0	1.00	35	0
NH	01-SEP-2016	Aggregate	MR-3-01-3112	% Missed Repair Appointment - Loop	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	280.00	1696.00	1.00	23.00	16.51	4.35	1.346	MET	0	1.00	70	0
NH	01-SEP-2016	Aggregate	MR-3-01-3343	% Missed Repair Appointment - Loop	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	280.00	1696.00	0.00	5.00	16.51	0.00	NA	SS	0	1.00	70	0
NH	01-SEP-2016	Aggregate	MR-3-02-2010	% Missed Repair Appointment - Central Office	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	5.00	54.00	0.00	3.00	9.26	0.00	NA	SS	0	1.00	70	0
NH	01-SEP-2016	Aggregate	MR-3-02-2120	% Missed Repair Appointment - Central Office	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	4.00	96.00	1.00	1.00	4.17	100.00	NA	SS	0	1.00	35	0
NH	01-SEP-2016	Aggregate	MR-3-02-3112	% Missed Repair Appointment - Central Office	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	2.00	29.00	1.00	5.00	6.90	20.00	NA	SS	0	1.00	70	0
NH	01-SEP-2016	Aggregate	MR-3-02-3343	% Missed Repair Appointment - Central Office	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	2.00	29.00	NA	NA	6.90	NA	NA	NA	0	1.00	70	0
NH	01-SEP-2016	Aggregate	MR-4-01-3200	Mean Time To Repair - Total	UNE Specials	Parity with Retail Specials	ELIGIBLE	60.53	7.00	177.42	25.00	8.65	7.10	0.584	MET	0	1.00	125	0
NNE	01-SEP-2016	Aggregate	MR-4-01-5000	Mean Time To Repair - Total	CLEC Trunks	Parity with IXC Feature Group D Trunks	ELIGIBLE	3.15	1.00	8.56	4.00	3.15	2.14	NA	MET	0	1.00	125	0
NH	01-SEP-2016	Aggregate	MR-4-02-2010	Mean Time To Repair - Loop Trouble	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	4785.62	340.00	152.92	12.00	14.08	12.74	0.139	MET	0	1.00	60	0
NH	01-SEP-2016	Aggregate	MR-4-02-2120	Mean Time To Repair - Loop Trouble	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	36796.10	1356.00	22.66	2.00	27.14	11.33	NA	SS	0	1.00	35	0
NH	01-SEP-2016	Aggregate	MR-4-02-3112	Mean Time To Repair - Loop Trouble	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	41581.64	1696.00	179.29	23.00	24.52	7.80	5.000	MET	0	1.00	60	0
NH	01-SEP-2016	Aggregate	MR-4-02-3343	Mean Time To Repair - Loop Trouble	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	41581.64	1696.00	55.76	5.00	24.52	11.15	NA	SS	0	1.00	60	0
NH	01-SEP-2016	Aggregate	MR-4-03-2010	Mean Time To Repair - Central Office Trouble	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	371.84	54.00	23.54	3.00	6.89	7.85	NA	SS	0	1.00	60	0
NH	01-SEP-2016	Aggregate	MR-4-03-2120	Mean Time To Repair - Central Office Trouble	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	1625.20	96.00	25.36	1.00	16.93	25.36	NA	SS	0	1.00	35	0
NH	01-SEP-2016	Aggregate	MR-4-03-3112	Mean Time To Repair - Central Office Trouble	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	614.10	29.00	67.39	5.00	21.18	11.48	NA	SS	0	1.00	60	0
NH	01-SEP-2016	Aggregate	MR-4-03-3343	Mean Time To Repair - Central Office Trouble	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	614.10	29.00	NA	NA	21.18	NA	NA	NA	0	1.00	60	0
NH	01-SEP-2016	Aggregate	MR-4-04-2000	% Cleared within 24 Hours	Resale	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	1156.00	1846.00	17.00	18.00	62.62	94.44	NA	NA	NA	NA		0
NH	01-SEP-2016	Aggregate	MR-4-04-3112	% Cleared within 24 Hours	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	1052.00	1725.00	28.00	28.00	60.99	100.00	NA	NA	NA	NA		0
NH	01-SEP-2016	Aggregate	MR-4-04-3200	% Cleared within 24 Hours	UNE Specials	Diagnostic Comparison to Retail Specials	DIAGNOSTIC	6.00	7.00	23.00	25.00	85.71	92.00	NA	NA	NA	NA		0
NH	01-SEP-2016	Aggregate	MR-4-04-3343	% Cleared within 24 Hours	UNE 2-Wire Digital and xDSL Loops	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	1052.00	1725.00	5.00	5.00	60.99	100.00	NA	NA	NA	NA		0
NNE	01-SEP-2016	Aggregate	MR-4-04-5000	% Cleared within 24 Hours	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D	DIAGNOSTIC	1.00	1.00	4.00	4.00	100.00	100.00	NA	NA	NA	NA		0
NH	01-SEP-2016	Aggregate	MR-4-05-5000	% Out of Service > 2 Hours	CLEC Trunks	Parity with IXC Feature Group D Trunks	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	175	0
NH	01-SEP-2016	Aggregate	MR-4-06-2010	% Out of Service > 4 Hours	Resale Business	Diagnostic Comparison to Retail POTS - Business	DIAGNOSTIC	193.00	287.00	7.00	11.00	67.25	63.64	NA	NA	NA	NA		0
NH	01-SEP-2016	Aggregate	MR-4-06-2120	% Out of Service > 4 Hours	Resale POTS Residence	Diagnostic Comparison to Retail POTS - Residence	DIAGNOSTIC	929.00	1021.00	0.00	1.00	90.99	0.00	NA	NA	NA	NA		0
NH	01-SEP-2016	Aggregate	MR-4-06-3200	% Out of Service > 4 Hours	UNE Specials	Parity with Retail Specials	ELIGIBLE	4.00	6.00	0.00	1.00	66.67	0.00	NA	SS	0	1.00	175	0
NH	01-SEP-2016	Aggregate	MR-4-06-5000	% Out of Service > 4 Hours	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D Trunks	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NH	01-SEP-2016	Aggregate	MR-4-07-2010	% Out of Service > 12 Hours	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	119.00	287.00	5.00	11.00	41.46	45.45	-0.583	MET	0	1.00	100	0
NH	01-SEP-2016	Aggregate	MR-4-07-2120	% Out of Service > 12 Hours	Resale POTS Residence	Diagnostic Comparison to Retail POTS - Residence	DIAGNOSTIC	779.00	1021.00	0.00	1.00	76.30	0.00	NA	NA	NA	NA		0
NH	01-SEP-2016	Aggregate	MR-4-07-3112	% Out of Service > 12 Hours	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	440.00	1235.00	0.00	18.00	35.63	0.00	3.361					

