

State	Month	CLEC Id	Metric Id	Metric Title	Product	Performance Standard	Eligible/Diagnostic	FRP Num	FRP Den	CLEC Num	CLEC Den	FRP Perf.	CLEC Perf.	Z Score	Met Miss Ss	Qual'd Miss	Escalation Level	\$ Miss	\$ Credit
NNE	01-OCT-2016	Aggregate	PO-1-01-6040	Average Response Time - CSR	XML	<= 4.5 Seconds	ELIGIBLE	NA	NA	159.00	51.00	NA	3.12	NA	MET	0	1.00	5	0
NNE	01-OCT-2016	Aggregate	PO-1-01-6050	Average Response Time - CSR	WEB GUI	<= 6.5 Seconds	ELIGIBLE	NA	NA	1105.00	373.00	NA	2.96	NA	MET	0	1.00	5	0
NNE	01-OCT-2016	Aggregate	PO-1-03-6040	Average Response Time - Address Validation	XML	<= 4.5 Seconds	ELIGIBLE	NA	NA	1052.00	561.00	NA	1.88	NA	MET	0	1.00	5	0
NNE	01-OCT-2016	Aggregate	PO-1-03-6050	Average Response Time - Address Validation	WEB GUI	<= 7.5 Seconds	ELIGIBLE	NA	NA	2443.00	1463.00	NA	1.67	NA	MET	0	1.00	5	0
NNE	01-OCT-2016	Aggregate	PO-1-05-6040	Average Response Time - TN Availability and Reservation	XML	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	75.00	5.00	NA	15.00	NA	NA	NA	NA		0
NNE	01-OCT-2016	Aggregate	PO-1-05-6050	Average Response Time - TN Availability and Reservation	WEB GUI	<= 7.5 Seconds	DIAGNOSTIC	NA	NA	1149.00	110.00	NA	10.45	NA	NA	NA	NA		0
NNE	01-OCT-2016	Aggregate	PO-1-06-6040	Average Response Time - Mech. Loop Qualification	XML	<= 4.5 Seconds	ELIGIBLE	NA	NA	3833.00	1104.00	NA	3.47	NA	MET	0	1.00	5	0
NNE	01-OCT-2016	Aggregate	PO-1-06-6050	Average Response Time - Mech. Loop Qualification	WEB GUI	<= 6.5 Seconds	ELIGIBLE	NA	NA	2388.00	667.00	NA	3.58	NA	MET	0	1.00	5	0
NNE	01-OCT-2016	Aggregate	PO-1-07-6040	Average Response Time - Rejected Query	XML	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	32.00	33.00	NA	0.97	NA	NA	NA	NA		0
NNE	01-OCT-2016	Aggregate	PO-1-07-6050	Average Response Time - Rejected Query	WEB GUI	<= 7.5 Seconds	DIAGNOSTIC	NA	NA	222.00	202.00	NA	1.10	NA	NA	NA	NA		0
NNE	01-OCT-2016	Aggregate	PO-1-08-6040	% Timeouts	XML	<= 0.33%	ELIGIBLE	NA	NA	99.00	4155.00	NA	2.38	NA	MISS	86	2.00	5	230.00
NNE	01-OCT-2016	Aggregate	PO-1-08-6050	% Timeouts	WEB GUI	<= 0.33%	ELIGIBLE	NA	NA	113.00	2928.00	NA	3.86	NA	MISS	108	2.00	5	470.00
NNE	01-OCT-2016	Aggregate	PO-1-09-6040	Average Response Time - Parsed CSR	XML	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	6022.00	2302.00	NA	2.62	NA	NA	NA	NA		0
NNE	01-OCT-2016	Aggregate	PO-2-02-6000	OSS Interface Availability - Prime Time	VFO	>= 99.5%	ELIGIBLE	NA	NA	28080.00	28080.00	NA	100.00	NA	MET	0	1.00	Severity Dependent	0
NNE	01-OCT-2016	Aggregate	PO-3-02-1000	% Answered within 30 Seconds - Ordering	Resale and UNE	>= 80%	DIAGNOSTIC	NA	NA	777.00	786.00	NA	98.85	NA	NA	NA	NA		0
NNE	01-OCT-2016	Aggregate	PO-3-04-1000	% Answered within 30 Seconds - Repair	Resale and UNE	>= 80%	DIAGNOSTIC	NA	NA	14145.00	14474.00	NA	97.73	NA	NA	NA	NA		0
NNE	01-OCT-2016	Aggregate	PO-4-01-6660	% Change Management Notices Sent on Time	Change Notices (types 3, 4 and 5)	>= 95%	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-OCT-2016	Aggregate	PO-4-01-6671	% Change Management Notices Sent on Time	Change Notices (types 1 and 2)	>= 95%	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-OCT-2016	Aggregate	PO-4-02-6600	Change Management Notices - Delay 1 to 7 Days	Change Notices all types	No Standard	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NNE	01-OCT-2016	Aggregate	PO-4-03-6600	Change Management Notices - Delay >= 8 Days	Change Notices all types	0 (zero) Notices >= 8 Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-OCT-2016	Aggregate	PO-5-01-6500	% On Time Notice of OSS Interface Outage	OSS Interface Outage Notifications	>= 95% within 20 Minutes of Outage	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NNE	01-OCT-2016	Aggregate	PO-6-01-6000	Software Validation	VFO	<= 5% Failed Transactions	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-OCT-2016	Aggregate	PO-7-01-6000	% Production Software Referrals Resolved On Time	VFO	>= 95% within 48 Hours/10 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-OCT-2016	Aggregate	PO-7-02-6000	Delay Hours - Production Software Resolution - Change - Transactions Failed - No Workaround	VFO	0 (zero) production resolution changes > 48 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-OCT-2016	Aggregate	PO-7-03-6000	Delay Days - Production Software Resolution - Change - Transactions Failed - With Workaround	VFO	0 (zero) production resolution changes > 10 Business Days	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NNE	01-OCT-2016	Aggregate	PO-7-04-6000	Delay Hours - Failed/Rejected Test Deck Transactions - Transactions Failed - No Workaround	VFO	0 (zero) failed/rejected test deck transactions > 48 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	Severity Dependent	0
NH	01-OCT-2016	Aggregate	PO-8-01-6100	% On Time - Manual Loop Qualification	Manual Loop Qual Request	>= 95% within 48 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	40	0
NH	01-OCT-2016	Aggregate	OR-1-02-2000	% On Time LSRC - Flow-Through	Resale	>= 95% within 2 Hours	ELIGIBLE	NA	NA	31.00	31.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-OCT-2016	Aggregate	OR-1-02-3332	% On Time LSRC - Flow-Through	UNE 2-Wire Loops/LNP	>= 95% within 2 Hours	ELIGIBLE	NA	NA	690.00	691.00	NA	99.86	NA	MET	0	1.00	28	0
NH	01-OCT-2016	Aggregate	OR-1-04-2000	% On Time LSRC - No Facility Check (Non-Flow-Through)	Resale	>= 95% within 24 Hours	ELIGIBLE	NA	NA	16.00	17.00	NA	94.12	NA	MET	0	1.00	28	0
NH	01-OCT-2016	Aggregate	OR-1-04-3331	% On Time LSRC - No Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 24 Hours	ELIGIBLE	NA	NA	119.00	124.00	NA	95.97	NA	MET	2	1.00	28	56.00
NH	01-OCT-2016	Aggregate	OR-1-04-3343	% On Time LSRC - No Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 24 Hours	ELIGIBLE	NA	NA	5.00	5.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-OCT-2016	Aggregate	OR-1-06-2000	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	Resale	>= 95% within 72 Hours	ELIGIBLE	NA	NA	1.00	2.00	NA	50.00	NA	MET	0	1.00	28	0
NH	01-OCT-2016	Aggregate	OR-1-06-3200	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	UNE Specials	>= 95% within 5 Business Days	ELIGIBLE	NA	NA	5.00	6.00	NA	83.33	NA	MET	0	1.00	56	0
NH	01-OCT-2016	Aggregate	OR-1-06-3331	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 72 Hours	ELIGIBLE	NA	NA	4.00	4.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-OCT-2016	Aggregate	OR-1-06-3343	% On Time LSRC/ASRC - Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 72 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NH	01-OCT-2016	Aggregate	OR-1-12-5020	% On Time ASRC	CLEC Trunks (<= 192 Forecasted)	>= 95% within 10 Business Days	ELIGIBLE	NA	NA	1.00	1.00	NA	100.00	NA	MET	0	1.00	56	0
NH	01-OCT-2016	Aggregate	OR-1-12-5030	% On Time ASRC	CLEC Trunks (> 192, Unforecasted, and Projects)	>= 95% within Negotiated Interval	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	56	0
NH	01-OCT-2016	Aggregate	OR-1-13-5000	% On Time Design Layout Record (DLR)	CLEC Trunks	>= 95% On or Before DLDR	ELIGIBLE	NA	NA	1.00	1.00	NA	100.00	NA	MET	0	1.00	56	0
NH	01-OCT-2016	Aggregate	OR-2-02-2000	% On Time LSR Reject (Flow-Through)	Resale	>= 95% within 2 Hours	ELIGIBLE	NA	NA	19.00	19.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-OCT-2016	Aggregate	OR-2-02-3332	% On Time LSR Reject (Flow-Through)	UNE 2-Wire Loops/LNP	>= 95% within 2 Hours	ELIGIBLE	NA	NA	170.00	170.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-OCT-2016	Aggregate	OR-2-04-2000	% On Time LSR Reject - No Facility Check (Non-Flow-Through)	Resale	>= 95% within 24 Hours	ELIGIBLE	NA	NA	5.00	5.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-OCT-2016	Aggregate	OR-2-04-3331	% On Time LSR Reject - No Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 24 Hours	ELIGIBLE	NA	NA	11.00	11.00	NA	100.00	NA	MET	0	1.00	28	0
NH	01-OCT-2016	Aggregate	OR-2-04-3343	% On Time LSR Reject - No Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 24 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NH	01-OCT-2016	Aggregate	OR-2-06-2000	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	Resale	>= 95% within 72 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NH	01-OCT-2016	Aggregate	OR-2-06-3200	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	UNE Specials	>= 95% within 5 Business Days	ELIGIBLE	NA	NA	1.00	1.00	NA	100.00	NA	MET	0	1.00	56	0
NH	01-OCT-2016	Aggregate	OR-2-06-3331	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	UNE 2-Wire Analog Loop/LNP	>= 95% within 72 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NH	01-OCT-2016	Aggregate	OR-2-06-3343	% On Time LSR/ASR Reject - Facility Check (Non-Flow-Through)	UNE 2-Wire Digital and xDSL Loops	>= 95% within 72 Hours	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	28	0
NH	01-OCT-2016	Aggregate	OR-2-12-5020	% On Time Trunk ASR Reject	CLEC Trunks (<= 192 Forecasted)	>= 95% within 7 Business Days	ELIGIBLE	NA	NA	15.00	15.00	NA	100.00	NA	MET	0	1.00	56	0
NH	01-OCT-2016	Aggregate	OR-2-12-5030	% On Time Trunk ASR Reject	CLEC Trunks (> 192, Unforecasted, and Projects)	>= 95% within Negotiated Interval	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NH	01-OCT-2016	Aggregate	OR-4-11-1000	% Completed Orders with Neither a PCN nor BCN Sent	Resale and UNE	<= 0.25% within 2 Business Days of Provisioning Completion	DIAGNOSTIC	NA	NA	3.00	1378.00	NA	0.22	NA	NA	NA	NA		0
NH	01-OCT-2016	Aggregate	OR-4-16-1000	% Provisioning Completion Notifiers Sent within One Business Day	Resale and UNE	>= 95%	ELIGIBLE	NA	NA	664.00	668.00	NA	99.40	NA	MET	0	1.00	28	0
NH	01-OCT-2016	Aggregate	OR-4-17-1000	% Billing Completion Notifiers Sent On Time	Resale and UNE	>= 95.5% within 2 or 4 Business Days of Provisioning Completion	ELIGIBLE	NA	NA	1363.00	1378.00	NA	98.91	NA	MET	4	1.00	28	112.00
NH	01-OCT-2016	Aggregate	OR-5-01-2000	% Flow-Through - Total	Resale	No Standard	DIAGNOSTIC	NA	NA	31.00	50.00	NA	62.00	NA	NA	NA	NA		0
NH	01-OCT-2016	Aggregate	OR-5-01-3112	% Flow-Through - Total	UNE 2-Wire Analog Loop	No Standard	DIAGNOSTIC	NA	NA	148.00	159.00	NA	93.08	NA	NA	NA	NA		0
NH	01-OCT-2016	Aggregate	OR-5-01-3121	% Flow-Through - Total	Directory Listings and LNP	No Standard	DIAGNOSTIC	NA	NA	1287.00	1452.00	NA	88.64	NA	NA	NA	NA		0
NH	01-OCT-2016	Aggregate	OR-5-03-2000	% Flow-Through - Achieved	Resale	>= 95%	ELIGIBLE	NA	NA	10.00	11.00	NA	90.91	NA	MET	0	1.00	35	0
NH	01-OCT-2016	Aggregate	OR-5-03-3112	% Flow-Through - Achieved	UNE 2-Wire Analog Loop	>= 95%	ELIGIBLE	NA	NA	73.00	75.00	NA	97.33	NA	MET	0	1.00	35	0
NH	01-OCT-2016	Aggregate	OR-5-03-3121	% Flow-Through - Achieved	Directory Listings and LNP	>= 95%	ELIGIBLE	NA	NA	893.00	965.00	NA	92.54	NA	MISS	30	2.00	35	2,100.00
NNE	01-OCT-2016	Aggregate	OR-6-01-1001	% Service Order Accuracy	Resale and UNE 2-Wire Loops /LNP	>= 95% without Errors	ELIGIBLE	NA	NA	68.00	70.00	NA	97.14	NA	MET	0	1.00	56	0
NH	01-OCT-2016	Aggregate	OR-6-03-2000	% Resent LSRC	Resale	<= 5% due to Errors	ELIGIBLE	NA	NA	0.00	19.00	NA	0.00	NA	MET	0	1.00	28	0
NH	01-OCT-2016	Aggregate	OR-6-03-3332	% Resent LSRC	UNE 2-Wire Loops/LNP	<= 5% due to Errors	ELIGIBLE	NA	NA	1.00	148.00	NA	0.68	NA	MET	0	1.00	28	0
NNE	01-OCT-2016	Aggregate	OR-6-04-1040	% Accuracy - Directory Listing	Directory Listings	>= 95% without Errors	ELIGIBLE	NA	NA	20.00	23.00	NA	86.96	NA	MISS	2	3.00	40	69.00
NH	01-OCT-2016	Aggregate	OR-11-01-2000	% On Time Resale Provider Notifications	Resale	>= 95% within 2 Business Days	ELIGIBLE	NA	NA	96.00	96.00	NA	100.00	NA	MET	0	1.00	56	0
NH	01-OCT-2016	Aggregate	PR-1-04-3112	Average Interval Offered - Dispatch (6 to 9 Lines)	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	11.00	5.00	NA	NA	2.20	NA	NA	NA	NA	NA		0
NH	01-OCT-2016	Aggregate	PR-1-05-3112	Average Interval Offered - Dispatch (>= 10 Lines)	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NH	01-OCT-2016	Aggregate	PR-1-09-3211	Average Interval Offered	UNE DS1	Parity with Retail DS1	DIAGNOSTIC	46.00	8.00	61.00	7.00	5.75	8.71	NA	NA	NA	NA		0
NH	01-OCT-2016	Aggregate	PR-1-09-3213	Average Interval Offered	UNE DS3	Parity with Retail DS3	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NH	01-OCT-2016	Aggregate	PR-1-09-5020	Average Interval Offered	CLEC Trunks (<= 192 Forecasted)	Parity with IXC Feature Group D Trunks	DIAGNOSTIC	57.00											

State	Month	CLEC Id	Metric Id	Metric Title	Product	Performance Standard	Eligible/Diagnostic	FRP Num	FRP Den	CLEC Num	CLEC Den	FRP Perf.	CLEC Perf.	Z Score	Met Miss Ss	Qual'd Miss	Escalation Level	\$ Miss	\$ Credit
NH	01-OCT-2016	Aggregate	PR-5-02-5000	% Orders Held for Facilities > 15 Days	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D	DIAGNOSTIC	0.00	3.00	0.00	3.00	0.00	0.00	NA	NA	NA	NA		0
NH	01-OCT-2016	Aggregate	PR-5-03-5000	% Orders Held for Facilities > 60 Days	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D	DIAGNOSTIC	0.00	3.00	0.00	3.00	0.00	0.00	NA	NA	NA	NA		0
NH	01-OCT-2016	Aggregate	PR-6-01-2000	% Installation Troubles Reported within 30 Days	Resale	Parity with Retail POTS	ELIGIBLE	103.00	1145.00	0.00	8.00	9.00	0.00	0.071	MET	0	1.00	60	0
NH	01-OCT-2016	Aggregate	PR-6-01-3113	% Installation Troubles Reported within 30 Days	UNE 2-Wire Analog Loop - New	Parity with Retail POTS - Dispatched	ELIGIBLE	50.00	327.00	3.00	34.00	15.29	8.82	0.737	MET	0	1.00	60	0
NH	01-OCT-2016	Aggregate	PR-6-01-3200	% Installation Troubles Reported within 30 Days	UNE Specials	Parity with Retail Specials	ELIGIBLE	NA	NA	2.00	8.00	NA	25.00	NA	SS	0	1.00	150	0
NH	01-OCT-2016	Aggregate	PR-6-01-3343	% Installation Troubles Reported within 30 Days	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS - Dispatched	ELIGIBLE	66.00	327.00	1.00	21.00	20.18	4.76	1.541	MET	0	1.00	60	0
NNE	01-OCT-2016	Aggregate	PR-6-01-5000	% Installation Troubles Reported within 30 Days	CLEC Trunks	Parity with IXC Feature Group D Trunks	ELIGIBLE	0.00	8.00	0.00	8.00	0.00	0.00	NA	MET	0	1.00	150	0
NH	01-OCT-2016	Aggregate	PR-6-02-3520	% Installation Troubles Reported within 7 Days	UNE 2-Wire Analog Loop - Hot Cut	<= 2%	ELIGIBLE	NA	NA	0.00	19.00	NA	0.00	NA	MET	0	1.00	60	0
NH	01-OCT-2016	Aggregate	PR-8-01-2000	% Open Orders in a Hold Status > 30 Days	Resale	Parity with Retail POTS	ELIGIBLE	73.00	3079.00	0.00	26.00	2.37	0.00	0.094	MET	0	1.00	60	0
NH	01-OCT-2016	Aggregate	PR-8-01-3112	% Open Orders in a Hold Status > 30 Days	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	73.00	3079.00	0.00	25.00	2.37	0.00	0.126	MET	0	1.00	60	0
NH	01-OCT-2016	Aggregate	PR-8-01-3200	% Open Orders in a Hold Status > 30 Days	UNE Specials	Parity with Retail Specials	ELIGIBLE	3.00	13.00	0.00	8.00	23.08	0.00	NA	SS	0	1.00	150	0
NH	01-OCT-2016	Aggregate	PR-8-01-3343	% Open Orders in a Hold Status > 30 Days	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	73.00	3079.00	0.00	14.00	2.37	0.00	0.569	MET	0	1.00	60	0
NH	01-OCT-2016	Aggregate	PR-8-01-5000	% Open Orders in a Hold Status > 30 Days	CLEC Trunks	Parity with IXC Feature Group D Trunks	ELIGIBLE	0.00	3.00	NA	NA	0.00	NA	NA	NA	0	1.00	150	0
NH	01-OCT-2016	Aggregate	PR-8-02-2000	% Open Orders in a Hold Status > 90 Days	Resale	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	69.00	3075.00	0.00	26.00	2.24	0.00	NA	NA	NA	NA		0
NH	01-OCT-2016	Aggregate	PR-8-02-3112	% Open Orders in a Hold Status > 90 Days	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	69.00	3075.00	0.00	25.00	2.24	0.00	NA	NA	NA	NA		0
NH	01-OCT-2016	Aggregate	PR-8-02-3200	% Open Orders in a Hold Status > 90 Days	UNE Specials	Diagnostic Comparison to Retail Specials	DIAGNOSTIC	3.00	13.00	0.00	8.00	23.08	0.00	NA	NA	NA	NA		0
NH	01-OCT-2016	Aggregate	PR-8-02-3343	% Open Orders in a Hold Status > 90 Days	UNE 2-Wire Digital and xDSL Loops	Diagnostic comparison to Retail POTS	DIAGNOSTIC	69.00	3075.00	0.00	14.00	2.24	0.00	NA	NA	NA	NA		0
NH	01-OCT-2016	Aggregate	PR-8-02-5000	% Open Orders in a Hold Status > 90 Days	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D Trunks	DIAGNOSTIC	0.00	3.00	NA	NA	0.00	NA	NA	NA	NA	NA		0
NH	01-OCT-2016	Aggregate	PR-9-01-3520	% On Time Performance - Hot Cut	UNE 2-Wire Analog Loop - Hot Cut	>= 95% Completed within Window	ELIGIBLE	NA	NA	2.00	2.00	NA	100.00	NA	MET	0	1.00	100	0
NH	01-OCT-2016	Aggregate	PR-9-08-3520	Average Duration of Hot Cut Installation Troubles	UNE 2-Wire Analog Loop - Hot Cut	Parity with Retail POTS - New	ELIGIBLE	1052.47	66.00	NA	NA	15.95	NA	NA	NA	0	1.00	100	0
NNE	01-OCT-2016	Aggregate	MR-1-01-6000	Average Response Time - Create Trouble	VFO	<= 4.5 Seconds	ELIGIBLE	NA	NA	2557.00	1224.00	NA	2.09	NA	MET	0	1.00	5	0
NNE	01-OCT-2016	Aggregate	MR-1-02-6000	Average Response Time - Status Trouble	VFO	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	194.00	6.00	NA	32.33	NA	NA	NA	NA		0
NNE	01-OCT-2016	Aggregate	MR-1-03-6000	Average Response Time - Modify Trouble	VFO	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	2255.00	70.00	NA	32.21	NA	NA	NA	NA		0
NNE	01-OCT-2016	Aggregate	MR-1-04-6000	Average Response Time - Request Cancellation of Trouble	VFO	<= 4.5 Seconds	DIAGNOSTIC	NA	NA	306.00	9.00	NA	34.00	NA	NA	NA	NA		0
NNE	01-OCT-2016	Aggregate	MR-1-05-6000	Average Response Time - Status and Trouble History	VFO	No Standard	DIAGNOSTIC	NA	NA	268.00	7.00	NA	38.29	NA	NA	NA	NA		0
NNE	01-OCT-2016	Aggregate	MR-1-06-6000	Average Response Time - Test Trouble (Resale POTS Only)	VFO	<= 90 Seconds	ELIGIBLE	NA	NA	8662.00	180.00	NA	48.12	NA	MET	0	1.00	5	0
NH	01-OCT-2016	Aggregate	MR-2-01-3200	Network Trouble Report Rate	UNE Specials	No Standard	DIAGNOSTIC	NA	NA	26.00	4050.00	NA	0.64	NA	NA	NA	NA		0
NH	01-OCT-2016	Aggregate	MR-2-01-5000	Network Trouble Report Rate	CLEC Trunks	Parity with IXC Feature Group D Trunks	DIAGNOSTIC	0.00	9.00	0.00	764.00	0.00	0.00	NA	NA	NA	NA		0
NH	01-OCT-2016	Aggregate	MR-2-02-2000	Network Trouble Report Rate - Loop	Resale	Parity with Retail POTS	DIAGNOSTIC	1608.00	157551.00	8.00	4524.00	1.02	0.18	NA	NA	NA	NA		0
NH	01-OCT-2016	Aggregate	MR-2-02-3112	Network Trouble Report Rate - Loop	UNE 2-Wire Analog Loop	Parity with Retail POTS	DIAGNOSTIC	1608.00	157551.00	58.00	14466.00	1.02	0.40	NA	NA	NA	NA		0
NH	01-OCT-2016	Aggregate	MR-2-02-3343	Network Trouble Report Rate - Loop	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	DIAGNOSTIC	314.00	157551.00	0.00	2694.00	0.20	0.00	NA	NA	NA	NA		0
NH	01-OCT-2016	Aggregate	MR-2-03-2000	Network Trouble Report Rate - Central Office	Resale	Parity with Retail POTS	DIAGNOSTIC	157.00	157551.00	9.00	4524.00	0.10	0.20	NA	NA	NA	NA		0
NH	01-OCT-2016	Aggregate	MR-2-03-3112	Network Trouble Report Rate - Central Office	UNE 2-Wire Analog Loop	Parity with Retail POTS	DIAGNOSTIC	10.00	157551.00	0.00	14466.00	0.01	0.00	NA	NA	NA	NA		0
NH	01-OCT-2016	Aggregate	MR-2-03-3343	Network Trouble Report Rate - Central Office	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	DIAGNOSTIC	4.00	157551.00	0.00	2694.00	0.00	0.00	NA	NA	NA	NA		0
NH	01-OCT-2016	Aggregate	MR-3-01-2010	% Missed Repair Appointment - Loop	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	47.00	296.00	1.00	8.00	15.88	12.50	0.336	MET	0	1.00	70	0
NH	01-OCT-2016	Aggregate	MR-3-01-2120	% Missed Repair Appointment - Loop	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	139.00	1312.00	NA	NA	10.59	NA	NA	NA	0	1.00	35	0
NH	01-OCT-2016	Aggregate	MR-3-01-3112	% Missed Repair Appointment - Loop	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	186.00	1608.00	8.00	58.00	11.57	13.79	-0.752	MET	0	1.00	70	0
NH	01-OCT-2016	Aggregate	MR-3-01-3343	% Missed Repair Appointment - Loop	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	186.00	1608.00	0.00	3.00	11.57	0.00	NA	SS	0	1.00	70	0
NH	01-OCT-2016	Aggregate	MR-3-02-2010	% Missed Repair Appointment - Central Office	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	6.00	58.00	1.00	8.00	10.34	12.50	-0.848	MET	0	1.00	70	0
NH	01-OCT-2016	Aggregate	MR-3-02-2120	% Missed Repair Appointment - Central Office	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	5.00	99.00	NA	NA	5.05	NA	NA	NA	0	1.00	35	0
NH	01-OCT-2016	Aggregate	MR-3-02-3112	% Missed Repair Appointment - Central Office	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	4.00	35.00	0.00	2.00	11.43	0.00	NA	SS	0	1.00	70	0
NH	01-OCT-2016	Aggregate	MR-3-02-3343	% Missed Repair Appointment - Central Office	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	4.00	35.00	NA	NA	11.43	NA	NA	NA	0	1.00	70	0
NH	01-OCT-2016	Aggregate	MR-4-01-3200	Mean Time To Repair - Total	UNE Specials	Parity with Retail Specials	ELIGIBLE	129.58	9.00	219.56	26.00	14.40	8.44	1.131	MET	0	1.00	125	0
NH	01-OCT-2016	Aggregate	MR-4-01-5000	Mean Time To Repair - Total	CLEC Trunks	Parity with IXC Feature Group D Trunks	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	125	0
NH	01-OCT-2016	Aggregate	MR-4-02-2010	Mean Time To Repair - Loop Trouble	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	3833.12	296.00	164.88	8.00	12.95	20.61	-1.272	MET	0	1.00	60	0
NH	01-OCT-2016	Aggregate	MR-4-02-2120	Mean Time To Repair - Loop Trouble	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	29844.65	1312.00	NA	NA	22.75	NA	NA	NA	0	1.00	35	0
NH	01-OCT-2016	Aggregate	MR-4-02-3112	Mean Time To Repair - Loop Trouble	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	33677.70	1608.00	649.11	58.00	20.94	11.19	5.000	MET	0	1.00	60	0
NH	01-OCT-2016	Aggregate	MR-4-02-3343	Mean Time To Repair - Loop Trouble	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	33677.70	1608.00	42.32	3.00	20.94	14.11	NA	SS	0	1.00	60	0
NH	01-OCT-2016	Aggregate	MR-4-03-2010	Mean Time To Repair - Central Office Trouble	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	495.31	59.00	68.01	8.00	8.37	8.90	-0.174	MET	0	1.00	60	0
NH	01-OCT-2016	Aggregate	MR-4-03-2120	Mean Time To Repair - Central Office Trouble	Resale POTS Residence	Parity with Retail POTS - Residence	ELIGIBLE	1331.19	99.00	NA	NA	13.45	NA	NA	NA	0	1.00	35	0
NH	01-OCT-2016	Aggregate	MR-4-03-3112	Mean Time To Repair - Central Office Trouble	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	549.82	35.00	6.33	2.00	15.71	3.16	NA	SS	0	1.00	60	0
NH	01-OCT-2016	Aggregate	MR-4-03-3343	Mean Time To Repair - Central Office Trouble	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	549.82	35.00	NA	NA	15.71	NA	NA	NA	0	1.00	60	0
NH	01-OCT-2016	Aggregate	MR-4-04-2000	% Cleared within 24 Hours	Resale	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	1243.00	1765.00	14.00	17.00	70.42	82.35	NA	NA	NA	NA		0
NH	01-OCT-2016	Aggregate	MR-4-04-3112	% Cleared within 24 Hours	UNE 2-Wire Analog Loop	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	1132.00	1643.00	56.00	60.00	68.90	93.33	NA	NA	NA	NA		0
NH	01-OCT-2016	Aggregate	MR-4-04-3200	% Cleared within 24 Hours	UNE Specials	Diagnostic Comparison to Retail Specials	DIAGNOSTIC	7.00	9.00	23.00	26.00	77.78	88.46	NA	NA	NA	NA		0
NH	01-OCT-2016	Aggregate	MR-4-04-3343	% Cleared within 24 Hours	UNE 2-Wire Digital and xDSL Loops	Diagnostic Comparison to Retail POTS	DIAGNOSTIC	1132.00	1643.00	3.00	3.00	68.90	100.00	NA	NA	NA	NA		0
NH	01-OCT-2016	Aggregate	MR-4-04-5000	% Cleared within 24 Hours	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NH	01-OCT-2016	Aggregate	MR-4-05-5000	% Out of Service > 2 Hours	CLEC Trunks	Parity with IXC Feature Group D Trunks	ELIGIBLE	NA	NA	NA	NA	NA	NA	NA	NA	0	1.00	175	0
NH	01-OCT-2016	Aggregate	MR-4-06-2010	% Out of Service > 4 Hours	Resale Business	Diagnostic Comparison to Retail POTS - Business	DIAGNOSTIC	160.00	260.00	9.00	12.00	61.54	75.00	NA	NA	NA	NA		0
NH	01-OCT-2016	Aggregate	MR-4-06-2120	% Out of Service > 4 Hours	Resale POTS Residence	Diagnostic Comparison to Retail POTS - Residence	DIAGNOSTIC	901.00	1019.00	NA	NA	88.42	NA	NA	NA	NA	NA		0
NH	01-OCT-2016	Aggregate	MR-4-06-3200	% Out of Service > 4 Hours	UNE Specials	Parity with Retail Specials	ELIGIBLE	3.00	4.00	NA	NA	75.00	NA	NA	NA	0	1.00	175	0
NH	01-OCT-2016	Aggregate	MR-4-06-5000	% Out of Service > 4 Hours	CLEC Trunks	Diagnostic Comparison to IXC Feature Group D Trunks	DIAGNOSTIC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		0
NH	01-OCT-2016	Aggregate	MR-4-07-2010	% Out of Service > 12 Hours	Resale Business	Parity with Retail POTS - Business	ELIGIBLE	92.00	260.00	9.00	12.00	35.38	75.00	-3.049	MISS	5	1.00	100	500.00
NH	01-OCT-2016	Aggregate	MR-4-07-2120	% Out of Service > 12 Hours	Resale POTS Residence	Diagnostic Comparison to Retail POTS - Residence	DIAGNOSTIC	718.00	1019.00	NA	NA	70.46	NA	NA	NA	NA	NA		0
NH	01-OCT-2016	Aggregate	MR-4-07-3112	% Out of Service > 12 Hours	UNE 2-Wire Analog Loop	Parity with Retail POTS	ELIGIBLE	346.00	1199.00	2.00	32.00	28.86	6.25	2.881	MET	0	1.00	100	0
NH	01-OCT-2016	Aggregate	MR-4-07-3343	% Out of Service > 12 Hours	UNE 2-Wire Digital and xDSL Loops	Parity with Retail POTS	ELIGIBLE	346.00	1199.00	NA	NA	28.86	NA	NA	NA	0	1.00	100	0
NH	01-OCT-2016	Aggregate	MR-4-07																

