

Bailey, Kate

From: Bailey, Kate
Sent: Tuesday, May 15, 2012 9:42 AM
To: 'Taylor, Ryan (Ryan.Taylor@fairpoint.com)'
Cc: Ladam, Michael
Subject: Northland Access Tariff DT 11-118

Ryan

Historically, Northland NH operated from the Northland Maine access tariff. You can see the rate pages on our website under Incumbent Telephone Access Rates (scroll through until you find Northland): <http://www.puc.nh.gov/Regulatory/companies-regulated-tariffs.htm#tel>

I have downloaded a complete copy of the Maine tariff and some of the rates in your proposed NH tariff don't match. It appears there were some changes in February 2012 to the Maine tariff which I think are reasonable to make here, but some of the rates proposed don't match either the Maine tariff or that which is posted on our website (from the old Northland tariff). There are minor problems with other pages as well. I will itemize page by page:

Section 1, Page 2, after the General sentence at 1.5.A.1, to be consistent with the decision in DT 06-067 add: **in those instances where the customer uses the Telephone Company common line for access to end users.**

Section 1, Page 2, 1.5.A.3. delete *each* in the second last line in the paragraph to say "**billed to [each] switched access service provided under this tariff in accordance**"...

Section 1, Page 6, 1.6 CCL in the Maine tariff is \$.002

Section 1, Page 9, 1.A.1.D gives the customer until April 15, 2012, to provide its PVU factor. Since this will be a new tariff effective May 31, you need to give customers a 30 day window after the effective date. Change to June 30, 2012.

Section 1 Page 12 – there are two page 12s. Please renumber.

Section 1, Page 13 Tandem Switched Facility (\$.00158 should be \$.000249) and Termination (\$.00662 should be \$.001228) rates are not consistent with Maine rate.

Section 1, Page 15 Local Switching rate (\$.03994 should be \$.020462) and Info Surcharge (\$.0161 is consistent with old Northland Maine rate on our website but was changed to \$.0208 in Feb 2012 Maine tariff).

Please make these corrections so we can establish your baseline tariff.

Thanks,

Kate