

STATE OF NEW HAMPSHIRE

Inter-Department Communication

DATE: March 17, 2014

AT (OFFICE): NHPUC

FROM: Barbara Bernstein *BB*
Sustainable Energy Analyst

SUBJECT: DE 14-055 Revised to DE 12-200, Powerhouse Systems, Inc. –
Weston Dam

TO: Chairman Amy L. Ignatius
Commissioner Robert R. Scott
Commissioner Martin P. Honigberg
Debra A. Howland, Executive Director and Secretary

CC: Jack K. Ruderman, Director of the Sustainable Energy Division *AK*
David J. Shulock, Staff Attorney

Overview

On July 10, 2012, Hydro Management Group, LLC (Hydro Management) submitted an application requesting Class IV certification for the Powerhouse Systems, Inc., Weston Dam Hydroelectric Facility (Weston Dam) pursuant to RSA 362-F, New Hampshire's Renewable Portfolio Standard law and Laws of 2012, Chapter 0272. On July 30, 2012, the Commission approved the Weston Dam as a Class IV renewable energy source effective July 10, 2012.

On February 27, 2014, the Commission received an application from Power House Systems requesting Class II New Hampshire Renewable Energy Certificate (REC) eligibility for the 0.044 megawatt (MW) Weston Dam Solar photovoltaic (PV) array that will be part of the Andrew Locke – Hydro Management Group's¹ approved aggregation pursuant to RSA 362-F, New Hampshire's Electric Renewable Portfolio Standard law. This request was assigned docket number DE 14-055.

Recommendation

Staff recommends that the Commission's review of the Weston Dam Solar PV project's request for Class II certification be completed under the original docket, DE 12-200, to allow all the information and correspondence regarding the Weston Dam project to be compiled under one case number. This is in keeping with past projects that have

¹ The Commission approved Andrew Locke, Hydro Management Group, LLC /Essex Hydro Associates, LLC as an aggregator of Class II March 10, 2013, DE 14-032.

requested certification under different classes or have been denied eligibility due to compliance issues and then were reinstated when compliance was achieved.² Staff further recommends that DE 14-055 be closed.

² See DE 12-210 Spaulding; DE 09-008 Indeck, and DE 09-104 Springfield Power.

SERVICE LIST - EMAIL ADDRESSES - DOCKET RELATED

Pursuant to N.H. Admin Rule Puc 203.11 (a) (1): Serve an electronic copy on each person identified on the service list.

Executive.Director@puc.nh.gov
amanda.noonan@puc.nh.gov
barbara.bernstein@puc.nh.gov
cloutier@ncia.net
Jack.ruderman@puc.nh.gov
ocalitigation@oca.nh.gov
steve.mullen@puc.nh.gov
tom.frantz@puc.nh.gov

Docket #: 14-055-1 Printed: March 18, 2014

FILING INSTRUCTIONS:

- a) Pursuant to N.H. Admin Rule Puc 203.02 (a), with the exception of Discovery, file 7 copies, as well as an electronic copy, of all documents including cover letter with:**
- DEBRA A HOWLAND
EXECUTIVE DIRECTOR
NHPUC
21 S. FRUIT ST, SUITE 10
CONCORD NH 03301-2429**
- b) Serve an electronic copy with each person identified on the Commission's service list and with the Office of Consumer Advocate.**
- c) Serve a written copy on each person on the service list not able to receive electronic mail.**

SERVICE LIST - EMAIL ADDRESSES - DOCKET RELATED

Pursuant to N.H. Admin Rule Puc 203.11 (a) (1): Serve an electronic copy on each person identified on the service list.

Executive.Director@puc.nh.gov
al@essexhydro.com
amanda.noonan@puc.nh.gov
barbara.bernstein@puc.nh.gov
Christina.Martin@oca.nh.gov
Jack.ruderman@puc.nh.gov
jwebb@apx.com
Rorie.E.P.Hollenberg@oca.nh.gov
steve.mullen@puc.nh.gov
suzanne.amidon@puc.nh.gov
tom.frantz@puc.nh.gov

Docket #: 12-200-1 Printed: March 18, 2014

FILING INSTRUCTIONS:

- a) Pursuant to N.H. Admin Rule Puc 203.02 (a), with the exception of Discovery, file 7 copies, as well as an electronic copy, of all documents including cover letter with:**

DEBRA A HOWLAND
EXECUTIVE DIRECTOR
NHPUC
21 S. FRUIT ST, SUITE 10
CONCORD NH 03301-2429

- b) Serve an electronic copy with each person identified on the Commission's service list and with the Office of Consumer Advocate.**
- c) Serve a written copy on each person on the service list not able to receive electronic mail.**