

THE STATE OF NEW HAMPSHIRE



CHAIRMAN  
Martin P. Honigberg

COMMISSIONERS  
Kathryn M. Bailey  
Michael S. Giaimo

EXECUTIVE DIRECTOR  
Debra A. Howland

TDD Access: Relay NH  
1-800-735-2964

Tel. (603) 271-2431

FAX (603) 271-3878

Website:  
[www.puc.nh.gov](http://www.puc.nh.gov)

**PUBLIC UTILITIES COMMISSION**

21 S. Fruit Street, Suite 10  
Concord, N.H. 03301-2429

January 29, 2018

Debra Howland  
Executive Director  
New Hampshire Public Utilities Commission  
21 South Fruit Street, Suite 10  
Concord, NH 03301

Re: DE 16-441 Public Service Company of New Hampshire d/b/a Eversource Energy  
Addendum, Staff Recommendation filed on February 1, 2017

Dear Ms. Howland:

On September 7, 2017, Eversource Energy informed the Commission of a planned alteration to its proposed construction by Public Service Company of New Hampshire, d/b/a Eversource Energy ("Eversource") of the Little Bay public water crossing which was previously approved by the Commission in its Order NISI Granting License (Order No. 25,998, dated March 10, 2017) (the "Order") in the docket referenced above.

As a result of further assessment of Little Bay vessel traffic, and further geotechnical sampling, with a goal to reduce the potential amount of suspended sediments caused by the installation process, Eversource intends to change the depth of each jet plow trench in the main channel section of Little Bay to 5 feet. The original plan was to have the depth of each trench at 8 feet beneath the bottom of the channel.

In its recommendation, Staff acknowledged the 8 foot depth of each trench in the last paragraph on page 10, the first paragraph on page 11, and again in the profile view of attachment Water Crossing 3 on page 18. As this change has been determined to have minimal impact on its original conclusions, Staff proposes in this Addendum, that its recommendation remains for approval of the crossing of Little Bay, as was filed on February 1, 2017. In addition, Staff reviewed the Order and found there was no mention of depths for the water crossing, and Staff concludes the Order does not need to be amended.

Sincerely,

*/s/ Randy Knepper*

Randy Knepper  
Director, Safety Division, NHPUC

Cc: Service List

**SERVICE LIST - EMAIL ADDRESSES - DOCKET RELATED**

---

---

**Pursuant to N.H. Admin Rule Puc 203.11 (a) (1): Serve an electronic copy on each person identified on the service list.**

Executive.Director@puc.nh.gov

amanda.noonan@puc.nh.gov

christopher.allwarden@nu.com

leszek.stachow@puc.nh.gov

ocalitigation@oca.nh.gov

paul.dexter@puc.nh.gov

randy.knepper@puc.nh.gov

robert.wyatt@puc.nh.gov

suzanne.amidon@puc.nh.gov

tom.frantz@puc.nh.gov

Docket #: 16-441-1      Printed: January 29, 2018

**FILING INSTRUCTIONS:**

**a) Pursuant to N.H. Admin Rule Puc 203.02 (a), with the exception of Discovery, file 7 copies, as well as an electronic copy, of all documents including cover letter with:**

DEBRA A HOWLAND  
EXECUTIVE DIRECTOR  
NHPUC  
21 S. FRUIT ST, SUITE 10  
CONCORD NH 03301-2429

**b) Serve an electronic copy with each person identified on the Commission's service list and with the Office of Consumer Advocate.**

**c) Serve a written copy on each person on the service list not able to receive electronic mail.**