## TBPAG Attachment 1 - January 12, 2015

Thousands-Block Application Form - Part 1A Tracking 603-MILFORD-NH-Number: 916042 Individual Block Request Type of Change i New New Application: Disconnect GENERAL APPLICATION INFORMATION 1.1 Contact Information: Block Applicant: Company FREEDOM RING COMMUNICATIONS, LLC Name: Headquarters **359 Corporate Drive** Address: City, State, Zip: Portsmouth, NH, 03801 Contact Name: Jennifer Hassen Contact 359 Corporate Drive Address: City, State, Zip: Portsmouth, NH, 03801 Phone: 603-Fax: 603-766-1050 E-mail: jennifer@bayring.com 766-1672 Pooling Administrator: ii Contact Name: John Auerbach Contact 1800 Sutter St. Ste. 780 Address: City, State, Zip: Concord, CA, 94520 Phone: 925-363-8706 Fax: 925-363-7684 E-mail: john.auerbach@neustar.biz 1.2 General Information: Check one: No LRN needed \_\_\_ LRN needed iii

NPA	603	LATA:_	122	OCN: <sup>iv</sup> <b>8468</b>	Parent Company's OCN _8468_
Num	oer of Th	ousands-Blo	cks Requ	ested : <u>1</u>	<del></del>
	h Identifi rmonhor	cation (Swi	tching En	tity/POI): v	
Rate	Center: vi	MILFOR	D		
1.3 D	ates:				
Date	of Applic	ation: vii <u>0</u> 2	1/18/2016 	Requested Date: viii	Block Effective <u>05/19/2016</u>
possi appli	ble effect es to a rec	ive date the luction in th	Administ e Admini	rator can gra	nat I am requesting the earliest nt. Please note that this only essing time, however the ed.
-	est Exped dited Exp		ent? (See	Section 8.6)	Yes <b>X</b> No
1.4 T	ype of Se	rvice Provid	ler Reque	sting the Tho	ousands-Block:
b) ]	Primary t	ype of service	ce Blocks	to be used for	(LEC, IXC, CMRS, Other) or : <b>Wireline</b>
c) 603-2		s-Block(s) (	NXX-X)	assignment p	oreference (Optional)
		s-Block(s) (	NXX-X)	that are unde	esirable for this assignment, if
					cate which block(s) you will be en to the pool)
1.5 T	ype of Re	quest:			
					, attach evidence of ervice within 60 days.
Grow works		for rate cente	er : Yes _	X If	Yes, attach months to exhaust
	in red an	d explicitly	understan	d that the un	that I am willing to accept a derlying CO code may not yet C on the block effective date.
Туре	_	e (Mark <u>all</u> 1			I.I. T. D 10
		n: intra-com	ipany " 🗔	Switching	Id 🔲 Part 1B

OCN: Inter-company *	Effective Date	
Change block: YesIf Yes,	list NPA-NXX-X	
1.6 Block Return:		
<ul><li>a) Is this block Contaminated: Yes</li><li>b) If Yes how many TNs are NOT</li><li>c) Have all new Intra SP ports been</li></ul>	available for assignment :	
d) Has this block been protected from	om further assignment: Yes	_ or No
Disconnect block : YesIf Y	es, list NPA-NXX-X	
Remarks:		
I hereby certify that the above inform and accurate to the best of my knowled prepared in accordance with the Thou Administration Guidelines ATIS-030 (http://www.atis.org/inc) or by contact application.	edge and that this application has usands-Block (NXX-X) Pooling 0066 available on the ATIS web	s been site
Jennifer Hassen	Billing Manager	04/18/2016
Signature of Block Applicant	Title	Date

## Instructions for filling out each Section of the Part 1A form:

Section 1.1 Contact information requires that Service Providers supply under "Block Applicant" the company name, company headquarters address, a contact within the company, an address where the contact person may be reached, in addition to the correct phone, fax, and e-mail address. The Pooling Administrator section also requires the Service Provider to fill in the Pooling Administrator's name, address, phone, fax and e-mail.

Section 1.2 Service Providers who need a thousands-block assignment or for an Location Routing Number (LRN) are required to fill in this section. If needed for an LRN, a CO Code Application needs to also be submitted to the PA. The Service Provider should supply the Numbering Plan Area (NPA); the Local Access Transport Area (LATA), which is a three-digit number that can be found in the iconectiv<sup>TM</sup> LERG<sup>TM</sup> Routing Guide. The Operating Company Number (OCN) assigned to the service provider and the OCN its parent company. An OCN is a four-character alphanumeric assigned by iconectiv Telecom Routing Administration (TRA). In addition, the number of thousands-blocks requested

should be supplied. The Switch Identification as well as the city or wire center name, rate center, rate center sub zone, homing tandem and CLLI<sup>TM</sup> tandem of the facilities based provider <sup>xi</sup>. Explanations of these terms may be found in the footnotes.

Section 1.3 The date the Service Provider completes the application should be entered in this section, as well as the Effective Date of the requested thousands-block.

Section 1.4 Service Providers should indicate their type, e.g., local exchange carrier, competitive local exchange carrier, interexchange carrier, CMRS. The also indicate the primary type of business in which the numbering resource is to be used. Service Providers also may indicate their preference for a particular thousands-block, e.g., 321-9XXX, or indicate any thousands-blocks that may be undesirable, e.g., 321-6XXX.

Section 1.5 Service Providers indicate the type of request. Initial requests are for first applications for thousands-blocks in a rate center, growth for additional thousands-blocks in a rate center in which the applicant already has numbering resources, and provide the required evidence as ordered by the FCC.

Section 1.6 Service Providers must indicate the updated/current information in regards to contaminated TNs on the block they are returning to the pool. Blocks with over 10% contamination (101 TNs or more) shall not be returned to the pool unless they meet criteria outlined in section 9.1.2 of these Guidelines. If the block being returned is over 10% contaminated the PA shall seek a new block holder. If question c and/or d have a response of No, the request for return shall be denied.

The thousands-block applicant certifies veracity of this form by signing their name, and providing their title and date.

## Footnotes:

<sup>&</sup>lt;sup>i</sup> Identify the type of change(s) in Section 1.5.

ii The Pool Administrator is available to assist in completing these forms.

iii A CO Code application will also need to be submitted to the PA.

iv Operating Company Number (OCN) assignments must uniquely identify the applicant. Relative to CO Code assignments, NECA-assigned Company Codes may be used as OCNs. Companies with no prior CO Code or Company Code assignments should contact NECA (800 524-1020) to be assigned a Company Code(s). Since multiple OCNs and/or Company Codes may be associated with a given company, companies with prior assignments should direct questions regarding appropriate OCN usage to (TRA) (732-699-6700).

<sup>&</sup>lt;sup>v</sup> This is an eleven-character descriptor of the switch provided by the owning entity for the purpose of routing calls. This is the 11 character CLLI<sup>TM</sup> code of the switch /POI.

vi Rate Center name must be a tariffed Rate Center.

vii Acknowledgment and indication of disposition of this application will be provided to applicant within seven calendar days from the date of receipt of this application. An incomplete form may result in delays in processing this request.

viii Please ensure that the NPA-NXX of the LRN to be associated with this block (s) is/will be active in the PSTN prior to the effective date of the block(s).

ix Select if you are the current Block Holder.

<sup>&</sup>lt;sup>x</sup> Select if you are <u>not</u> the current Block Holder

 $<sup>^{</sup>m xi}$  LERG Routing Guide, and CLLI are trademarks of Telcordia Technologies, Inc. dba iconectiv

Appendix 3

January 12, 2015

MONTHS TO EXHAUST and UTILIZATION CERTIFICATION WORK SHEET - TN Level<sup>1</sup> (Thousands-Block Number Pooling Growth Block Request)

Tracking Number: 603-MILFORD-NH-916042

Date: Monday, April

OCN:8468

Company Name: FREEDOM RING

18, 2016

COMMUNICATIONS, LLC

Rate Center: MILFORD

List all Codes NPA(s)-NXX(s) and Blocks NPA(s)-NXX-X(s)<sup>2</sup>:603-721-0

Name of Block Applicant: Jennifer

Signature: Jennifer Hassen

**Hassen** 

Title:Billing Manager

Telephone No.: <u>603-766-1672-</u>

FAX No.: <u>603-</u>

766-1050

E-Mail: jennifer@bayring.com

A. Available Numbers:590

B. Assigned Numbers: 410

C. Total Numbering Resources: 1000

D. Quantity of numbers activated in the past 90 days (increments of 1,000 or 10,000) and excluded from the Utilization calculation <sup>3</sup>:0

List Excluded Code(s) or

Block(s):

Month Month

#1 #2 #3 #4 #5 #6 #7 #8 #9 #10 #11 #12

<u>0</u>  $\underline{\mathbf{0}}$ <u>6</u>  $\underline{\mathbf{0}}$ 1 0

I.

Utilization<sup>7</sup>

E. Growth History - Previous 6 months <sup>4</sup>												
F. Forecast - Next 12 months <sup>5</sup>	<u>5</u>	<u>300</u>	<u>5</u>	<u>5</u>	<u>5</u>	<u>5</u>	<u>5</u>	<u>5</u>	<u>5</u>	<u>5</u>	<u>5</u>	<u>5</u>
G. Average Monthly Forecast (Sum of months # 1-6 (Part F above) divided by 6): <u>54.167</u>												
H. Months to Exhaust <sup>6</sup> = Numbers Available for Assignment to Customers(A)												
Average Monthly Forecast(G)												
		Block	c Reque	ested		Availa	able Nu <b>590</b>	mbers		Month	ns To E <b>10.892</b>	

X 100 =

41.0

Total Numbering Resources(C)-Excluded Numbers(D)

Assigned Numbers(B)

Explanation:

<sup>&</sup>lt;sup>1</sup>A copy of this worksheet is required to be submitted to the Pooling Administrator when requesting additional numbering resources in a rate center. For auditing purposes, the applicant must retain a copy of this document.

<sup>&</sup>lt;sup>2</sup>Report on all resources for the requested geographic area, including newly acquired blocks/codes.

<sup>&</sup>lt;sup>3</sup>Quantity of numbers activated in the past 90 days is based on blocks and/or codes received from the administrator and shall be reported in increments of 1,000 or 10,000 TNs (e. g.: 2 blocks received=2,000 and 1 code received=10,000).

<sup>&</sup>lt;sup>4</sup>Net change in TNs no longer available for assignment in each previous month, starting with the most distant month as Month #1, and Month #6 as the current month.

<sup>&</sup>lt;sup>5</sup>Forecast of TNs needed in each following month, starting with the most recent month as Month #1.

MTE Block Page 3 of 3

<sup>6</sup>To be assigned an additional thousands-block (NXX-X) for growth, "Months to Exhaust" must be less than or equal to 6 months. (FCC 00-104, section 52.15 (g) (3) (iii)).

<sup>7</sup>Newly acquired numbers may be excluded from the Utilization calculation (FCC 00104, section 52.15 (g)(3)(ii))

January 12, 2015 ATIS-0300066.at3 Attachment 3

## Pooling Administrator's Response/Confirmation TBPAG Part 3

Tracking Number:	603-MILFORD-NH 916042	<u>-</u>					
Date of Application:	04/18/2016	_Effective Date:					
Date of Receipt:	04/18/2016	Date of Response:	04/18/2016				
Service Provider Name:	FREEDOM RING COMMUNICATIONS, LLC						
(iconectiv <sup>TM</sup> LERG <sup>TM</sup> Routing Guide ) OCN:	8468						
Parent Company OCN:	8468						
NPAC SOA SPID :							
Pooling Administrator C  John Auerbach	Contact Information Phone		925-363-8706				
Signature of Pooling Ad	ministrator						
John Auerbach	Fax:	925-363-7684					
Name (print)							
Email:	john.a	uerbach@neustar.b	oiz —				
NPA-NXX or NPA-NXX-X :	В	lock Assigned:					
	В	lock Reserved :					
		lock Reservation piration Date:					
		lock/Code odified:					
		lock/Code sconnected :					
Block Contaminate	d(Yes or No):						
If Yes, enter the nuncontaminated:	nber of TNs						
		PTMONH07DS0					

	Switch Identification(Switch Entity/POI): <sup>1</sup>						
	Rate Center:	MILFORD					
Χ	Form Complete, request denied.						
	this request for a new block is de State Waiver from the appropriate If you are in disagreement with th	and/or Utilization requirements, therefore nied. You may proceed with requesting a estate commission using this Part 3 denial. le disposition of this request, please refer to KX-X) Pooling Administration Guidelines for					
L	Request withdrawn. Explanation:						
	Assignment activity suspended by the administrator.  Explanation:						
Ren	marks:						
$1  \mathrm{Tt}$	ala la on alazzan ahanaatan daganinte	on provided by the exemina entity for the					

<sup>&</sup>lt;sup>1</sup> This is an eleven-character descriptor provided by the owning entity for the purpose of routing calls. This must be the CLLI <sup>TM</sup> Location Identification code of the switching entity/POI shown on the Part 1A form (LERG ROUTING Guide and CLLI are trademarks of Telcordia Technologies, Inc. dba iconectiv)