Schedule A
HAWC System History

| HAWC System History | | | | |
|--------------------------------|------|------------|--------|------------------------|
| Company | Year | Docket | Order | Franchise Area |
| Walnut Ridge Water Company | 1977 | DE 76-179 | 12,827 | 1,826 Acres |
| Lancaster Farms-Salem | 1984 | DR 84-267 | 17,312 | 144 Acres |
| Bricketts Mill-Hampstead | 1985 | DE 85-149 | 17,848 | 80 Acres |
| Squire Ridge-Hampstead | 1985 | DE 85-274 | 17,967 | 140 Acres |
| Kent Farm-Hampstead | 1987 | DE 86-198 | 18,560 | 1,700 Acres |
| Kent Farm-Hampstead | 1987 | DE 86-198 | 18,598 | Supp Order |
| Woodland Pond-Hampstead | 1987 | DE 87-211 | 18,980 | 701 Acres |
| Bryant Woods-Atkinson | 1988 | DE 87-226 | 19,230 | 2,340 Acres |
| Hampstead Area Water Company | 1989 | DE 89-047 | 19,717 | Hampstead Merger* |
| Hampstead Area Water Company | 1989 | DE 89-047 | 19,751 | 1,650 |
| Walnut Ridge Water Company | 1990 | DE 90-129 | 19,992 | Bryant Woods Merger ** |
| HAWC-Bricketts Mill Extension | 1990 | DE 90-049 | 19,783 | 55 Acres |
| HAWC-Hampstead | 1991 | DE 91-121 | 20,224 | 1,246 Acres |
| HAWC-Hampstead | 1991 | DE 91-144 | 20,320 | 1,350 Acres |
| HAWC-Rainbow Ridge-Plaistow | 1993 | DE 92-129 | 20,774 | 370 Acres |
| HAWC-Stoneford-Sandown | 1996 | DE 96-201 | 22,551 | 152 Acres |
| HAWC-Colby Pond-Danville | 1998 | DE 97-154 | 22,854 | 3,483 Acres |
| HAWC-Oak Hill-Chester | 2000 | DW 00-059 | 23,577 | 177 Acres |
| HAWC-Walnut Ridge & Lancaster | 2002 | DW 01-204 | 23,954 | Atkinson Merger*** |
| HAWC-Camelot Court-Nottingham | 2004 | DW 02-198 | 24,296 | 44 Acres |
| HAWC-Cornerstone-Sandown | 2004 | DW 02-198 | 24,296 | 188 Acres |
| HAWC-Lamplighter-Kingston | 2004 | DW 02-198 | 24,296 | 13.66 Acres |
| HAWC-Maplevale-East Kingston | 2004 | DW 03-150 | 24,299 | 107 Acres |
| HAWC-Dearborn Ridge-Atkinson | 2005 | DW 04-055 | 24,501 | 541 Acres |
| HAWC-Hampstead Expansion | 2005 | DW 04-062 | 24,520 | 238 Acres |
| HAWC-Mill Woods-Sandown | 2005 | DW 05-063 | 24,544 | 35 Acres |
| HAWC-Waterford Village-Sandown | 2005 | DW 05-070 | 24,545 | 90.37 Acres |
| HAWC-Atkinson Expansion | 2005 | DW 05-092 | 24,592 | 333 Acres |
| HAWC-Autumn Hills-Sandown | 2006 | DW 06-016- | 24,608 | 33.68 Acres |
| HAWC - Cooper Grove-Kingston | 2008 | DW-07-133 | 24,831 | 211 Acres |
| HAWC - Black Rocks Village | 2008 | DW-07-134 | 24,856 | 391 Acres |
| HAWC - Sargent Woods | 2008 | DW-07-130 | 24,884 | 65.97 Acres |
| HAWC – Oak Hill Extension | 2010 | DW-10-204 | 25,166 | 27.851 Acres |
| HAWC - Fairfield Estates | 2011 | DW-11-218 | 25,318 | 21.97 Acres |
| HAWC – Little River Village | 2013 | DW-13-323 | 25,636 | 127.00 Acres |
| HAWC – Emery Drive Extension | 2014 | DW-14-022 | 25,672 | 1,125 Acres |
| HAWC - Sargent Woods Ext. | 2014 | DW-14-107 | 25,704 | 26.82 Acres |
| HAWC – Snow's Brook. | 2015 | DW-14-319 | 25,757 | 23.11 Acres |
| HAWC – Kings Landing. | 2015 | DW-15-254 | 25,827 | 35.16 Acres |
| HAWC – Wells Village. | 201 | DW-16-825 | 25,979 | 40.83 Acres |
| - | | | | |

^{*}Merged Bricketts Mill, Kent Farm, Squire Ridge and Woodland Pond into HAWC

^{**}Merged Bryant Woods into Walnut Ridge with requirement that the Bryant Woods rates apply

^{***}Merged Lancaster Farms and Walnut Ridge into HAWC



McFarland Ford Sales, Inc. 151 Portsmouth Ave, Exeter, New Hampshire, 038332186 Office: 603-772-5953

Customer Proposal

Prepared for:

JEFF CAILLOUETTE LEWIS BUILDERS

Prepared by:

Eric Cummings Office: 603-772-5953 Email: ecummings@mcfarlandford.com

Date: 07/16/2018 Vehicle: 2018 F-250 XL

4x4 SD Regular Cab 8' box 142" WB SRW





Selected Options

| Code | Description | MSRP |
|-------------------|--|-------------|
| Base Vehicle | | |
| F2B | Base Vehicle Price (F2B) | \$35,945.00 |
| Packages | | |
| 600A | Order Code 600A | N/C |
| | Includes: - Engine: 6.2L 2-Valve SOHC EFI NA V8 Flex-Fuel Flex-Fuel badge on fleet orders only Transmission: TorqShift-G 6-Spd Auto w/SelectShift - GVWR: 10.000 lb Payload Package - Tires: LT245/75Rx17E BSW A/S (4) - Wheels: 17" Argent Painted Steel Includes painted hub covers/center ornaments HD Vinyl 40/20/40 Split Bench Seat Includes center armrest, cupholder, storage and driver's side manual lumbar. | |
| Powertrain | | |
| 996 | Engine: 6.2L 2-Valve SOHC EFI NA V8 Flex-Fuel | Included |
| 44S | Flex-Fuel badge on fleet orders only. Transmission: TorqShift-G 6-Spd Auto w/SelectShift | Included |
| X3E | Electronic-Locking w/3.73 Axle Ratio | \$390.00 |
| STDGV | GVWR: 10,000 lb Payload Package | Included |
| Wheels & Tires | | |
| TD8 | Tires: LT245/75Rx17E BSW A/S (4) | Included |
| 64A | Wheels: 17" Argent Painted Steel | Included |
| | Includes painted hub covers/center ornaments. | |
| Seats & Seat Trim | | |
| A | HD Vinyl 40/20/40 Split Bench Seat | Included |
| | Includes center armrest, cupholder, storage and driver's side manual lumbar. | |
| Other Options | | |
| 142WB | 142" Wheelbase | STD |
| PAINT | Monotone Paint Application | STD |
| 96V | XL Value Package | \$720.00 |

Ford

Selected Options (cont'd) Code Pescription

| Code | Description | MSRP |
|------|---|--------------------------------|
| | Includes: - 4.2" Center-Stack Screen - Radio: AM/FM Stereo/Single-CD/MP3 Player Includes 4 speakers Bright Chrome Hub Covers & Center Ornaments - Chrome Front Bumper - Chrome Rear Step Bumper - Steering Wheel-Mounted Cruise Control | |
| 90L | Power Equipment Group | \$915.00 |
| | Deletes passenger-side lock cylinder. Includes upgraded door trim panel. Includes: - Accessory Delay - Manual Telescoping/Folding Trailer Tow Mirrors Includes power heated glass, heated convex spotter mirror and integrated cleara turn signal indicators Perimeter Alarm - Power Locks - Power Tailgate Lock - Power Front Seat Windows Includes 1-touch up/down driver/passenger window Remote Keyless Entry | ance lights and |
| 473 | Snow Plow Prep Package | \$185.00 |
| | REQUIRES Extra Extra Heavy-Duty Alternator (67E) when ordere Switches (66S) and 110V/400W Outlet (43C). | d with Upfitter |
| | Includes computer selected springs for snowplow application. NOTE 1: Restriction Supplemental Reference or Body Builders Layout Book for details. NOTE 2: May deterioration of ride quality when vehicle is not equipped with snowplow. Includes: | |
| 18B | - Extra Heavy-Duty 200 Amp Alternator Platform Running Boards | \$320.00 |
| | • | |
| 592 | LED Roof Clearance Lights | \$95.00 |
| 43C | 110V/400W Outlet | \$75.00 |
| | REQUIRES Extra Extra Heavy-Duty Alternator (67E) when ordere Switches (66S) and Snow Plow Pkg. (473) or Snow Plow/Camper | d with Upfitter Pkg. (47B). |
| | Includes 1 in-dash mounted outlet. Includes: - Extra Heavy-Duty 200 Amp Alternator | |
| 66S | Upfitter Switches (6) | \$165.00 |
| | REQUIRES Extra Extra Heavy-Duty Alternator (67E) when ordere 110V/400W Outlet (43C) and Snow Plow Pkg. (473) or Snow Plow Pkg. (47B). | d with v/Camper |
| | Located in overhead console. Includes: - Extra Heavy-Duty 200 Amp Alternator | |
| 585_ | Radio: AM/FM Stereo/Single- CD/MP3 Player | Included |
| | Includes 4 speakers. | |
| 91M | SYNC Communications & Entertainment System | \$365.00 |
| | Includes enhanced voice recognition, 911 Assist. 4.2" LCD screen in center stack smart-charging USB port and steering wheel audio controls. | . AppLink. 1 |

Fleet Options

Selected Options (cont'd)

| Code | Description | MSRP |
|--------------------|--|-------------|
| 525_ | Steering Wheel-Mounted Cruise Control | Included |
| Emissions | | |
| 425 | 50-State Emissions System | STD |
| Interior Colors | | |
| AS_04 | Medium Earth Gray | N/C |
| Primary Colors | | |
| Z1_01 | Oxford White | N/C |
| SUBTOTAL | | \$39,175.00 |
| Destination Charge | | \$1,495.00 |
| TOTAL | | \$40,670.00 |

Selected Equipment & Specs

Dimensions

* Exterior length: 231.8"

* Exterior width: 80.0"

* Wheelbase: 142.0"

Box length: 98.1"

* Rear track: 67.2"
* Min ground clearance: 8.3"
* Front headroom: 40.8"
* Front shoulder room: 66.7"
* Approach angle: 18.1 deg
* Cargo volume: 11.6cu.ft.

Powertrain

 385hp 6.2L SOHC 16 valve V-8 engine with variable valve control, SMPI

* federal

* Part-time

* Fuel Economy Highway: N/A

Suspension/Handling

 Front Mono-beam non-independent suspension with anti-roll bar, HD shocks

Firm ride Suspension

* Front and rear 17 x 7.5 argent steel wheels

Body Exterior

* 2 doors

* Turn signal indicator in mirrors

* Chrome bumpers

Class V trailer hitch with trailer sway control

* Trailer harness

* Clearcoat paint

2 front tow hook(s)

Convenience

* Manual air conditioning with air filter

Power front windows

Driver and passenger 1-touch down

Manual tilt steering wheel

* Day-night rearview mirror

Wireless phone connectivity

2 1st row LCD monitors

* Passenger visor mirror

Upfitter switches

Seats and Trim

Seating capacity of 3

4-way driver seat adjustment

* Cab to axle: 56.1"

* Exterior height: 81.1"

* Front track: 68.3"

* Turning radius: 23.8'

* Front legroom: 43.9"

* Front hiproom: 62.5"

* Passenger volume: 64.6cu.ft.

* Departure angle: 22.7 deg

* Maximum cargo volume: 11.6cu.ft.

* Recommended fuel : regular unleaded

* TorqShift-G 6 speed automatic transmission with

overdrive

* Fuel Economy Cty: N/A

Rear rigid axle leaf spring suspension with HD shocks

* Hydraulic power-assist re-circulating ball Steering

* LT245/75SR17 EBSW AS front and rear tires

* Driver and passenger power remote heated, manual folding door mirrors with turn signal indicator

* Black door mirrors

* Running boards

* Bed-rail protectors

* Box style: regular

* Front and rear 17 x 7.5 wheels

* Cruise control with steering wheel controls

* Driver and passenger 1-touch up

* Remote power door locks with 2 stage unlock and illuminated entry

* Manual telescopic steering wheel

* 911 Assist emergency SOS

* AppLink smart device integration

* Front cupholders

* Driver and passenger door bins

* Front 40-20-40 split-bench seat

* Manual driver lumbar support

Ford

Selected Equipment & Specs (cont'd)

* 4-way passenger seat adjustment

* Centre front armrest with storage

Entertainment Features

- * AM/FM stereo radio
- * Steering wheel mounted radio controls
- * Streaming audio

- * SYNC external memory control
- * 4 speakers
- * Fixed antenna

Lighting, Visibility and Instrumentation

- * Halogen aero-composite headlights
- * Fully automatic headlights
- * Light tinted windows
- * Tachometer
- * Compass
- * Camera(s) rear
- Trip computer

- * Delay-off headlights
- * Variable intermittent front windshield wipers
- * Front reading lights
- * Oil pressure gauge
- * Outside temperature display
- * Low tire pressure warning
- * Trip odometer

GVWR

Safety and Security

- 4-wheel ABS brakes
- 4-wheel disc brakes
- * ABS and driveline traction control
- Dual seat mounted side impact airbag supplemental restraint system
- Remote activated perimeter/approach lighting
- * Security system with SecuriLock immobilizer
- * Manually adjustable front head restraints

- * Brake assist with hill hold control
- * Electronic stability control
- Dual front impact airbag supplemental restraint system with passenger cancel
- * Safety Canopy System curtain 1st row overhead airbag supplemental restraint system
- Power remote door locks with 2 stage unlock and panic alarm
- * MyKey restricted driving mode

Dimensions

| General | Weights |
|---------|---------|
| Curb | |

| Payload | 3830 lbs. | OVVIIC | 10000 183. |
|--|-------------------------------------|--|------------------------|
| Front Weights Front GAWR Front axle capacity Front tire/wheel capacity | 5600 lbs. 6000 lbs. 6390 lbs. | Front curb weight Front spring rating | 3670 lbs. 5600 lbs. |
| Rear Weights Rear GAWR Rear axle capacity Rear tire/wheel capacity | 6340 lbs. 6200 lbs. 6390 lbs. | Rear curb weight Rear spring rating | 2513 lbs. 6340 lbs. |
| Trailering Type Type Class | Regular V | Harness Hitch | Yes Yes |

6183 lbs

General Trailering

Trailer sway control

5th-wheel towing capacity 12800 lbs. Gooseneck towing capacity 12800 lbs. Towing capacity 12900 lbs. GCWR 12800 lbs.

Fuel Tank type

Capacity 34 gal.

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Yes

10000 lbs



Selected Equipment & Specs (cont'd)

| Off Road | | | |
|---|----------------------------------|---|--------------------------|
| Approach angle Ramp breakover angle Load floor height | 18 deg 25 deg 39 " | Departure angle Min ground clearance | 23 deg 8 " |
| Exterior cargo | | | |
| Length | 98.1 " | Minimum width | 50.5 " |
| Volume Maximum width | 78.5 cu.ft. 66.9 " | Pickup box depth Tailgate width | 21.1 " 60.5 " |
| Interior cargo | 00.0 | rangate width | 00.0 |
| Cargo volume | 11.6 cu.ft. | Maximum cargo volume | 11.6 cu.ft. |
| Powertrain | 1110 001111 | maximum sargo volumo | THO Gama |
| | | | |
| Engine Type Block material | Iron | Cylinders | V-8 |
| Head material | Aluminum | Ignition | Spark |
| Injection | Sequential MPI | Liters | 6.2L |
| Orientation Valves per cylinder | Longitudinal 2 | Recommended fuel | Regular unleaded SOHC |
| Variable valve control | Yes | Valvetrain | 30110 |
| Engine Spec | | | |
| Bore | 4.02" | Compression ratio | 9.8:1 |
| Displacement | 379 cu.in. | Stroke | 3.74" |
| Engine Power | | | |
| SAEJ1349 AUG2004 comp Torque 43 | liant Yes 30 ftlb @ 3,800 RPM | Output | 385 HP @ 5,750 RPM |
| Alternator | | | |
| Туре | HD | Amps | 200 |
| Battery | | | |
| Amp hours | ,72 | Cold cranking amps | 650 |
| Run down protection | Yes | | |
| Transmission | V | | V |
| Electronic control Overdrive | Yes Yes | Lock-up Speed | Yes 6 |
| Type | Automatic | Орееч | O |
| Transmission Gear Ratios | 3 | | |
| 1st | 4.17 | 2nd | 2.34 |
| 3rd | 1.52 | 4th | 1.14 |
| 5th Reverse Gear ratios | 0.87 3.4 | 6th | 0.69 |
| Transmission Torque Cor | | | |
| Stall ratio | 2.01 | | |
| Transmission Extras | 2.01 | | |
| Driver selectable mode | Yes | Sequential shift control | SelectShift |
| Oil cooler | Regular duty | Soquerital Stiff Control | Colocionin |



Selected Equipment & Specs (cont'd)

Drive Type

Four-wheel 4wd type Part-time Type

Drive Feature

ABS and driveline Traction control Locking hub control Auto

Electronic Driver selectable Transfer case shift Rear locking differential

Drive Axle

3.73 Ratio

Exhaust

Material Stainless steel System type Single

Emissions

CARB Federal

fuel Economy

Fuel type Gasoline

Fuel Economy (Alternate 1)

E85 Fuel type

Acceleration

6.53 0-60 mph (s)

1/4 Mile

15.0 93 mph Seconds Speed

Skid Pad

0.6 Lateral acceleration (g)

Slalom

Speed 51 mph

Driveability

Brakes

4-wheel ABS ABS channels 4-wheel disc Vented discs Front and rear Type

Brake Assistance

Yes Yes Brake assist Hill hold control

Suspension Control

Firm Stability control with Ride Electronic stability control

anti-roll

Front Suspension

Mono-beam non-independent Regular Independence Anti-roll bar

Front Spring

Coil Grade HD Type

Front Shocks

HD Type

Rear Suspension



Selected Equipment & Specs (cont'd)

| | | , | |
|---|---------------------------------|---|---------------------|
| Independence | Rigid axle | Туре | Leaf |
| Rear Spring Type | Leaf | Grade | HD |
| Rear Shocks Type | HD | | |
| Steering Activation | Hydraulic power-assist | Туре | Re-circulating ball |
| Steering Specs # of wheels | 2 | | |
| Exterior | | | |
| Front Wheels Diameter | 17" | Width | 7.50" |
| Rear Wheels Diameter | 17" | Width | 7.50" |
| Spare Wheels Wheel material | Steel | | |
| Front and Rear Whe | | | |
| Appearance Covers | Argent Hub | Material | Steel |
| Front Tires | | | |
| Aspect Sidewalls Tread Width RPM | 75 BSW AS 245mm 645 | Diameter Speed Type LT load rating | 17" S LT E |
| Rear Tires | | | |
| Aspect Sidewalls Tread Width RPM | 75 BSW AS 245mm 645 | Diameter Speed Type LT load rating | 17" S LT E |
| Spare Tire | | | |
| Mount | Underbody w/crankdown | Туре | Full-size |
| Wheels Front track Turning radius | 68.3" 23.8' | Rear track Wheelbase | 67.2" 142.0" |
| Body Features Front license plate bra Body material Front tow hook(s) | acket Yes Aluminum 2 | Running boards Side impact beams | Yes Yes |
| Body Doors Door count | 2 | Rear cargo | Tailgate |



Selected Equipment & Specs (cont'd)

| Pickup | | | |
|-----------------------------------|----------------------|--|------------------|
| Box style | Regular | Bed-rail protectors | Yes |
| Exterior Dimensions | | | |
| Length | 231.8" | Body width | 80.0" |
| Body height Frame section modulus | 81.1" 10.7cu.in. | Cab to axle Frame yield strength (psi) | 56.1" 50000.0 |
| Front bumper to Front axle | 38.2" | Front bumper to back of cab | 123.7" |
| Safety | | | |
| Airbags | | | |
| Driver front-impact | Yes | Driver side-impact | Seat mounted |
| | y System curtain 1st | Passenger front-impact | Cancellable |
| row Passenger side-impact | Seat mounted | | |
| Seatbelt | | | |
| Height adjustable | Front | | |
| Security | | | |
| Immobilizer | SecuriLock | Panic alarm | Yes |
| Restricted driving mode | MyKey | | |
| Seating | | | |
| Passenger Capacity | | | |
| Capacity | 3 | | |
| Front Seats | | | |
| Split | 40-20-40 | Type | Split-bench |
| Driver Seat | | | |
| Fore/aft | Manual | Reclining | Manual |
| Way direction control | 4 | Lumbar support | Manual |
| Passenger seat | Manual | D - Poisson | Manual |
| Fore/aft Way direction control | Manual 4 | Reclining | iviariuai |
| Front Head Restraint | | | |
| Control | Manual | Туре | Adjustable |
| Front Armrest | | .51 | , |
| Centre | Yes | Storage | Yes |
| Front Seat Trim | | <u> </u> | |
| Material | Vinyl | Back material | Vinyl |
| Convenience | • | | |
| AC And Heat Type | | | |
| Air conditioning | Manual | Air filter | Yes |
| Audio System | | | |
| Radio | AM/FM stereo | Radio grade | Regular |

Office: 603-772-5953

Selected Equipment & Specs (cont'd)

| Seek-scan | Yes | External memory control | SYNC |
|--|---|--|---|
| Audio Speakers | | | |
| Speaker type | Regular | Speakers | 4 |
| Audio Controls Steering wheel co | ontrols Yes Bluetooth yes | Voice activation | Yes |
| Audio Antenna | | | |
| Туре | Fixed | | |
| LCD Monitors | | | |
| 1st row | 2 | Primary monitor size (inches) | 4.2 |
| Cruise Control | | | |
| Cruise control | With steering wheel controls | | |
| Convenience Fea | atures | | |
| Retained accessor Emergency SOS AC power outlet Upfitter switches | ory power Yes 911 Assist 1 Yes | 12V DC power outlet Wireless phone connectivity Smart device integration | 2 Bluetooth App link |
| Door Lock Activa | | | |
| Type Integrated key/rei | Power with 2 stage unlock | Remote | Keyfob (all doors) |
| Door Lock Type Tailgate/rear door locks | r lock Included with power door | | |
| Instrumentation 7 | Type | | |
| Display | Analog | | |
| Instrumentation (| Gauges | | |
| Tachometer Engine temperatu Engine hour mete | | Oil pressure Transmission fluid temp | Yes Yes |
| Instrumentation V | Varnings | | |
| Oil pressure Battery Key Door ajar Brake fluid | Yes Yes Yes Yes Yes | Engine temperature Lights on Low fuel Service interval Low tire pressure | Yes Yes Yes Yes Tire specific |
| Instrumentation L | Displays | | : |
| Clock Exterior temp Camera(s) - rear | In-radio display Yes Yes | Compass Systems monitor | Yes Yes |
| Instrumentation F Trip computer | Feature Yes | Trip odometer | Yes |
| Steering Wheel 7 Material | <i>ype</i> Urethane | Tilting | Manual |
| | | | |

Selected Equipment & Specs (cont'd)

Manual Telescoping

Front Side Windows

Window 1st row activation Power

Window Features

1-touch down Driver and passenger Driver and passenger 1-touch up

Tinted

Front Windshield

Variable intermittent Wiper

Rear Windshield

Fixed Window

Interior

Passenger Visor

Mirror Yes

Rear View Mirror

Yes Day-night

Headliner

Full Cloth Coverage Material

Floor Trim

Full Vinyl/rubber Coverage Covering

Trim Feature

Urethane Chrome Gear shift knob Interior accents

Lighting

Fade Yes Dome light type Front reading Illuminated entry Yes Variable IP lighting Yes

Storage

Yes Yes Driver door bin Front Beverage holder(s) Glove box Locking Passenger door bin Yes Illuminated Yes Instrument panel Bin Covered

Dashboard

Legroom

43.9" Front

Headroom

40.8" Front

Hip Room

Front 62.5"

Shoulder Room

66.7" Front

Interior Volume

64.6 cu.ft. Passenger volume

Pricing - Single Vehicle

| | | MSRP |
|---------------------|-------------------------|-----------------|
| Vehicle Pricing | | |
| Base Vehicle Price | | \$35,945.00 |
| Options & Colors | | \$3,230.00 |
| Upfitting | | \$0.00 |
| Destination Charge | | \$1,495.00 |
| Subtotal | | \$40,670.00 |
| Pre-Tax Adjustments | | |
| Code | Description | |
| | 8' READING SERVICE BODY | \$830.00 |
| Total | | \$41,500.00 |
| | | |
| | | |
| | | |
| Customer Signature | | Acceptance Date |