



780 N. Commercial Street
P.O. Box 330
Manchester, NH 03105-0330

Matthew J. Fossum
Senior Regulatory Counsel

603-634-2961
matthew.fossum@eversource.com

July 22, 2020

Debra Howland
Executive Director
New Hampshire Public Utilities Commission
21 South Fruit Street, Suite 10
Concord, NH 03301-2429

RE: Docket No. DE 20-085
Public Service Company of New Hampshire d/b/a Eversource Energy
2020 Transmission Cost Adjustment Mechanism
Response to Record Request – Exhibit 2

Dear Director Howland:

On July 22, 2020, a hearing was held on Public Service Company of New Hampshire d/b/a Eversource Energy's ("Eversource") Transmission Cost Adjustment Mechanism ("TCAM") rate. During that hearing it was noted that the rate calculations proposed by Eversource included an under-recovery of LNS costs spread out over 24 months, as described on Bates pages 18-19. It was further noted that the Staff did not support the use of 24 months and advocated for the under-recovery to be addressed as it would traditionally have been handled where the impact would be included in the TCAM rate over the next 12-month period.

Limited information about the impact of a change from 24 to 12 months was provided during the hearing, but the Commission held Exhibit 2 open for a record request submission that would more fully demonstrate the rate and bill impacts of using the traditional recovery method rather than the 24-month method. Accordingly, enclosed for filing are updates to the rates calculation pages of Eversource's TCAM submission to reflect the adjustment to the TCAM rate using the traditional recovery method. It is Eversource's position that the rates as reflected in this submission are just and reasonable and that they should be approved by the Commission should the Commission elect to require the under-recovery to be addressed over 12 months. If you have any questions, please do not hesitate to contact me. Thank you for your assistance with this matter.

Very truly yours,

A handwritten signature in blue ink, appearing to read "Matthew J. Fossum", with a long horizontal flourish extending to the right.

Matthew J. Fossum
Senior Regulatory Counsel

Enclosures
CC: Service List