

From: Fournier, Glen <Glen.Fournier@consolidated.com>
Sent: Wednesday, November 6, 2019 3:22 PM
To: Tessier, David <David_Tessier@cable.comcast.com>; Austin, Todd (Contractor) <Todd_Austin@cable.comcast.com>; Lepage, Linda (Contractor) <Linda_Lepage@cable.comcast.com>
Cc: 'John Robinson' (<wanalancet@yahoo.com>) <wanalancet@yahoo.com>; Mendonca, Joy <Joy.Mendonca@consolidated.com>; Carter, Mark (Epping, NH) <Mark_Carter@cable.comcast.com>; Wilkins, Kevin <Kevin_Wilkins@cable.comcast.com>
Subject: [EXTERNAL] RE: Comcast conduit placement Belmont

David,

No, you are clearly violating the rules and in a very anti-competitive manner. Please apply and follow the rules. When the associated aerial app reaches the point of licensing we will check to ensure the rules have been followed before issuing.

Thanks
Glen

Glen Fournier - License Administration Group
Consolidated Communications
5 Davis Farm Road
Portland, ME 04103
Glen.Fournier@consolidated.com
207. 878.0848 office | 207.272.7991 cell
consolidated.com | NASDAQ: CNSL



From: Tessier, David [mailto:David_Tessier@comcast.com]
Sent: Wednesday, October 30, 2019 12:50 PM
To: Fournier, Glen; Austin, Todd (Contractor); Lepage, Linda (Contractor)
Cc: 'John Robinson' (<wanalancet@yahoo.com>); Mendonca, Joy; Carter, Mark (Epping, NH); Wilkins, Kevin
Subject: RE: Comcast conduit placement Belmont

Hi Glen,

I did ask John if he could add riser requests for the two poles in question 1100/2, 110/47, if we need separate request for risers we can do that as well.

We are not connecting two assets here. We are making a connection and adding vaults for future take offs.

This conduit will be Comcast installed, owned and occupied by Comcast cable only.

Thanks Dave

From: Fournier, Glen <Glen.Fournier@consolidated.com>
Sent: Wednesday, October 30, 2019 12:09 PM
To: Tessier, David <David_Tessier@cable.comcast.com>; Austin, Todd (Contractor) <Todd_Austin@cable.comcast.com>; Lepage, Linda (Contractor) <Linda_Lepage@cable.comcast.com>
Cc: 'John Robinson' (<wanalancet@yahoo.com>) <wanalancet@yahoo.com>; Mendonca, Joy <Joy.Mendonca@consolidated.com>
Subject: [EXTERNAL] FW: Comcast conduit placement Belmont

Hi Dave and Todd,
Please follow the rules John explained to you regarding conduit. If you opt to not follow the rules we will not be licensing LBFT-05. Even if that license were issued, Comcast is not licensed for the risers on each pole.

Comcast needs to submit a conduit request between 1100/2 to 110/47 on Mile Hill Rd.
Please follow the rules.

Thanks
Glen

Glen Fournier - License Administration Group
Consolidated Communications
5 Davis Farm Road
Portland, ME 04103
Glen.Fournier@consolidated.com
207. 878.0848 office | 207.272.7991 cell
consolidated.com | NASDAQ: CNSL



From: John Robinson [<mailto:wanalancet@yahoo.com>]
Sent: Wednesday, October 30, 2019 10:59 AM
To: Fournier, Glen
Subject: Re: Comcast conduit placement Belmont

Yes,

They are: david_tessier@comcast.com and Todd_austin@comcast.com

On Wednesday, October 30, 2019, 09:16:13 AM EDT, Fournier, Glen <glen.fournier@consolidated.com> wrote:

Do you have Dave or Todd's email?

Glen Fournier - License Administration Group
Consolidated Communications

5 Davis Farm Road
Portland, ME 04103
Glen.Fournier@consolidated.com
207. 878.0848 office | 207.272.7991 cell
consolidated.com | NASDAQ: CNSL



From: john robinson [<mailto:wanalancet@yahoo.com>]
Sent: Wednesday, October 30, 2019 9:09 AM
To: Fournier, Glen; Mendonca , Joy
Subject: Comcast conduit placement Belmont

Hi Glen, Joy,

On a recent Comcast survey in Belmont, N.H. NHA20191036APP, I had a discussion with Comcast Reps , Dave Tessier and Todd Austin. This was about a conduit that Comcast was looking to place between CCI poles, 1100/2, on Bishop Rd, and CCI pole 110/47, Mile Hill Rd. I advised them that any conduit between two CCI entities would have to be placed by CCI. I looked at this location last week and it has been white marked for excavation by Comcast. Could you please review this policy with Comcast.

Thank You,
John