

**STATE OF NEW HAMPSHIRE  
PUBLIC UTILITIES COMMISSION**

**DW 22-082**


**RESIDENTS OF COLONIAL DRIVE, MOULTONBOROUGH**


**Complaint by Residents of Colonial Drive, Moultonborough Against Agape  
Community Church Sewer System**

**Procedural Order Re: Status Update**

On June 8, 2023 the Commission issued Order No. 26,841 in this matter. Order No. 26,841 granted the petitioners' motion to stay proceeding for a period of 90 days while the parties negotiated a resolution. In light of the status update the petitioners filed on September 6, 2023, the Commission continues the stay an additional 30 days and directs the petitioners to submit a filing indicating how they wish to proceed in this docket no later than October 9, 2023.

So ordered, this seventh day of September, 2023.

  
\_\_\_\_\_  
Pradip K. Chattopadhyay  
Commissioner

  
\_\_\_\_\_  
Carleton B. Simpson  
Commissioner

# Service List - Docket Related

Docket#: 22-082

Printed: 9/7/2023

Email Addresses

---

ClerksOffice@puc.nh.gov  
cboldt@dtclawyers.com  
kelvin.a.brooks@doj.nh.gov  
mab@nhbrownlaw.com  
Energy-Litigation@energy.nh.gov  
paul.b.dexter@energy.nh.gov  
jayson.p.laflamme@energy.nh.gov  
anthony.j.leone@energy.nh.gov  
ocalitigation@oca.nh.gov  
agapehomestead@yahoo.com  
Matthew.C.Young@energy.nh.gov  
Kerry.d.barnsley@des.nh.gov  
mserge@dwmlaw.com